

**EAGLE**  
Profit from the Eagle Advantage  
NSF  
NAT'L IC  
LR100666  
Model # HSA-10-FE-B-MG  
Serial # 0405241439  
100 Industrial Blvd. Clayton, DE 19938  
800-441-6440 www.eaglegrp.com 12485



# EAGLE GROUP HAND SINKS

## GOT SOAP?



*Profit from the Eagle Advantage®*

# Eagle Hand Sinks

Hand-transmission is a critical factor in the spread of bacteria, pathogens and viruses which cause disease and foodborne illness. Foodborne illness kills over 3,000 people each year. Over 65% of all outbreaks originate in foodservice operations and as many as 38% are the result of poor hand washing and cross-contamination.

—Sources: Center for Disease Control, Food & Drug Administration

Eagle offers many different styles of hand sinks to help control the spread of foodborne illness.



## Over 40 models including...

### ...Traditional:



Includes "the industry standard" – the HSA-10-F

### ...Hand Sinks with Standard Towel & Soap Dispenser:



Modeled after our Traditional Hand Sinks, but come standard with C-fold towel dispenser and soap dispenser

### ...Valve-Operated:



Great for hospitals, "hands free" operation for less contamination

### ...Electronic:



Sensor-activated faucet conserves water; electronic "eye" soap dispenser minimizes cross-contamination between soap & water dispenser

### ...Space Savers:



Designed for maximum space efficiency – only 12" from side to side!



## Optional MICROGARD® for Hand Sinks

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways: 1) suffocates the cell, 2) stops the cell reproduction system, 3) stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.\*
- Note: To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl (excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).

**To order MICROGARD® on Hand Sinks:**  
Add suffix "-MG" to model number.  
Example: HSA-10-F-MG

\* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

## HFL-5000 Touch-Free Handwashing Systems

- Eagle hand sink with MICROGARD® antimicrobial protection.
- Kimberly-Clark touchless towel dispenser. Eagle part #377454. Use Kleenex #50606 or Scott #02000 towel roll.
- T&S electronic eye faucet, splash mounted with battery-saving hydrogenerator power source. A LEED-friendly combination with the flow of water creating its own power source. Eagle part #369865.
- Purell/LTX hand sanitizing dispenser. Eagle part #377455.
- Gojo/LTX hand soap dispenser. Eagle part #377456.
- FoodHandler glove rack with single service gloves. Model #11-0012. Eagle part #352855.
- Tucel soft bristle white nail brush. Model #1832. Eagle part #348602.



Description of hand sink included	Model #
with waste receptacle	HFL-5000
with skirt (no waste receptacle)	HFL-5000-S
with waste receptacle and end splashes	HFL-5000-LRS



# Traditional Hand Sinks



These units are wall mounted and come with basket drain or lever drain, and “Z” wall mount bracket. Basket drain and lever drain come with crumb cup. Most of these units have accessories as standard components.



**HSA-10\***  
Basic hand sink

**Comes standard with:**

- Holes punched 4" apart for splash mount faucet (not included)
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H



**HSA-10-F\***  
The industry standard

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H



**HSA-10-FA\***

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- P-trap and Tail Piece
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H



**HSA-10-FAW\***

**Comes standard with:**

- Splash Mount Gooseneck Faucet with Wrist Handles
- P-trap and Tail Piece
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H



**HSA-10-FL**

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- 1½" Polymer Lever Drain

**Bowl Size:** 10"W x 14"L x 5"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H



**HSA-10-F0**

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- 1½" Polymer Lever Drain
- Overflow

**Bowl Size:** 10"W x 14"L x 5"D

**Overall Size:** 14¾"W x 18¾"L x 12½"H

W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl



\*MICROGARD® available for these hand sinks. See page 2 for details.

# Electronic Hand Sinks – AC Power



**AC Power:** Electronic “eye” sensor beam (adjustable from 3” to 12”) activates water flow. Requires 120-volt, 15-amp electric. 120-volt adapter included. All units come with #342938 Y-inlet non-adjustable mixing valve. For regulating water temperature, #326015 temperature adjustment valve is required. See page 11.

All units except #HSA-10-FA-PE come with “Z” wall mount bracket. All drains come with crumb cup.



**HSA-10-FE\***

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- 1½” Basket Drain

**Bowl Size:** 9¼”W x 13½”L x 6¼”D

**Overall Size:** 14¼”W x 18¾”L x 12½”H



**HSA-10-FA-PE\***

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- Soap Dispenser
- P-Trap and Tail Piece
- 1½” Basket Drain

**Bowl Size:** 9¼”W x 13½”L x 6¼”D

**Overall Size:** 14¼”W x 18¾”L x 40¼”H



**HSA-10-FOE**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- 1½” Polymer Lever Drain
- Overflow

**Bowl Size:** 10”W x 14”L x 5”D

**Overall Size:** 14¼”W x 18¾”L x 12½”H



**HSA-10-FDPE\***

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½” Basket Drain

*For optional waste receptacle, see page 11.*

**Bowl Size:** 9¼”W x 13½”L x 6¼”D

**Overall Size:** 14¼”W x 19¼”L x 28¼”H



**HSA-10-FODPE**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½” Polymer Lever Drain
- Overflow

**Bowl Size:** 10”W x 14”L x 5”D

**Overall Size:** 14¼”W x 19¼”L x 28”H



**HSA-10-FDPEE\***

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 “D” batteries)
- 1½” Basket Drain

*For optional waste receptacle, see page 11.*

**Bowl Size:** 9¼”W x 13½”L x 6¼”D

**Overall Size:** 14¼”W x 19¼”L x 31¼”H

\*MICROGARD® available for these hand sinks. See page 2 for details.



# Electronic Hand Sinks – Battery Power NSF

These sinks feature a battery-powered electronic-eye faucet which operates on four “AA” batteries (included). Also features a built-in “low battery” indicator light. All units come with #342938 Y-inlet non-adjustable mixing valve. For regulating water temperature, #326015 temperature adjustment valve is required. See page 11.



**HSA-10-FE-B-DS\***

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14⅜"W x 18⅞"L x 12½"H

(note: overall size does not include soap dispenser bottle)



**HSAN-10-FE-B-DS**

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

**Bowl Size:** 13½"W x 9¼"L x 6¼"D

**Overall Size:** 17⅞"W x 12¾"L x 14¼"H

(note: overall size does not include soap dispenser bottle)



**HSAP-14-ADA-FE-B**

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- Front-Loading Towel Dispenser
- Skirt
- 1½" Basket Drain

**Bowl Size:** 16"W x 14"L x 5"D

**Overall Size:** 24"W x 22"L x 24½"H



**HSA-10-FE-B-NB-MG**

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- Nail Brush and Nail Brush Holder
- Standard MICROGARD® Antimicrobial Protection
- 1½" Basket Drain

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14⅜"W x 18⅞"L x 12½"H



*U.S. Patent  
#5,732,422*

**HSA-10-FE-B-T-NB-MG**

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- Nail Brush and Nail Brush Holder
- Standard MICROGARD® Antimicrobial Protection
- Waste Receptacle & Skirt
- 1½" Basket Drain

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14⅜"W x 18⅞"L x 29⅞"H



*U.S. Patent  
#5,732,422*

**HSA-10-FDPEE-B-T\***

**Comes standard with:**

- Battery-Powered Electronic-Eye Faucet
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 size “D” batteries)
- 1½" Basket Drain
- Waste Receptacle & Skirt

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14¾"W x 19¼"L x 47⅞"H



W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl

\*MICROGARD® available for these hand sinks. See page 2 for details.

# Hand Sinks with Standard Towel and/or Soap Dispensers

These wall mounted sinks come standard with towel dispenser designed to accommodate 4" x 10" C-fold disposable paper towels; and/or 16-oz. soap dispenser. "Z" wall mount bracket, drain and faucet also included. Basket drain and lever drain standard with crumb cup.



**HSA-10-FDP\***

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14¼"W x 19¼"L x 28¼"H



**HSA-10-FDPS\***

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain
- Skirt

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14¼"W x 19¼"L x 30"H



**HSA-10-FLDP**

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain

**Bowl Size:** 10"W x 14"L x 5"D

**Overall Size:** 14¼"W x 19¼"L x 28"H



**HSA-10-FDPK**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Knee Pedals
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain
- Skirt

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14¼"W x 19¼"L x 33"H



**HSA-10-FODP**

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain
- Overflow

**Bowl Size:** 10"W x 14"L x 5"D

**Overall Size:** 14¼"W x 19¼"L x 28"H



**HSA-10-FWLPD-LRS**

**Comes standard with:**

- Splash Mount Gooseneck Faucet with Wrist Handles
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain
- Side Splashes

**Bowl Size:** 10"W x 14"L x 5"D

**Overall Size:** 14¼"W x 19¼"L x 28"H



**HSA-10-F-DS\***

**Comes standard with:**

- Splash Mount Gooseneck Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

**Bowl Size:** 9¼"W x 13½"L x 6¼"D

**Overall Size:** 14¼"W x 18⅞"L x 12¾"H

(note: overall size does not include soap dispenser globe)

\*MICROGARD® available for these hand sinks. See page 2 for details.

# Knee/Foot Valve Operated Hand Sinks **NSF**

“Hands-free” operation! All units feature splash mount gooseneck spout and basket drain with crumb cup. All sinks are available with MICROGARD®. See page 2 for more information.



## Knee Valve operated

All units come with “Z” wall mount bracket.

(note: overall sizes do not include knee valves)



**HSA-10-1FK**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Single Knee Pedal
- Skirt
- 1½” Basket Drain

**Bowl Size:** 9¾”W x 13½”L x 6¾”D

**Overall Size:** 14¾”W x 18¾”L x 17½”H



**HSA-10-FK**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Knee Pedals
- Skirt
- 1½” Basket Drain

**Bowl Size:** 9¾”W x 13½”L x 6¾”D

**Overall Size:** 14¾”W x 18¾”L x 17½”H



**HSA-10-FKP**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Single Knee Valve Plate
- Skirt
- 1½” Basket Drain

**Bowl Size:** 9¾”W x 13½”L x 6¾”D

**Overall Size:** 14¾”W x 18¾”L x 17½”H

## Foot Valve Operated



**HSA-10-FA-1P**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Single Foot Pedal Valve
- P-Trap and Tail Piece
- 1½” Basket Drain

**Bowl Size:** 9¾”W x 13½”L x 6¾”D

**Overall Size:** 14¾”W x 18¾”L x 39¼”H



**HSA-10-FA-P**

**Comes standard with:**

- Splash Mount Gooseneck Spout
- Foot Pedal Valves
- P-Trap and Tail Piece
- 1½” Basket Drain

**Bowl Size:** 9¾”W x 13½”L x 6¾”D

**Overall Size:** 14¾”W x 18¾”L x 39¼”H

W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl



## Hand Sinks with Standard Wrist Handles



**HSA-10-FW**

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12¾"H



**HSA-10-FAW**

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- P-trap and Tail Piece
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12¾"H

W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl

## Hand Sink with Tubular Wall Support

Includes "Z" wall mount bracket and basket drain with crumb cup.

Available with MICROGARD®. See page 2 for details.



**HSA-10-FTWS**

Comes standard with:

- Splash Mount Gooseneck Faucet
- Tubular Wall Brackets
- 1½" Basket Drain

**Bowl Size:** 9¾"W x 13½"L x 6¾"D

**Overall Size:** 14¾"W x 18¾"L x 12¾"H

## Surgical Scrub Sinks

16 gauge stainless steel construction. Features include 4"-high backsplash, squared front and sides, removable access panel, temperature mixing valve, and electronic-eye gooseneck faucet. Includes flat strainer, with p-trap and tail piece. Standard model features deck-mount faucet. ADA-compliant model features splash mount faucet.



**SHS2424-1D**

Comes standard with:

- Deck-mount Faucet



**SHS2424-1W-ADA**

Comes standard with:

- Splash-mount Faucet

# Special Purpose Hand Sinks



All units come standard with faucet (except where noted) and basket drain with crumb cup.

## with Waste Receptacle



U.S. Patent #5,732,422

### HSA-10-FDP-T\*

Comes standard with:

- Splash Mount Gooseneck Faucet
- Soap/Towel dispenser
- Waste Skirt
- Waste Receptacle
- 1½" Basket Drain

Bowl Size:

9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 19¼"L x 44½"H

## Standard

Same as HSA-10-F with exception of deck mount faucet



### HSAD-10-F

Comes standard with:

- Deck Mount Gooseneck Faucet
- 1½" Basket Drain

Bowl Size:

9¼"W x 13½"L x 6¼"D

Overall Size: 16½"W x 18¾"L x 14¼"H

## Economical



### HSAE-10-FA

Comes standard with:

- Deck Mount Gooseneck Faucet
- Wall Brackets
- 4" High Backsplash
- 1½" Basket Drain
- P-trap
- Tail piece

Bowl Size: 10"W x 14"L x 5"D

Overall Size: 15"W x 16¼"L x 9"H

## with 8" Centerline Faucet Holes



To order sink with faucet, add suffix "F" (example: HSA-10-8F)

### HSA-10-8\*

Comes standard with:

- Holes punched 8" apart for splash mount faucet (not included)
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 18¾"L x 12¾"H



## Physically Challenged



### HSAP-14-FW

Comes standard with:

- Deck Mount Gooseneck Faucet with Wrist Handles
- Wall Brackets
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D

Overall Size: 24¼"W x 19"L x 16¾"H



### HSAP-14-ADA-FE-B

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- Front-Loading C-Fold Towel Dispenser
- Skirt
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D

Overall Size: 24"W x 22"L x 24½"H



### HSAP-14-ADA-FW

Comes standard with:

- Faucet with Wrist Handles
- Deck Mount Soap Dispenser
- Front-Loading C-Fold Towel Dispenser
- Skirt
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D

Overall Size: 24"W x 22"L x 24½"H

\*MICROGARD® available for these hand sinks. See page 2 for details.

# Hand Sink with Eyewash—ADA compliant



## HSAP-10-EYE

Comes standard with:

- Tailpiece and P-trap
- Soap Dispenser
- Electronic-Eye Hand Wash Faucet
- Eye Wash Faucet
- Fully enclosed skirt with access panel.
- Multi-Fold Paper Towel Holder

Bowl Size: 9½"W x 8¼"L x 5"D with 1½" drain

Overall Size: 19½"W x 13"L x 22½"H

Introducing Eagle's newest addition: The Hand Sink with Built-In Eye/Face Wash! The unit's design saves space and fits easily into any work environment. Eye/face wash unit operates quickly by pulling swing arm down 90° over sink. Vandal-resistant ceramic valve limits wear and tear on moving parts, providing dependability and long lasting performance. Safe, steady water flow under varying water supply conditions, from 30 to 90 PSI, is assured by integral flow. Eye/face wash and spray heads contain an antimicrobial agent to protect the spray heads. Features twin perforated-disc eye/face wash heads with protective spray head covers. Gentle spray bathes eyes and face. Ceramic discs provide a precise 20° activation and deactivation angle, minimizing excessive splashing when the unit is activated. Chrome-plated brass pipe and fittings.

## Space Savers

Only 12" from side to side!!



### HSAN-10-F

Comes standard with:

- Splash Mount
- Gooseneck Faucet
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 18"W x 12"L x

14¼"H



### HSAND-10-F

Comes standard with:

- Deck Mount
- Gooseneck Faucet
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 19¾"W x 12"L x

14¼"H



### HSANT-FS

Comes standard with:

- Splash Mount Gooseneck Faucet
- 1½" Basket Drain
- 19"-high Backsplash
- Skirt

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 18"W x 12"L x 26½"H



### HSAN-10-F-DS\*

Comes standard with:

- Splash Mount
- Gooseneck Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 17<sup>13</sup>/<sub>16</sub>"W x 12<sup>1</sup>/<sub>8</sub>"L x

14¼"H

(note: overall size does not include soap dispenser globe)

W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl

\*MICROGARD® available for these hand sinks. See page 2 for details.



## Portable Hand Sinks with Open Base

Features heavy gauge stainless steel tabletop with 10 3/8" x 12 3/4" x 6" removable pan, deckmount faucet, and trash chute.



*sink with solid undershelf*

Overall Size: 30"W x 30"L x 34 7/8"H

Description	Model #
Cold Water	PHSE-S-C
Cold & Hot Water	PHSE-S-H



*sink with wire undershelf*


Overall Size: 42"W x 30"L x 37 7/8"H

Description	Model #
Cold Water	PHSEWB-S-C
Cold & Hot Water	PHSEWB-S-H

## Touch Free Portable Hand Sinks

Features heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock. Paper towel dispenser, soap dispenser, and faucet are all TOUCH-FREE, critical in clean water-management while promoting good hygiene practice.

Eagle Group is a proud partner with



**handwashingforlife®**  
[Click to learn more about our partnership](#)

Description	Model #
without water heater	PHS-S-C-TF
with water heater	PHS-S-H-TF



Bowl Size: 14"W x 10"L x 5"D  
 Overall Size: 24"W x 26"L x 56 7/8"H

# Portable Hand Sinks

Features heavy gauge stainless steel cabinet with lockable door, stainless steel top with “v”-marine edge and rear backsplash, 5-gallon fresh water tank, 7-gallon soiled water tank, 4” swivel casters (two with brake), towel rack, trash chute, and NEMA 5-15 plug & cord.

## with Stainless Steel Bowl

Description	Model #
cold water only	<b>PHS-S-C</b>
hot & cold water	<b>PHS-S-H</b>

- Comes standard with:**
- 14” x 16” x 5” Sink Bowl
  - Deck-mount Faucet

**Bowl Size:** 16W x 14L x 5D  
**Overall Size:** 24W x 26L x 44<sup>3</sup>/<sub>16</sub>H



## with Acrylic Bowl

Description	Model #
cold water only	<b>PHS-A-C</b>
hot & cold water	<b>PHS-A-H</b>

- Comes standard with:**
- 12<sup>1</sup>/<sub>2</sub>” x 16” Polycarbonate Water Plate
  - Stainless Steel Trough
  - Deck-Mount Faucet

**Bowl Size:** 12<sup>1</sup>/<sub>2</sub>W x 16L  
**Overall Size:** 24W x 26L x 44<sup>3</sup>/<sub>16</sub>H



# Portable Hand Sinks with Laminated Cabinet

Features 3/4”-thick plywood cabinet with Wilsonart® Biltmore laminate, stainless steel top with “v”-marine edge and rear backsplash, lockable doors, 5-gallon fresh water tank, 7-gallon soiled water tank, deck faucet with 8” swivel spout, deck mount soap dispenser, 3” swivel plate casters, towel rack, trash chute with trash receptacle, and NEMA 5-15 GFCI plug with 10’ cord.

## Sinks with Single Bowl

### PHS-S-H-LB

- Comes standard with:**
- 2.5-gallon hot water heater
  - Deck-Mount Faucet
  - 1<sup>1</sup>/<sub>2</sub>” Basket Drain

### PHS-S-C-LB

- Comes standard with:**
- Deck-Mount Faucet
  - 1<sup>1</sup>/<sub>2</sub>” Basket Drain

**Bowl Size:** 14W x 10L x 5D  
**Overall Size:** 25W x 28L x 44<sup>3</sup>/<sub>16</sub>H



model #PHS-S-H-LB



## Sinks with Three Bowls

### PHS-S3-H-LB

- Comes standard with:**
- 2.5-gallon hot water heater
  - Deck-Mount Faucet
  - 1<sup>1</sup>/<sub>2</sub>” Basket Drain

### PHS-S3-C-LB

- Comes standard with:**
- Deck-Mount Faucet
  - 1<sup>1</sup>/<sub>2</sub>” Basket Drain

**Bowl Size:** 11<sup>3</sup>/<sub>8</sub>W x 6<sup>1</sup>/<sub>8</sub>L x 5D  
**Overall Size:** 25W x 28L x 44<sup>3</sup>/<sub>16</sub>H

Optional Poly Cutting Board available! 3/4”-thick.Green. Model #376509

# Hand Wash Sinks



Features heavy gauge 304 Series stainless steel all-welded construction, hinged door with pull handle and magnetic catch, built-in C-fold towel dispenser, soap dispenser, faucet, and basket drain with crumb cup.

## Wall-mountable Sinks

### Model #HWC-E

Comes standard with:

- 1½" Bull Nose Front Edge
- Gooseneck Faucet
- "Z" Clips
- 1½" Basket Drain

Bowl Size: 9¼"W x 11½"L x 6"D Overall  
Size: 16⅝"W x 14"L x 21¼"H



## Drop-In Sinks

### Model #HWB-E

Comes standard with:

- 1½" Bull Nose Front Edge
- Gooseneck Faucet
- Flange on sides and rear
- 1½" Basket Drain

Bowl Size: 9¼"W x 11½"L x 6"D Overall  
Size: 17½"W x 16½"L x 17¼"



NOTE: T&S faucet available for both style sinks. To order, replace suffix "-E" with "-T". Example: HWC-T

# Lavatory Sinks with Marine Edge



All units have a marine edge and come standard with gooseneck spout faucet, soap dispenser and basket drain.

## Wall mounted



### W1916-FA

Bowl Size: 15¼"W x 19¼"L x 8⅞"D  
Overall Size: 23"W x 24⅝"L x 16⅞"D

## Wall mounted, knee valve operation



### W1916

Bowl Size: 15¼"W x 19¼"L x 8⅞"D  
Overall Size: 23"W x 24⅝"L x 22⅞"D  
(note: overall size does not include knee pedals)

## Pedestal mounted, foot pedal valve operation



### P1916

Bowl Size: 15¼"W x 19¼"L x 8⅞"D  
Overall Size: 23"W x 24⅝"L x 39"D

## Pedestal mounted, electronic-eye operation



### P1916FE

Bowl Size: 15¼"W x 19¼"L x 8⅞"D  
Overall Size: 23"W x 24⅝"L x 39"D



# Hand Sink Accessories/Replacements



## Hot Water Heater

Includes stainless steel pedestal with removable front access panel and with notches for electrical wiring. Energy-saving tankless water heater features 120V 29A electricity and 0.5 GPM. Water is heated instantaneously when faucet is turned on. No standby heat loss. To order, add suffix “-WH” to hand sink model number. Example: HSA-10-FDPEE-WH.

**IMPORTANT: Field wiring required.**  
Applicable models include: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, HSA-10-FW, HSA-10-FA-P and HSAD-10-F

hot water heater



## Waste Receptacle

**NOW PATENTED!**  
U.S. Patent #5,732,422

20 gauge type 304 stainless steel. Removable. Comes with skirt. Must be factory installed. To order, and suffix “-T” to hand sink model number. Example: HSA-10-FDPEE-B-T.

Fits Models: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, and HSA-10-FW

waste receptacle



## Towel/Soap Dispensers

Fits all HSA hand sinks except Space Savers.

### Model #DP-10

Comes with conventional soap dispenser.



model #DP-10

### Model #DP-20

Comes with electronic-eye soap dispenser. Requires 4 size “D” batteries.



model #DP-20

## Dispensers

### Soap Dispensers

#### Conventional

Holds 16 ounces.

#### Model #300602



#### Deck Mount

4” spout, 16-oz. underside globe.

#### Model #324074



#### Wall Mounted with Electronic Eye

#### Model #377456



### Towel Dispensers

Wall mounted. Stainless steel.

#### Model #318496



Wall mounted. Touchless. Break-resistant plastic.

#### Model #377454



#### Hand Sanitizing Dispenser

#### Model #377455



# Hand Sink Accessories/Replacements

## Stainless Steel Hand Sink End Splashes

### Factory-installed

To order, add to hand sink model numbers the following suffixes:

Left end splash only: **-LS**

Right end splash only: **-RS**

Left and right end splash: **-LRS**

(Note: will not work on Space Saver sinks with wrist handles. MICROGARD® cannot be applied to hand sinks with end splashes.)



hand sink with optional end splashes

**For Field-installation: Model #HSA-SSK**  
Self-adhesive splash can be used for right or left application.

## Stainless Steel Wall Brackets

Side mounting, one pair; does not fit space-saver models

**Model #606396**



wall bracket

## Stainless Steel Skirt Assemblies

**Model #606215**

Fits all HSA hand sinks with rounded bowls except Space Saver models and HSAD-10-F.

**Model #607560**

Fits #HSAN-10-F and HSAND-10-FS hand sinks.



skirt assembly

## Drains



crumb cup strainer



polymer lever drain

Description	Model #
polymer lever drain fits 3.5" (89mm)-diameter holes, with crumb cup	<b>319931</b>
overflow assembly for lever drain #319931 (above)	<b>319932</b>
1.5" (38mm) drain assembly fits 2"-diameter holes	<b>300886</b>
mini crumb cup for 1.5" (38mm) drain	<b>300966</b>
s/s basket drain assembly fits 3.5" (89mm)-diameter holes, with crumb cup	<b>300287</b>
cast metal lever drain with overflow assembly, with 7.25" (185mm)-long lever, fits 3.5" (89mm)-diameter holes	<b>347771</b>

# Valves



## Anti-Scald Valve

Features automatic shutdown with either hot or cold water failure.

**IMPORTANT: Not for use with Emergency Eye Wash Units (page 10).**

**Model #326696**



*anti-scald valve*

## Non-Adjustable Y-Inlet Mixing Valve

For electronic hand sinks and hand sinks with single pedal valve only. "Y" shaped single-piece component. Chrome-plated brass body.

**Model #342938**



*Y-inlet mixing valve*

## Anti-Scald Valve for Emergency Eye Wash Unit

This is the only anti-scald valve to be used with Emergency Eye Wash Unit (page 10). Meets ANSI Z358.1 and ASSE 1071 standards. 65°-95°F, 1/2" NPT.

**Model #373848**

## Temperature Adjustment Valve

Features check valve to prevent backflow. For hand sinks with AC-powered electronic faucets and hand sinks with single foot or knee valves.

**Model #326015**



*temperature adjustment valve*

## Tempering Valve

120°F maximum output. 150 psi maximum pressure. ASSE 1016 and 1070 listed.

**Model #375612**



# Plumbing

## Tail Piece

Nickel-plated brass.

**Model #300791**



*tail piece*

## P-Trap

Nickel-plated b

**Model #300789**



*p-trap*

# Pedal Valves

## Foot Pedal Valves


Floor mount.



*double foot pedal* *single foot pedal*

**Model #300604** **Model #355994**

## Knee Pedal Valve



*double knee pedal* *single knee pedal*

**Model #313481** **Model #351738**

**NEW** replacement cartridge available. Fits all pedal valves listed. **Model #374955**



# Hand Sink Faucets, Spouts, and Accessories



All faucets below feature 4" (102mm) centers, except where noted.



splash mount faucet  
model #303987



deck mount faucet  
model #302004



deck mount faucet  
with 8" spout  
model #301248



T&S faucet model  
#306134



T&S faucet model  
#313305



emergency eye wash unit  
model #326272



short 90°  
#376740



spout assembly  
model #312162

No  
Electric  
Needed



splash-mount  
battery-powered  
electronic-eye faucet  
model #326014



splash-mount T&S  
electronic-eye faucet  
model #356128



#377563



shut-off valve  
model #349921

## Standard Faucets

Description	Model #
splash mount, 4" center	303987*
wrist handles for faucet #303987	307120
splash mount w/wrist handles, gooseneck, 4" ctr	306495
deck mount, gooseneck, 4" center, 1/4-turn handles	302004*
deck mount, 8" spout, 4" center, 1/4-turn handles	301248*
splash mount, gooseneck, 8" center	313075
drinking bubbler	318495

\* Repair kit available for these faucets. Model #368421

## T&S Extra Heavy Duty Faucets **T&S OUR BEST**

Top quality faucets.

Description	Model #
splash mounted	306134
splash mounted, wrist handles	313305

## Spout Assembly

Description	Model #
splash mounted replacement gooseneck for knee/foot valve-operated models	312162

## **NEW** Short 90° for Splash Mount Faucets

Description	Model #
Set of two, 1/2" NOT female x male	376740

## Faucet-Mount Emergency Eye Wash Units

Fits in place of standard aerator on spout.

**IMPORTANT:** If anti-scald valve (page 11) is needed, order #373848 only.

Description	Model #
pull valve activates fountain, chrome finish	326272
rotate to activate "eye-pod," stainless finish	377563

## Shut-Off Valve

Antibacterial surface. NSF-approved. Screws onto faucet aerator. Polished chrome finish.

Description	Model #
shut-off push bar	349921

## Battery-Powered Electronic-Eye Faucet

Offered as a replacement faucet for sinks on page 5.

Description	Model #
Splash mount. Comes with (4) "AA" batteries and built-in low-battery indicator	326014
<b>Upgrade:</b> T&S electronic-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	356128

# Counter Drop-In Self Rim Design Hand Sinks



These countertop-mounted sinks are heavy gauge 304 Series stainless steel and come standard with mounting hardware (for top-mount), faucet, and basket drain with crumb cup.

For bottom-mount, order Bottom-Mount Kit #362188 (one kit per one-compartment sink, two kits per two-compartment sink, three kits per three-compartment sink).

## One-Compartment



### SR10-14-5-1

- Comes standard with:
- Gooseneck Faucet
  - Mounting Hardware
  - 1½" Basket Drain

Bowl Size: 14"W x 10"L x 5"D  
Overall Size: 19"W x 12¾"L



### SR10-14-9.5-1

- Comes standard with:
- Gooseneck Faucet
  - Mounting Hardware
  - 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D  
Overall Size: 18¾"W x 12¾"L



### SR14-10-5-1

- Comes standard with:
- Gooseneck Faucet
  - Mounting Hardware
  - 1½" Basket Drain

Bowl Size: 10"W x 14"L x 5"D  
Overall Size: 15"W x 16¾"L



### SRU14-10-5-1

- Comes standard with:
- Gooseneck Faucet
  - Mounting Hardware
  - 1½" Basket Drain
  - Upturn on Rear and Sides

Bowl Size: 10"W x 14"L x 5"D  
Overall Size: 15"W x 16¾"L

## Other One-Compartment Models:

Description	Overall Length	Model #
10"W x 14"L x 9½"D bowl	16½"	SR14-10-9.5-1
14"W x 12"L x 9½"D bowl	14¾"	SR12-14-9.5-1
12"W x 14"L x 9½"D bowl	16¾"	SR14-12-9.5-1
16"W x 14"L x 9½"D bowl	16¾"	SR14-16-9.5-1
14"W x 16"L x 9½"D bowl	18¾"	SR16-14-9.5-1
20"W x 16"L x 13½"D bowl	18½"	SR16-19-8-1
20"W x 16"L x 13½"D bowl	18½"	SR16-19-13.5-1
16"W x 20"L x 8"D bowl	22½"	SR19-16-8-1
16"W x 20"L x 13½"D bowl	22½"	SR19-16-13.5-1
24"W x 18"L x 13½"D bowl	20½"	SR18-24-13.5-1
12"W x 20"L x 6"D bowl	22½"	SR20-12-6.5-1
22"W x 22"L x 13½"D bowl	24¾"	SR22-22-13.5-1
18"W x 24"L x 13½"D bowl	26½"	SR24-18-13.5-1
24"W x 24"L x 13½"D bowl	26½"	SR24-24-13.5-1

W = front to back; L = side to side; D = depth of sink bowl; H = top (excluding faucet) to bottom of sink bowl

## Two-Compartment




### SR10-14-9.5-2

- Comes standard with:
- Swivel Faucet
  - Mounting Hardware
  - 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D  
Overall Size: 18¾"W x 24¾"L

## Three-Compartment



### SR10-14-9.5-3

- Comes standard with:
- Swivel Faucet
  - Mounting Hardware
  - 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D  
Overall Size: 18¾"W x 36¾"L

## Other Two-Compartment Models:

Description	Overall Length	Model #
14"W x 12"L x 9½"D bowl	28¾"	SR12-14-9.5-2
16"W x 14"L x 9½"D bowl	32¾"	SR14-16-9.5-2
20"W x 16"L x 8"D bowl	36¾"	SR16-19-8-2
20"W x 16"L x 13½"D bowl	36¾"	SR16-19-13.5-2
24"W x 18"L x 13½"D bowl	40¾"	SR18-24-13.5-2
22"W x 22"L x 13½"D bowl	48¾"	SR22-22-13.5-2
24"W x 24"L x 13½"D bowl	52¾"	SR24-24-13.5-2

## Other Three-Compartment Models:

Description	Overall Length	Model #
14"W x 12"L x 9½"D bowl	42¾"	SR12-14-9.5-3
16"W x 14"L x 9½"D bowl	48¾"	SR14-16-9.5-3
20"W x 16"L x 8"D bowl	54"	SR16-19-8-3
19"W x 16"L x 13½"D bowl	54"	SR16-19-13.5-3
24"W x 18"L x 13½"D bowl	60"	SR18-24-13.5-3



# Reinforced Laboratory Drop-In Sinks



Heavy gauge type 304 stainless steel. Features faucet support plate and clip to reinforce faucet. Comes with basket drain with 1/2" outlet.



## One-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #
14" x 10" x 5"	16 1/2" x 12 1/4"	SR10-14-5-1-ND
14" x 10" x 9 1/2"	16 1/2" x 12 1/4"	SR10-14-9.5-1-ND
14" x 12" x 9 1/2"	16 5/8" x 14 3/4"	SR12-14-9.5-1-ND
16" x 14" x 9 1/2"	18 5/8" x 16 3/4"	SR14-16-9.5-1-ND
20" x 16" x 8"	22 3/8" x 18 1/2"	SR16-19-8-1-ND
20" x 16" x 13 1/2"	22 3/8" x 18 1/2"	SR16-19-13.5-1-ND
24" x 18" x 13 1/2"	26 3/8" x 20 1/2"	SR18-24-13.5-1-ND
22" x 22" x 13 1/2"	24 3/8" x 24 3/4"	SR22-22-13.5-1-ND
24" x 24" x 13 1/2"	26 3/8" x 26 1/2"	SR24-24-13.5-1-ND

W = front to back  
L = side to side  
D = depth of sink bowl  
H = top of backsplash to bottom of sink bowl



one-compartment

## Two-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #
14" x 10" x 9 1/2"	16 1/2" x 24 3/4"	SR10-14-9.5-2-ND
14" x 12" x 9 1/2"	16 5/8" x 28 3/4"	SR12-14-9.5-2-ND
16" x 14" x 9 1/2"	18 5/8" x 32 3/4"	SR14-16-9.5-2-ND
20" x 16" x 8"	22 3/8" x 36 1/4"	SR16-19-8-2-ND
20" x 16" x 13 1/2"	22 3/8" x 36 1/4"	SR16-19-13.5-2-ND
24" x 18" x 13 1/2"	26 3/8" x 40 1/4"	SR18-24-13.5-2-ND
22" x 22" x 13 1/2"	24 3/8" x 48 3/4"	SR22-22-13.5-2-ND
24" x 24" x 13 1/2"	26 3/8" x 52 1/2"	SR24-24-13.5-2-ND



two-compartment

## Three-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #
14" x 10" x 9 1/2"	16 1/2" x 36 3/4"	SR10-14-9.5-3-ND
14" x 12" x 9 1/2"	16 5/8" x 42 3/4"	SR12-14-9.5-3-ND
16" x 14" x 9 1/2"	18 5/8" x 48 3/4"	SR14-16-9.5-3-ND
20" x 16" x 8"	22 3/8" x 54"	SR16-19-8-3-ND
20" x 16" x 13 1/2"	22 3/8" x 54"	SR16-19-13.5-3-ND
24" x 18" x 13 1/2"	26 3/8" x 60"	SR18-24-13.5-3-ND



three-compartment



# Explore More Products from Eagle.....

**Eagle Hand Sinks**  
The Industry's Clean Leader

Let the industry's clean leader help by giving you the widest range of hand sink choices. With over 40 models to choose from and a wide array of configurations and accessories, you'll find a solution for every application.

Eagle Group is a proud partner with **MicroGard** for advanced disinfecting technology. [www.eaglegrp.com](http://www.eaglegrp.com)

For the latest product news: [www.eaglegrpnews.com](http://www.eaglegrpnews.com)

**EAGLE GROUP**  
Profit from the Eagle Advantage®

1-800-441-8440

100 Industrial Boulevard, Clayton, DE 19938-8903 USA | Phone: 302-653-3000 | Fax: 302-653-2065

Click on the cover to download the brochure.

**SINKS ON THE GO**  
**JUST ADD WATER**

**PORTABLE HAND SINKS**  
STAINLESS STEEL AND LAMINATED BASE

**EAGLE GROUP**  
Profit from the Eagle Advantage®

Click on the cover to download the brochure.

**SINKS AVAILABLE**

- 402, 416, and 516 Series
- MicroGard
- Countertop Drop-In
- Hand Sinks
- Special Purposes
- SPICE MASTER®
- SPICE MASTER® 20 Series Clean Center
- WALL

Sink and Hand Sink Accessories

**EAGLE GROUP**  
Profit from the Eagle Advantage®

Click on the cover to download the brochure.

© 2022 Eagle Group. Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.

## Profit from the Eagle Advantage®

**Corporate Headquarters** • 100 Industrial Boulevard  
Clayton, DE 19938-8903  
• Phone: (302) 653-3000

**Foodservice/SpecFAB® Divisions** • Phone: (800) 441-8440  
• Fax: (302) 653-2065

**Material Handling Division** • Phone: (800) 637-5100  
• Fax: (302) 653-2065

[www.eaglegrp.com](http://www.eaglegrp.com)



Profit from the Eagle Advantage®

Rev 04/22 EG7006

Quality

Value

Reliability

