



# EAGLE PLUS

MARCH 2024

**SPECIAL SAVINGS INSIDE!**



**Special Quantity Pricing – Save on our most popular sizes!**

**EAGLE**<sup>®</sup>  
GROUP  
Profit from the Eagle Advantage<sup>®</sup>



Look for the 3VP coin for special quantity break pricing on some of our most popular items! Buy Three or More of the same model to receive special 3VP quantity pricing!

## TABLE OF CONTENTS

SHELVING	3-7
WALL SHELVES	8-9
SINKS	10-18
DISHTABLES	18-20
TABLES	21-26
UNDERBAR	26-28
HOT FOOD TABLES	29-31
REDHOTS® COOKING/WARMING	32-35
PANCO®	36-39



## CHECK OUT SOME OF OUR NEWEST PRODUCTS!



Look for the New Product Badges throughout this flyer, click on a New Product Badge and link to detailed information about the product!



**CORNER MOP SINKS -  
DROP FRONT EDGE**

**PAGE 17**



**SPEC-BAR® PORTABLE BAR  
WITH WORKBOARD**

**PAGE 26**



**SPEC-BAR® DUMP SINK  
WITH GLASS RINSERS**

**PAGE 27**

## Quad-Truss® Wire Shelving <sup>NSF</sup>

- Super strong patented Quad-Truss® design makes shelves up to 25% stronger and provides a retaining ledge for increased storage stability.
- EAGLEbrite® shelves feature MasterSeal® coating for improved rust protection.

Shelves:  
24" - 48" are packed 4 to a box  
60" - 72" are packed 2 to a box  
Plastic split sleeves included with each shelf.

**PATENTED**  
Patent #5,390,803

QuadTruss®  
design



## Shelves

w x l	EAGLEbrite® zinc finish		Valu-Gard® green epoxy		VALU-MASTER® gray epoxy finish		EAGLEgard® green epoxy finish	
	model #	list	model #	list	model #	list	model #	list
18" x 24"	1824Z	107	1824VG	113	1824V	113	1824E	135
18" x 36"	1836Z	114	1836VG	114	1836V	114	1836E	142
18" x 48"	1848Z	129	1848VG	146	1848V	146	1848E	169
18" x 60"	1860Z	154	1860VG	187	1860V	187	1860E	201
18" x 72"	1872Z	179	1872VG	212	1872V	212	1872E	232
24" x 24"	2424Z	128	2424VG	134	2424V	134	2424E	167
24" x 36"	2436Z	131	2436VG	149	2436V	149	2436E	172
24" x 48"	2448Z	158	2448VG	189	2448V	189	2448E	209
24" x 60"	2460Z	194	2460VG	218	2460V	218	2460E	247
24" x 72"	2472Z	221	2472VG	255	2472V	255	2472E	292

## Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.

post height	EAGLEbrite® zinc		Valu-Gard® green epoxy		VALU-MASTER® gray epoxy		EAGLEgard® green epoxy	
	model #	list	model #	list	model #	list	model #	list
54"	P54-Z	39	P54-VG	41	P54-V	41	P54-E	47
63"	P63-Z	42	P63-VG	44	P63-V	44	P63-E	55
74"	P74-Z	51	P74-VG	48	P74-V	48	P74-E	59
86"	P86-Z	64	P86-VG	63	P86-V	63	P86-E	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z



## Starter Units

- Convenient, easy to order starter unit kits.
- Each starter unit consists of four shelves and four 74" posts.

w x l	EAGLEbrite® zinc finish		Valu-Gard® green epoxy		VALU-MASTER® gray epoxy finish		EAGLEgard® green epoxy finish	
	model #	list	model #	list	model #	list	model #	list
18" x 36"	S4-74-1836Z	660	S4-74-1836VG	648	S4-74-1836V	648	S4-74-1836E	804
18" x 48"	S4-74-1848Z	720	S4-74-1848VG	776	S4-74-1848V	776	S4-74-1848E	912
18" x 60"	S4-74-1860Z	820	S4-74-1860VG	940	S4-74-1860V	940	S4-74-1860E	1040
18" x 72"	S4-74-1872Z	920	S4-74-1872VG	1040	S4-74-1872V	1040	S4-74-1872E	1164
24" x 36"	S4-74-2436Z	728	S4-74-2436VG	788	S4-74-2436V	788	S4-74-2436E	924
24" x 48"	S4-74-2448Z	836	S4-74-2448VG	948	S4-74-2448V	948	S4-74-2448E	1072
24" x 60"	S4-74-2460Z	980	S4-74-2460VG	1064	S4-74-2460V	1064	S4-74-2460E	1224
24" x 72"	S4-74-2472Z	1088	S4-74-2472VG	1212	S4-74-2472V	1212	S4-74-2472E	1404

## "S" Hooks

Used to join shelving units in a number of configurations.



model #	list ea.
A200012	7



## Label Holders

3/4"-long. Plastic.



color	model #	list
gray	A204331	7
black	A206216	7
clear	A208746	7



## Stem Casters

- Resilient 5"-diameter\* swivel casters.
- 300 lb weight capacity per caster.

\* Additional sizes available consult factory.

description	model #	list
stem/swivel	CSS5-300	82
stem/brake	CSB5-300	94

## Stationary Wall Mount Brackets

- End unit consists of one single shelf support and mounting plate.
- Mid unit consists of one double shelf support and mounting plate.
- Designed for fixed application where vertical adjustment is not required.



length	End Units *		Mid Units	
	model #	list	model #	list
14"	WB14-C	86	DWB14-C	132
18"	WB18-C	87	DWB18-C	133
21"	WB21-C	92	DWB21-C	134
24"	WB24-C	93	DWB24-C	136

\* Priced per piece

# QUADPLUS® POLYMER SHELF MATS AND TRUSS FRAMES

## QuadPLUS® Polymer Shelf Mats NSF




shelves and posts sold separately

- Removable green polymer shelf mats with choice of epoxy-coated standard wire truss frames or Quad-Adjust® truss frames.
- Mats lay securely on top of truss frame.
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection.
- 800-lb. weight capacity for shelves up to 48", 600-lb. 54" through 72" long - evenly distributed static load.
- Louvered and solid mats available.
- Easy assembly - no tools required.

- Easy cleaning and dishwasher-safe.
- Truss frames coated with Valu-Gard® green epoxy finish or EAGLEgard® hybrid epoxy with MICROGARD® (other finishes available, consult factory).
- Both style of truss frames can be fitted onto the same shelf unit.

**Quad PLUS**  
ANTIMICROBIAL



QuadPLUS® shown with standard wire truss frame

## QuadPLUS® with Standard Wire Truss Frames



w x l in.	...with Valu-Gard® epoxy finish				...with EAGLEgard® epoxy finish			
	with louvered mats		with solid mats		with louvered mats		with solid mats	
	model #	list	model #	list	model #	list	model #	list
18" x 36"	QPF-1836VG-GL	204	QPF-1836VG-GS	214	QPF-1836E-GL	223	QPF-1836E-GS	238
18" x 48"	QPF-1848VG-GL	243	QPF-1848VG-GS	256	QPF-1848E-GL	270	QPF-1848E-GS	285
18" x 54"	QPF-1854VG-GL	289	QPF-1854VG-GS	304	QPF-1854E-GL	325	QPF-1854E-GS	340
18" x 60"	QPF-1860VG-GL	289	QPF-1860VG-GS	304	QPF-1860E-GL	325	QPF-1860E-GS	340
18" x 72"	QPF-1872VG-GL	330	QPF-1872VG-GS	344	QPF-1872E-GL	366	QPF-1872E-GS	386
24" x 36"	QPF-2436VG-GL	244	QPF-2436VG-GS	258	QPF-2436E-GL	272	QPF-2436E-GS	287
24" x 48"	QPF-2448VG-GL	300	QPF-2448VG-GS	312	QPF-2448E-GL	334	QPF-2448E-GS	350
24" x 54"	QPF-2454VG-GL	354	QPF-2454VG-GS	372	QPF-2454E-GL	394	QPF-2454E-GS	417
24" x 60"	QPF-2460VG-GL	354	QPF-2460VG-GS	372	QPF-2460E-GL	394	QPF-2460E-GS	417
24" x 72"	QPF-2472VG-GL	417	QPF-2472VG-GS	437	QPF-2472E-GL	462	QPF-2472E-GS	486

## QuadPLUS® with Quad-Adjust® Truss Frames

- Add or remove a shelf without having to disassemble the entire shelf unit.



w x l in.	...with Valu-Gard® epoxy finish				...with EAGLEgard® epoxy finish			
	with louvered mats		with solid mats		with louvered mats		with solid mats	
	model #	list	model #	list	model #	list	model #	list
18" x 36"	QPF-QA1836VG-GL	239	QPF-QA1836VG-GS	248	QPF-QA1836E-GL	265	QPF-QA1836E-GS	276
18" x 48"	QPF-QA1848VG-GL	285	QPF-QA1848VG-GS	303	QPF-QA1848E-GL	319	QPF-QA1848E-GS	337
18" x 54"	QPF-QA1854VG-GL	342	QPF-QA1854VG-GS	356	QPF-QA1854E-GL	376	QPF-QA1854E-GS	396
18" x 60"	QPF-QA1860VG-GL	342	QPF-QA1860VG-GS	356	QPF-QA1860E-GL	376	QPF-QA1860E-GS	396
18" x 72"	QPF-QA1872VG-GL	283	QPF-QA1872VG-GS	295	QPF-QA1872E-GL	313	QPF-QA1872E-GS	328
24" x 36"	QPF-QA2436VG-GL	287	QPF-QA2436VG-GS	304	QPF-QA2436E-GL	322	QPF-QA2436E-GS	338
24" x 48"	QPF-QA2448VG-GL	353	QPF-QA2448VG-GS	369	QPF-QA2448E-GL	393	QPF-QA2448E-GS	408
24" x 54"	QPF-QA2454VG-GL	418	QPF-QA2454VG-GS	438	QPF-QA2454E-GL	463	QPF-QA2454E-GS	487
24" x 60"	QPF-QA2460VG-GL	418	QPF-QA2460VG-GS	438	QPF-QA2460E-GL	463	QPF-QA2460E-GS	487
24" x 72"	QPF-QA2472VG-GL	487	QPF-QA2472VG-GS	514	QPF-QA2472E-GL	542	QPF-QA2472E-GS	567

## Posts for use with QuadPLUS®

- Numbered posts for easy assembly. Standard adjustable leveling feet.




post height	Valu-Gard® green epoxy		EAGLEgard® green epoxy		post height	Valu-Gard® green epoxy		EAGLEgard® green epoxy	
	model #	list	model #	list		model #	list	model #	list
54"	P54-VG	41	P54-E	47	74"	P74-VG	48	P74-E	59
63"	P63-VG	44	P63-E	55	86"	P86-VG	63	P86-E	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z

## Quad-Adjust® Adjustable Wire Shelving

- Shelves feature special interlocking corners that fit in slots of collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire unit.
- 800-lb. weight capacity for shelves up to 48" long, evenly distributed static load, 600-lb. weight capacity for shelves 54" through 72".
- Accommodates all standard wire accessories.
- Packaging: 24"-48" four to a box, 54"-72" two per box.



**PATENTED**  
Patent #7,992,731

## Quad-Adjust® Shelves

w x l	EAGLEbrite® zinc finish		Valu-Gard® green epoxy		VALU-MASTER® gray epoxy finish		EAGLEgard® green epoxy finish	
	model #	list	model #	list	model #	list	model #	list
18" x 36"	QA1836Z	210	QA1836VG	210	QA1836V	210	QA1836E	218
18" x 48"	QA1848Z	234	QA1848VG	234	QA1848V	234	QA1848E	248
18" x 60"	QA1860Z	265	QA1860VG	265	QA1860V	265	QA1860E	280
18" x 72"	QA1872Z	299	QA1872VG	299	QA1872V	299	QA1872E	319
24" x 36"	QA2436Z	238	QA2436VG	238	QA2436V	238	QA2436E	248
24" x 48"	QA2448Z	269	QA2448VG	269	QA2448V	269	QA2448E	287
24" x 60"	QA2460Z	309	QA2460VG	309	QA2460V	309	QA2460E	334
24" x 72"	QA2472Z	353	QA2472VG	353	QA2472V	353	QA2472E	388

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelves.



Quad-Adjust® shelves can also be ordered single-packaged for applications where only one shelf is required to add to an existing wire shelving unit. Call for pricing.


## Quad-Adjust® Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.

post height	EAGLEbrite® zinc finish		Valu-Gard® green epoxy		VALU-MASTER® gray epoxy		EAGLEgard® green epoxy	
	model #	list	model #	list	model #	list	model #	list
54"	P54-Z	39	P54-VG	41	P54-V	41	P54-E	47
63"	P63-Z	42	P63-VG	44	P63-V	44	P63-E	55
74"	P74-Z	51	P74-VG	48	P74-V	48	P74-E	59
86"	P86-Z	64	P86-VG	63	P86-V	63	P86-E	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z

## Simple as one, two, three!



## Quad-Adjust® Starter Units

- Each starter unit consists of two standard Quad-Truss® shelves, two Quad-Adjust® shelves, and four 74" posts.

w x l	EAGLEbrite® zinc finish		VALU-MASTER® gray epoxy		EAGLEgard® green epoxy	
	model #	list	model #	list	model #	list
18" x 36"	F2QA2-74-1836Z	852	F2QA2-74-1836V	840	F2QA2-74-1836E	956
18" x 48"	F2QA2-74-1848Z	930	F2QA2-74-1848V	952	F2QA2-74-1848E	1070
18" x 60"	F2QA2-74-1860Z	1042	F2QA2-74-1860V	1096	F2QA2-74-1860E	1198
18" x 72"	F2QA2-74-1872Z	1160	F2QA2-74-1872V	1214	F2QA2-74-1872E	1338
24" x 36"	F2QA2-74-2436Z	942	F2QA2-74-2436V	896	F2QA2-74-2436E	1076
24" x 48"	F2QA2-74-2448Z	1058	F2QA2-74-2448V	1222	F2QA2-74-2448E	1228
24" x 60"	F2QA2-74-2460Z	1210	F2QA2-74-2460V	1184	F2QA2-74-2460E	1398
24" x 72"	F2QA2-74-2472Z	1352	F2QA2-74-2472V	1322	F2QA2-74-2472E	1596



ADD  
SUBTRACT  
ADJUST  
IT'S THAT EASY



## Dunnage Racks (NSF)

### Panco® Aluminum Dunnage Racks

- Features 1½" square tubing and plastic feet.
- 12" height.



w x l	weight capacity	# of lats	model #	list
20" x 36"	2000	4	WDR203612-A	396
20" x 48"	2000	4	WDR204812-A	439
20" x 60"	1500	4	WDR206012-A	514
24" x 36"	2000	5	WDR243612-A	485
24" x 48"	2000	5	WDR244812-A	532
24" x 60"	1500	5	WDR246012-A	596

NOTE: Models available with 8" height. To order, replace "12" in model number with "08". Example WDR203608-A



### Polymer Dunnage Racks

- 12" height, durable polyethylene construction prevents corrosion, rust and will not chip.



w x l	weight capacity	model #	list
22" x 36"	2000	PD3622	560
22" x 48"	3000	PD4822	677
22" x 60"	3000	PD6022	770



### Panco® Nesting Aluminum Dunnage Racks

- Racks are stackable, saving space when not in use.
- 12" height.



w x l	weight capacity	# of lats	model #	list each
20" x 36"	3200	4	NDR203612-A	454
20" x 48"	2700	4	NDR204812-A	512
24" x 36"	3200	5	NDR243612-A	566
24" x 48"	2700	5	NDR244812-A	645

### Wire Platform Dunnage Racks

- 14" height.



w x l	chrome		EAGLEgard®	
	model #	list	model #	list
18" x 24"	PF1824-C	273	PF1824-E	273
18" x 30"	PF1830-C	283	PF1830-E	283
18" x 36"	PF1836-C	287	PF1836-E	287
24" x 24"	PF2424-C	307	PF2424-E	307
24" x 30"	PF2430-C	309	PF2430-E	309
24" x 36"	PF2436-C	322	PF2436-E	322

## Utility Carts - Wire (NSF)

- Zinc finish.
- 18"-wide carts have 4" casters, 24"-wide carts have 5" casters.

# shelves	w x l	model #	list
2	18" x 36"	EU2-1836Z	647
2	24" x 36"	EU2-2436Z	749
3	18" x 36"	EU3-1836Z	792
3	24" x 36"	EU3-2436Z	929




2-shelf utility cart



## Wire Basket Utility Cart (NSF)

- Chrome finish.
- One basket shelf, one standard shelf.
- Set of 4" swivel casters.

# shelves	w x l	model #	list
2	18" x 36"	WBC1836C-1B1W	782



Cart features 4¼"-deep wire basket shelf

## Security Modules NSF

- Includes end panels, rear panel, and door(s).
- Fits in between two wire shelves\* spaced 20" apart.
- More than one module can be added, depending on unit's overall height.
- Available for 18", 21", and 24" -wide shelving units.



unit with flip-up door—  
shown assembled to wire shelf unit



unit with hinged doors—  
shown assembled to wire shelf unit

Note:  
Shelves and Posts Sold Separately  
- see page 3

### ...with Flip-Up Door

size	EAGLEbrite® zinc		chrome		Valugard®		EAGLEgard®		stainless steel	
	model #	list	model #	list	model #	list	model #	list	model #	list
18" x 36"	SECM1836FZ	944	SECM1836FC	1120	SECM1836FVG	1205	SECM1836FE	1180	SECM1836FS	2988
18" x 48"	SECM1848FZ	987	SECM1848FC	1177	SECM1848FVG	1263	SECM1848FE	1243	SECM1848FS	3134
18" x 60"	SECM1860FZ	998	SECM1860FC	1272	SECM1860FVG	1366	SECM1860FE	1343	SECM1860FS	3154
24" x 36"	SECM2436FZ	978	SECM2436FC	1194	SECM2436FVG	1284	SECM2436FE	1255	SECM2436FS	3094
24" x 48"	SECM2448FZ	1025	SECM2448FC	1308	SECM2448FVG	1405	SECM2448FE	1376	SECM2448FS	3244
24" x 60"	SECM2460FZ	1069	SECM2460FC	1426	SECM2460FVG	1536	SECM2460FE	1503	SECM2460FS	3399

### ...with Hinged Door

size	EAGLEbrite® zinc		chrome		Valugard®		EAGLEgard®		stainless steel	
	model #	list	model #	list	model #	list	model #	list	model #	list
18" x 36"	SECM1836Z	809	SECM1836C	1053	SECM1836VG	1130	SECM1836E	1110	SECM1836S	2572
18" x 48"	SECM1848Z	860	SECM1848C	1116	SECM1848VG	1197	SECM1848E	1173	SECM1848S	2753
18" x 60"	SECM1860Z	870	SECM1860C	1250	SECM1860VG	1344	SECM1860E	1315	SECM1860S	2762
24" x 36"	SECM2436Z	849	SECM2436C	1140	SECM2436VG	1222	SECM2436E	1203	SECM2436S	2697
24" x 48"	SECM2448Z	905	SECM2448C	1292	SECM2448VG	1389	SECM2448E	1356	SECM2448S	2880
24" x 60"	SECM2460Z	959	SECM2460C	1444	SECM2460VG	1549	SECM2460E	1518	SECM2460S	3065

## Full Size Security Units NSF

- Shipped knocked-down for easy assembly and reduced shipping costs.
- Mobile units feature four 5" swivel poly casters, two with brake.
- Units provided with 63" posts.

description	w x l x h	chrome		EAGLEgard®	
		model #	list	model #	list
stationary	27 1/4" x 39 1/4" x 67"	SC2436	2548	SC2436E	3108
stationary	27 1/4" x 51 1/4" x 67"	SC2448	3167	SC2448E	3860
mobile	27 1/4" x 39 1/4" x 69"	CSC2436	3010	CSC2436E	3674
mobile	27 1/4" x 51 1/4" x 69"	CSC2448	3627	CSC2448E	4423



chrome mobile security unit with  
optional center shelf

## Mini Security Units NSF

- Stationary units only.
- Chrome finish for durability.
- Units shipped knocked-down for easy assembly and reduced shipping costs.



mini security unit

w x l x h	model #	list
16" x 38" x 40"	MSC1436	2410
16" x 50" x 40"	MSC1448	3026
26" x 38" x 40"	MSC2436	2489
26" x 50" x 40"	MSC2448	3134

## Optional Shelves for Security Units NSF

Chrome finish.

w x l	description	Standard Shelves		Quad-Adjust Shelves	
		model #	list	model #	list
14" x 36"	chrome, mini	1436C	139	QA1436C	204
14" x 48"	chrome, mini	1448C	162	QA1448C	226
24" x 36"	chrome, full size	2436C	185	QA2436C	248
24" x 48"	chrome, full size	2448C	220	QA2448C	287
24" x 36"	Eaglegard® epoxy, full size	2436E	185	QA2436E	248
24" x 48"	Eaglegard® epoxy, full size	2448E	220	QA2448E	287

## WalStor® Modular Wall System <sup>(NSF)</sup>



WalStor® allows you to maximize space, utilizing previously unused wall area for storage, prep work, almost anything – all the while, keeping everything within easy reach, without taking up valuable floor space. WalStor® is designed so that your shelves can be positioned anywhere on a wall, regardless of stud position.

**Please note: WalStor® must be mounted to a solid surface or studs in a wall. User must determine installation materials and methods suitable to hold and support the WalStor® system.**



WalStor® Double Shelf Kit with accessories



### Single Shelf Kits

- (1) EAGLEbrite® shelf
- (1) 18"-tall full-length wall mat
- (1) pair of 30" vertical wall uprights
- (1) pair of 18" wire shelf brackets

shelf w x l	model #	list
18" x 36"	<b>WAL-1-1836</b>	659
18" x 48"	<b>WAL-1-1848</b>	759




### Double Shelf Kits

- (2) EAGLEbrite® shelves
- (2) 18"-tall full-length wall mats
- (1) pair of 45" vertical wall uprights
- (2) pair of 18" wire shelf brackets

shelf w x l	model #	list
18" x 36"	<b>WAL-2-1836</b>	1030
18" x 48"	<b>WAL-2-1848</b>	1174

## Adjustable Post <sup>(NSF)</sup> Wall Mount Kits

- Sold as prepackaged units.
- Adjustable design.
- Chrome finish.



end units shown

### End Units

Consists of two posts, single shelf brackets and post supports.

shelf width	post height	for	model #	list
14"	14"	1 shelf	<b>PWE14-1C</b>	370
14"	33"	2 shelves	<b>PWE14-2C</b>	598
18"	14"	1 shelf	<b>PWE18-1C</b>	375
18"	33"	2 shelves	<b>PWE18-2C</b>	598

Note: Shelves and accessories sold separately.

### Mid Units

Consists of one post, double shelf brackets and post supports.

shelf width	post height	for	model #	list
14"	14"	1 shelf	<b>PWM14-1C</b>	240
14"	33"	2 shelves	<b>PWM14-2C</b>	406
18"	14"	1 shelf	<b>PWM18-1C</b>	243
18"	33"	2 shelves	<b>PWM18-2C</b>	407

Note: Shelves and accessories sold separately.

## Cradle Wine Shelves <sup>(NSF)</sup>

- Each bottle is "cradled" by heavy gauge wire to avoid movement.


**Not recommended for mobile application.**



w x l	capacity (750ml bottles)	chrome		black epoxy	
		model #	list	model #	list
14" x 36"	9	<b>W1436C</b>	265	<b>W1436BL</b>	269
14" x 48"	12	<b>W1448C</b>	303	<b>W1448BL</b>	308

## Pot Racks <sup>(NSF)</sup>

- Supplied with stainless steel brackets.
- One two-prong sliding hook per foot.



for table length	aluminum		stainless steel	
	model #	list	model #	list
4'	<b>WM48APR</b>	564	<b>WM48PR</b>	752
5'	<b>WM60APR</b>	645	<b>WM60PR</b>	800
6'	<b>WM72APR</b>	823	<b>WM72PR</b>	1019



## Snap-N-Slide® Wall Shelves - Solid Stainless Steel (NSF)



- 1/2" upturn on rear and ends of shelf.
- Available in 12" or 15" widths with rolled front edge.

## Snap-N-Slide® Wall Shelves - Wire Construction (NSF)



- Wire design allows for free air circulation.
- No tools required to attach shelf to wall brackets

w x l	16 gauge type 430		16 gauge type 304		14 gauge type 304	
	model #	list	model #	list	model #	list
12" x 24"	SWS1224-16/4	485	SWS1224-16/3	582	SWS1224-14/3	615
12" x 36"	SWS1236-16/4	522	SWS1236-16/3	732	SWS1236-14/3	784
12" x 48"	SWS1248-16/4	642	SWS1248-16/3	810	SWS1248-14/3	874
12" x 60"	SWS1260-16/4	683	SWS1260-16/3	887	SWS1260-14/3	944
12" x 72"	SWS1272-16/4	844	SWS1272-16/3	1093	SWS1272-14/3	1194
15" x 24"	SWS1524-16/4	522	SWS1524-16/3	633	SWS1524-14/3	692
15" x 36"	SWS1536-16/4	539	SWS1536-16/3	756	SWS1536-14/3	852
15" x 48"	SWS1548-16/4	649	SWS1548-16/3	919	SWS1548-14/3	1036
15" x 60"	SWS1560-16/4	700	SWS1560-16/3	1008	SWS1560-14/3	1066
15" x 72"	SWS1572-16/4	858	SWS1572-16/3	1255	SWS1572-14/3	1418

w x l	Chrome		Valu-Master®		EAGLEgard®	
	model #	list	model #	list	model #	list
12" x 24"	SNSW1224C	220	SNSW1224V	234	SNSW1224E	258
12" x 36"	SNSW1236C	293	SNSW1236V	308	SNSW1236E	337
12" x 48"	SNSW1248C	366	SNSW1248V	384	SNSW1248E	407
12" x 60"	SNSW1260C	395	SNSW1260V	417	SNSW1260E	448
12" x 72"	SNSW1272C	506	SNSW1272V	532	SNSW1272E	559

## Snap-N-Slide® Wall Shelves - with Ticket Rail

- Features flat front and "tape-on" ticket rails - (ticket rails are provided with tape and are to be attached in the field).
- Standard checks are held with ease by a floating ball mechanism.



w x l	model #	list
12" x 36"	SWS1236TR-16/4	540
12" x 48"	SWS1248TR-16/4	683
12" x 60"	SWS1260TR-16/4	752
12" x 72"	SWS1272TR-16/4	923
12" x 96"	SWS1296TR-16/4	1186

All Snap-N-Slide® Wall Shelves - No tools required to attach shelf to wall brackets. Brackets can be mounted to studs - no wall backing required.

## Wall Shelves (NSF)

- Die-formed stainless steel mounting brackets are stud-welded to shelf.

w x l	model #	list
10" x 24"	WS1024-16/4	877
10" x 36"	WS1036-16/4	954
10" x 48"	WS1048-16/4	960
10" x 60"	WS1060-16/4	1026

Buy 3 of the Same Model - Get 3VP Special Qty Pricing!



w x l	model #	Qty List 3 or more		w x l	model #	Qty List 3 or more	
		list				list	
12" x 24"	WS1224-16/3	1178	919	12" x 24"	WS1224-16/4	954	742
12" x 36"	WS1236-16/3	1325	1033	12" x 36"	WS1236-16/4	1010	786
12" x 48"	WS1248-16/3	1419	1107	12" x 48"	WS1248-16/4	1044	812
12" x 60"	WS1260-16/3	1567	1222	12" x 60"	WS1260-16/4	1119	870
12" x 72"	WS1272-16/3	1711	1334	12" x 72"	WS1272-16/4	1197	990



## Tab-Lock Shelves (NSF)



- 16 gauge type 430 stainless steel.
- Tab lock for easy assembly.
- 1/2" roll on front and 1/2" upturn on rear and ends.

w x l	model #	list	w x l	model #	list
10" x 24"	WS1024TL	403	12" x 24"	WS1224TL	430
10" x 36"	WS1036TL	429	12" x 36"	WS1236TL	465
10" x 48"	WS1048TL	488	12" x 48"	WS1248TL	522
10" x 60"	WS1060TL	553	12" x 60"	WS1260TL	582

## Shelf with Removable Hooks (NSF)

- 16 gauge type 430 shelf, type 304 rack.
- 1/2" roll on front, 1/2" upturn on rear/ends.

w x l	model #	list
12" x 48"	WSP1248	1792
12" x 60"	WSP1260	1875
12" x 72"	WSP1272	1945



## Microwave Shelves (NSF)

- Heavy gauge type 430 stainless steel.
- Front marine counter edge.



w x l	model #	list
18" x 24"	MWS1824	938
24" x 24"	MWS2424	1078

## Eagle Hand Sinks

Eagle hand sinks are the most specified in the industry. A variety of models are offered, including basic units, units with towel dispensers and all-electronic units. All models are wall mounted. Many available with MICROGARD® antimicrobial protection, see below.


## MICROGARD® Antimicrobial Protection

An antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface of bowl that cause stains, odors and degradation. MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may. Available only on the sink bowl. An\* indicates units applicable.

**HOW TO ORDER MICROGARD® ON HAND SINKS:**  
Add suffix "-MG" to model number (example: HSA-10-FE-B-MG) and \$227 to list price of hand sink.

## Basic Units (NSF)

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!



HSA-10-F  
splash mount faucet  
with basket drain

HSAE-10-FA  
economy model with deck  
mount faucet and wall  
brackets

HSA-10-F-LRS

splash mount faucet  
with basket drain and left and  
right end splashes

HSA-10-FTWS

splash mount faucet  
with basket drain and tubular  
wall brackets

HSA-10-FW

splash mount faucet with  
wrist handles and basket  
drain

description	model #	list	Qty List 3 or more
4" centerline faucet holes, w/basket drain	HSA-10*	760	722
with faucet and basket drain	HSA-10-F*	860	820
with faucet, P-trap and tailpiece	HSA-10-FA	1248	1186
faucet w/wrist handles, p-trap, tail piece, basket drain	HSA-10-FAW	1665	1590

description	model #	list
with faucet w/wrist handles and basket drain	HSA-10-FW*	1007
12" from side to side, w/faucet and basket drain	HSAN-10-F*	1374
economy model, w/faucet, wall brackets	HSAE-10-FA*	926
with faucet and polymer lever drain	HSA-10-FL	1154
with faucet, polymer lever drain w/overflow	HSA-10-FO	1404
with faucet, basket drain, tubular wall brackets	HSA-10-FTWS*	1823
with faucet, basket drain, left and right end splashes	HSA-10-F-LRS	1686

\*Sink bowl available with optional MICROGARD® antimicrobial protection.

## Electronic Hand Sinks - AC Power (NSF)

description	model #	list
w/electric eye on basic sink	HSA-10-FE*	3634
w/electric eye on sink, towel & soap dispenser	HSA-10-FDPE*	4908
w/electric eye on sink, and polymer lever drain w/overflow	HSA-10-FOE	4614

\* Sink bowl available with optional MICROGARD® antimicrobial protection.



HSA-10-FE-B

HSAN-10-FE-B-DS

Only 12" side-to-side  
for maximum space  
efficiency.



HSA-10-FE

basic sink with  
electronic eye faucet



HSA-10-FDPE

electronic eye faucet with  
towel & soap dispenser

## Electronic Hand Sinks - Battery Power (NSF)

description	model #	list
w/battery powered electric eye on basic sink	HSA-10-FE-B*	4327
w/battery powered electric eye, deck mount soap dispenser and basket drain	HSA-10-FE-B-DS*	5450
narrow bowl w/battery powered electric eye, deck mount soap dispenser and basket drain	HSAN-10-FE-B-DS	6105
w/battery powered electric eye on sink, towel & soap dispenser	HSA-10-FDPE-B*	5464

\* Sink bowl available with MICROGARD® antimicrobial protection.

## Hand Sinks with Knee or Foot Valve

description	model #	list
*w/spout, knee pedals, skirt and basket drain	<b>HSA-10-FK</b>	2615
*w/spout, single knee pedal, skirt and basket drain	<b>HSA-10-1FK</b>	2615
*w/spout, foot pedal valves, P-trap, tail piece and basket drain	<b>HSA-10-FA-P</b>	2665
*w/spout, single foot pedal valves, P-trap, tail piece and basket drain	<b>HSA-10-FA-1P</b>	2665

\*Sink bowl available with optional MICROGARD® antimicrobial protection.



**PATENT PROTECTED**  
HSA-10-FDP-T



EAGLE HAND SINKS MEET ALL THE LATEST HEALTH CODE REQUIREMENTS!

## Hand Sinks with Towel Dispenser

description	model #	list
*w/towel dispenser and soap dispenser	<b>HSA-10-FDP</b>	2433
*w/towel dispenser, soap dispenser, waste skirt & receptacle	<b>HSA-10-FDP-T</b>	3408
w/towel dispenser, soap dispenser, and lever drain includes faucet with wrist handles, towel and soap dispenser, factory installed side splashes, lever drain, P-trap, and basket drain	<b>HSA-10-FLDP</b>	2628
	<b>HSA-10-FWLDP-LRS</b>	4110

\*Sink bowl available with optional MICROGARD® antimicrobial protection.

## Physically Challenged Hand Sinks

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!




ADA compliant hand sinks for maximum accessibility.

description	model #	list	Qty List 3 or more
w/deck mounted gooseneck faucet w/wrist handles, basket drain, and wall brackets	<b>HSAP-14-FW</b>	3470	3297
w/6-volt electronic-eye faucet, soap dispenser, basket drain, skirt assembly, and paper towel dispenser	<b>HSAP-14-ADA-FE-B</b>	9625	N/A
splash mount faucet w/wrist handles, mixer valve, C-fold towel dispenser, deck-mount soap dispenser, and skirt	<b>HSAP-14-ADA-FW</b>	7820	7390



## Standard Faucets

With 4" center, except #313075.



description	model #	list
splash mounted, gooseneck spout	<b>303987</b>	337
wrist handles for faucet #303987	<b>307120</b>	210
splash mounted with wrist handles, gooseneck spout	<b>306495</b>	695
deck mounted, gooseneck spout, 1/4-turn handles	<b>302004</b>	369
deck mounted, 8" spout, 1/4-turn handles	<b>301248</b>	333
drinking bubbler	<b>318495</b>	1172
splash mounted, gooseneck spout, 8" center	<b>313075</b>	327

## Soap Dispensers

description	model #	list
conventional	<b>300602</b>	65
wall mounted w/electronic eye	<b>377456</b>	528
deck mount (16oz)	<b>324074</b>	243



## Towel Dispensers

description	model #	list
wall mounted, C-fold towels	<b>318496</b>	577
wall mounted w/conventional soap dispenser	<b>DP-10*</b>	1653
wall mounted w/electronic eye soap dispenser	<b>DP-20*</b>	3433



\*Fits all HSA hand sinks except Space Saver models.

## Drains

description	maximum flow rate		model #	list
	gallons per minute	gallons per hour		
polymer lever drain fits 3/4" diameter holes	11	660	<b>319931</b>	159
overflow assembly for lever drain #319931 (above)	-	-	<b>319932</b>	74



## Side Splash

Self-adhesive splash can be used for right or left application. (For field installation.)

description	model #	list
6 1/2" high stainless steel splash (1ea)	<b>HSA-SSK</b>	283



# HAND SINKS • FLOOR TROUGHS & DRAINS

## Seamless Welded-In Sinks

- Deep-drawn seamless construction.
- Large radius bowl construction.
- Type 304 stainless steel all-welded construction.



Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

w x l	# of bowls	model #	list	Qty List 3 or more
16" x 12"	1	FDI-10-14-5-1	663	630
16" x 12"	1	FDI-10-14-9.5-1	736	714
16" x 24"	2	FDI-10-14-9.5-2	1414	1372
16" x 36"	3	FDI-10-14-9.5-3	2109	2046



## Hand Sinks with Factory-Installed Side Splashes

description	model #	list
faucet, basket drain and side splashes 12" from side to side, with faucet, basket drain and side splashes	HSA-10-F-LRS	1775
w/faucet, basket drain, tubular wall brackets and side splashes	HSA-10-FTWS-LRS	2169
w/battery powered electric eye on sink, towel & soap dispenser and side splashes	HSA-10-FDPE-LRS	5206



HSA-10-FDPE-LRS



FDI-10-14-9.5-2



HSA-10-FTWS-LRS

## Drop-In Hand Sinks

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!



description	# of bowls	bowl depth	model #	list	Qty List 3 or more
w/gooseneck faucet and basket drain, 12 3/4" overall length	1	5"	SR10-14-5-1	769	746
w/gooseneck faucet and basket drain, 12 3/4" overall length	1	9 1/2"	SR10-14-9.5-1	1023	993
w/gooseneck faucet and basket drain, 16 3/4" overall length	1	5"	SR14-10-5-1	1006	976
w/gooseneck faucet and basket drain, 16 3/4" overall length	1	9 1/2"	SR14-10-9.5-1	1438	1395
w/faucet and basket drain, 24 3/4" overall length	2	9 1/2"	SR10-14-9.5-2	2329	2213
w/12" spout and basket drains, 36 3/4" overall length	3	9 1/2"	SR10-14-9.5-3	2900	2813



SR10-14-5-1



## Replacement Faucets for Drop-Ins

description	model #	list
Deck Mounted, w/gooseneck, for Single Bowls	302004	369
Deck Mounted, w/8" spout, for Single Bowls	301248	333
Deck Mounted, w/12" spout, for Triple Bowls	300490	353

## Bottom Mount Kit

One kit per one-compartment sinks,  
three kits required for three-compartment sink.

description	model #	list
8 clips per kit	362188	53

## Floor Troughs and Drains

- 14 gauge type 304 stainless steel construction.
- Built-in pitch towards waste designed for assurance of complete drainage.
- Troughs and drains feature coved corners and accommodate up to 4" diameter waste pipe.

### Floor Troughs

w x l	With Yellow Fiberglass Subway-Style Grating		With Stainless Steel Subway-Style Grating	
	model #	list	model #	list
12" x 24"	FT-1224-FG	3915	FT-1224-SG	5060
12" x 36"	FT-1236-FG	4938	FT-1236-SG	6136
15" x 36"	FT-1536-FG	4980	FT-1536-SG	7143
15" x 48"	FT-1548-FG	5734	FT-1548-SG	8693
18" x 24"	FT-1824-FG	4703	FT-1824-SG	6493
18" x 36"	FT-1836-FG	5564	FT-1836-SG	7217
24" x 36"	FT-2436-FG	6117	FT-2436-SG	9333
24" x 48"	FT-2448-FG	7182	FT-2448-SG	10807



### Anti-Splash Floor Troughs

Patented (#D519,618 S) "anti-splash" design assures complete drainage while preventing waste from splashing back onto floor.




floor trough with fiberglass grating

### Floor Drains

Waste cup can be inverted to double as a bee hive strainer.

w x l	With Yellow Fiberglass Subway-Style Grating		With Stainless Steel Subway-Style Grating	
	model #	list	model #	list
12" x 12"	FD-FG	2906	FD-SG	3869

Note: Floor opening = 11 1/2" x 11 1/2"



#FD-SG floor drain

w x l	With Yellow Fiberglass Subway-Style Grating		With Stainless Steel Subway-Style Grating	
	model #	list	model #	list
12" x 24"	ASFT-1224-FG	4396	ASFT-1224-SG	5648
15" x 24"	ASFT-1524-FG	4923	ASFT-1524-SG	5993
18" x 24"	ASFT-1824-FG	4819	ASFT-1824-SG	6305
24" x 36"	ASFT-2436-FG	6876	ASFT-2436-SG	9963
24" x 48"	ASFT-2448-FG	8072	ASFT-2448-SG	11650

## 314 Series

### Coved Corner Sinks

- Heavy gauge type 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless coved corner bowls, 14" bowl depth.
- Legs crossbraced front-to-back.
- 9½" backsplash.

See Page 15 for optional faucets and lever drains.



**ALL 304 stainless steel!**  
**All 14" deep — Meets all health codes.**

### Upgrade Sink Packages

For 412, 414 and 314 Sinks. Easy-To-Add Kits for legs, faucets and drains.

#### Kit A

Includes stainless steel crossbraced legs, gussets, feet, and faucet (313293).

To order: Add suffix **-CLF** to sink model #.

Add to list price for sinks:

- 1 faucet..... 2497
- 2 faucets..... 3744

#### Kit B

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain.

To order: Add suffix **-CLFD** to sink model #.

Add to list price for sinks:

- 1 faucet..... 2497
- 2 faucets..... 3744
- Per lever drain..... 467

#### Kit C

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain with overflow.

To order: Add suffix **-CLFDO** to sink model #.

Add to list price for sinks:

- 1 faucet..... 2497
- 2 faucets..... 3744
- Per lever drain w/overflow..... 988

### Stainless Steel Legs

Optional stainless steel legs with front-to-back crossbracing available. To order, add \$833 to list price and suffix **"-SL"** to model number.

Example: 414-16-1-SL

### Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

# of bowls	bowl size w x l	# of drbds	overall length	model #	list	Qty List
						3 or more
1	20" x 16"	0	23.25"	314-16-1	2587	2458
1	20" x 16"	1	38.875"	314-16-1-18R	3818	3627
1	20" x 16"	1	38.875"	314-16-1-18L	3818	3627
1	20" x 16"	2	54.5"	314-16-1-18	4617	4386
2	20" x 16"	0	41.0"	314-16-2	4208	3998
2	20" x 16"	1	56.625"	314-16-2-18R	4912	4765
2	20" x 16"	1	56.625"	314-16-2-18L	4912	4765
2	20" x 16"	2	72.25"	314-16-2-18	5162	5007
3	20" x 16"	0	58.75"	314-16-3	5162	5007
3	20" x 16"	1	74.375"	314-16-3-18R	6322	6092
3	20" x 16"	1	74.375"	314-16-3-18L	6322	6092
3	20" x 16"	2	90.0"	314-16-3-18	6456	6390

### One-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20" x 16"	2	54.5"	314-16-1-18	4617
24" x 18"	0	25.5"	314-18-1	2852
24" x 18"	1	40.75"	314-18-1-18R	3932
24" x 18"	1	40.75"	314-18-1-18L	3932
24" x 24"	0	31.5"	314-24-1	3238

### Two-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
24" x 18"	0	45.5"	314-18-2	5062
24" x 18"	1	60.75"	314-18-2-18R	5505
24" x 18"	1	60.75"	314-18-2-18L	5505
24" x 18"	2	76.0"	314-18-2-18	5775
24" x 24"	1	78.75"	314-24-2-24R	6115
24" x 24"	1	78.75"	314-24-2-24L	6115
24" x 24"	2	100.0"	314-24-2-24	6388

### Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

bowl size w x l	# of drbds	overall length	model #	list
20" x 16"	2	102.0"	314-16-3-24	7228
24" x 18"	0	65.5"	314-18-3*	6453
24" x 18"	1	80.75"	314-18-3-18R*	7037
24" x 18"	1	80.75"	314-18-3-18L*	7037
24" x 18"	2	96.0"	314-18-3-18*	7495
24" x 18"	1	86.75"	314-18-3-24R*	7174
24" x 18"	1	86.75"	314-18-3-24L*	7174
24" x 18"	2	108.0"	314-18-3-24*	8445
24" x 24"	0	83.5"	314-24-3*	8954
24" x 24"	1	104.75"	314-24-3-24R*	10143
24" x 24"	1	104.75"	314-24-3-24L*	10143
24" x 24"	2	126.0"	314-24-3-24*	10503

\* Includes two sets of faucet holes.

### Four-Compartment Sink

Includes two sets of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20" x 16"	2	107.75"	314-16-4-18	10162



314-16-1

## One-Compartment Sinks

Includes one set of faucet holes.

bowl size	# of	overall		
w x l	drbds	length	model #	list
20" x 16"	0	23.25"	414-16-1	2328
20" x 16"	1	38.875"	414-16-1-18R	3449
20" x 16"	1	38.875"	414-16-1-18L	3449
20" x 16"	2	54.5"	414-16-1-18	4089
24" x 18"	0	25.5"	414-18-1	2563
24" x 18"	1	40.75"	414-18-1-18R	3482
24" x 18"	1	40.75"	414-18-1-18L	3482
24" x 24"	0	31.5"	414-24-1	2912

## Two-Compartment Sinks

Includes one set of faucet holes.

bowl size	# of	overall		
w x l	drbds	length	model #	list
20" x 16"	0	41.0"	414-16-2	3773
20" x 16"	1	56.625"	414-16-2-18R	4404
20" x 16"	1	56.625"	414-16-2-18L	4404
20" x 16"	2	72.25"	414-16-2-18	4642
20" x 16"	2	84.25"	414-16-2-24	5180
24" x 18"	0	45.5"	414-18-2	4549
24" x 18"	1	60.75"	414-18-2-18R	4938
24" x 18"	1	60.75"	414-18-2-18L	4938
24" x 18"	2	76.0"	414-18-2-18	5186
24" x 24"	1	78.75"	414-24-2-24R	5500
24" x 24"	1	78.75"	414-24-2-24L	5500
24" x 24"	2	100.0"	414-24-2-24	6043

## Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

bowl size	# of	overall		
w x l	drbds	length	model #	list
20" x 16"	0	58.75"	414-16-3	4647
20" x 16"	1	74.375"	414-16-3-18R	5678
20" x 16"	1	74.375"	414-16-3-18L	5678
20" x 16"	2	90.0"	414-16-3-18	5807
20" x 16"	2	102.0"	414-16-3-24	6499
24" x 18"	0	65.5"	414-18-3*	5803
24" x 18"	1	80.75"	414-18-3-18R*	6322
24" x 18"	1	80.75"	414-18-3-18L*	6322
24" x 18"	2	96.0"	414-18-3-18*	6732
24" x 18"	1	86.75"	414-18-3-24R*	6448
24" x 18"	1	86.75"	414-18-3-24L*	6448
24" x 18"	2	108.0"	414-18-3-24*	7585
24" x 24"	0	83.5"	414-24-3*	8044
24" x 24"	1	98.75"	414-24-3-18R*	8234
24" x 24"	1	98.75"	414-24-3-18L*	8234
24" x 24"	1	104.75"	414-24-3-24R*	8664
24" x 24"	1	104.75"	414-24-3-24L*	8664
24" x 24"	2	114.0"	414-24-3-18*	9120
24" x 24"	2	126.0"	414-24-3-24*	9436

\* Includes two sets of faucet holes.

## Four-Compartment Sink

Includes two sets of faucet holes.

bowl size	# of	overall		
w x l	drbds	length	model #	list
20" x 16"	2	107.75"	414-16-4-18	8677

## 414 Series <sup>NSF</sup>

### Coved Corner Sinks

- Heavy gauge type 304 stainless steel bowls
- Type 430 drainboards and backsplash.
- Deep drawn seamless coved corner bowls.
- Legs crossbraced front-to-back.
- 9½" backsplash and 14" water level standard.

**All 14" deep —  
Meets ALL health codes depths!**



**SEE PAGE 14 FOR UPGRADE OPTIONS  
- Profit from the Eagle Advantage®**

### Optional Faucets

Splash mounted, with 8" center.



description	STANDARD FAUCETS		T&S HEAVY DUTY FAUCETS	
	model #	list	model #	list
12" spout	300716	327	313293	1214
14" spout	300804	333	313294	1219

### Optional Lever Drains

description	model #	list
with 1.5" or 2" NPS connection	300720	467
with 2" NPS connection	300721	467

## 412 Series Coved Corner Sinks <sup>NSF</sup>

- 430 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless coved corner bowls.
- Legs crossbraced front to back.
- 9½" backsplash, 10½" water level.
- 1 set of faucet holes.



412-16-2-18



412-16-3-18L

See Page 15 for optional faucets and lever drains.  
See Page 14 for additional options for Coved Corner Sinks.

## One-Compartment Sinks

bowl size	# and size	overall	model #	list
w x l	of drainbds	length		
20" x 16"	(0)	23.25"	<b>412-16-1</b>	2264
20" x 16"	(1) 18", R	38.875"	<b>412-16-1-18R</b>	3292
20" x 16"	(1) 18", L	38.875"	<b>412-16-1-18L</b>	3292
20" x 16"	(2) 18"	54.5"	<b>412-16-1-18</b>	3915
20" x 16"	(1) 24", R	44.875"	<b>412-16-1-24R</b>	3470
20" x 16"	(1) 24", L	44.875"	<b>412-16-1-24L</b>	3470
20" x 16"	(2) 24"	66.5"	<b>412-16-1-24</b>	4037

## Two-Compartment Sinks

bowl size	# and size	overall	model #	list
w x l	of drainbds	length		
20" x 16"	(0)	41.0"	<b>412-16-2</b>	3203
20" x 16"	(1) 18", R	56.625"	<b>412-16-2-18R</b>	3870
20" x 16"	(1) 18", L	56.625"	<b>412-16-2-18L</b>	3870
20" x 16"	(2) 18"	72.25"	<b>412-16-2-18</b>	4563
20" x 16"	(1) 24", R	62.875"	<b>412-16-2-24R</b>	3936
20" x 16"	(1) 24", L	62.875"	<b>412-16-2-24L</b>	3936
20" x 16"	(2) 24"	84.25"	<b>412-16-2-24</b>	4874

## Three-Compartment Sinks

bowl size	# and size	overall	model #	list
w x l	of drainbds	length		
20" x 16"	(0)	58.75"	<b>412-16-3</b>	4034
20" x 16"	(1) 18", R	74.375"	<b>412-16-3-18R</b>	4883
20" x 16"	(1) 18", L	74.375"	<b>412-16-3-18L</b>	4883
20" x 16"	(2) 18"	90.0"	<b>412-16-3-18</b>	5154
20" x 16"	(1) 24", R	80.375"	<b>412-16-3-24R</b>	4943
20" x 16"	(1) 24", L	80.375"	<b>412-16-3-24L</b>	4943
20" x 16"	(2) 24"	102.0"	<b>412-16-3-24</b>	5275

## Convenience Store Sinks <sup>NSF</sup>

- Constructed of all 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn coved corner bowls, crumb cup strainer.
- 36" working height, legs crossbraced front-to-back.
- 21¼" front to back.

### 310 Series

9½" water depth, 1 set of faucet holes.

# of bowls	bowl size w x l	# and size of drainbds	overall length	model #	list
3	14" x 10"	(2) 12"	60.0"	<b>310-10-3-12</b>	5983
3	14" x 10"	(2) 18"	72.0"	<b>310-10-3-18</b>	6129

### 312 Series

12" water depth, 1 set of faucet holes.

# of bowls	bowl size w x l	# and size of drainbds	overall length	model #	list
3	12" x 20"	(2) 12"	66.0"	<b>312-12-3-12</b>	6356
3	14" x 16"	(2) 12"	72.0"	<b>312-14-3-12</b>	6809



(faucet sold separately)



## Optional Faucet

description	model #	list
10" spout	<b>300489</b>	270

## Fabricated Sinks

- 20" x 20" or 28" x 20" bowls, 14" deep.
- 8" high backsplash with 3/4" upturn and tile edge.
- 1/8" faucet holes punched on 8" centers. One set of faucet holes on all sinks except where noted\*.
- Legs: 1/8" diameter stainless steel tubing with gussets and adjustable bullet feet.



S14-20-3-18-SL



S16-20-3-24



### S14 Series

Features include 20" x 20" sink bowls (except where noted\*), 14 gauge type 304 bowls, stainless steel legs and feet, with 18 gauge stainless steel front apron.

# of bowls	# of drbds	drainboard length	overall length	model #	list
1	0	n/a	29"	S14-20-1-SL	3096
2	1	18"	67 1/2"	S14-20-2-18R-SL	5377
2	1	18"	67 1/2"	S14-20-2-18L-SL	5377
2	2	18"	81"	S14-20-2-18-SL	5662
3	1	18"	89 1/2"	S14-20-3-18R-SL	7092
3	1	18"	89 1/2"	S14-20-3-18L-SL	7092
3	2	18"	103"	S14-20-3-18-SL	7466
3	1	24"	95 1/2"	S14-20-3-24R-SL	7398
3	1	24"	95 1/2"	S14-20-3-24L-SL	7398
3	2	24"	115"	S14-20-3-24-SL	7785
3	2	18"	103"	S14-28-3-18-SL *	8734

### S16 Series

Features include 20" x 20" sink bowls (except where noted\*), 16 gauge type 304 bowls, galvanized legs and plastic feet.

# of bowls	# of drbds	drainboard length	overall length	model #	list
1	0	n/a	29"	S16-20-1	2726
2	1	18"	67 1/2"	S16-20-2-18R	4732
2	1	18"	67 1/2"	S16-20-2-18L	4732
2	2	18"	81"	S16-20-2-18	4984
3	1	18"	89 1/2"	S16-20-3-18R	6239
3	1	18"	89 1/2"	S16-20-3-18L	6239
3	2	18"	103"	S16-20-3-18	6567
3	1	24"	95 1/2"	S16-20-3-24R	6512
3	1	24"	95 1/2"	S16-20-3-24L	6512
3	2	24"	115"	S16-20-3-24	6853
3	2	18"	103"	S16-28-3-18 *	6677

\* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28"-wide x 20"-long sink bowls and two sets of faucet holes.

## Utility Sinks



2448-2-16/4  
(faucet sold separately)

### Optional Detachable Drainboards

- Type 430 stainless steel.

width	model #	list
18"	18x18 RRDEDB	534
21"	21x18 RRDEDB	534
21"	21x24 RRDEDB	540
24"	24x18 RRDEDB	540
24"	24x18 RRDEDB	540

### Optional Faucets

With 8" center.

description	model #	list
12" spout	300716	327
14" spout	300804	333

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!



### Type 304 stainless steel

# of bowls	bowl size W x L	overall length	model #	list
1	18" x 18"	19 1/4"	1818-1-16/3	2017
1	21" x 18"	19 1/4"	2118-1-16/3	2048
1	21" x 24"	25 3/4"	2124-1-16/3	2169
1	24" x 24"	25 3/4"	2424-1-16/3	2326
2	21" x 18"	37 3/4"	2136-2-16/3	2673
2	24" x 24"	49 3/4"	2448-2-16/3	3008
3	21" x 12"	37 3/4"	2136-3-16/3	2836
3	21" x 16"	49 3/4"	2148-3-16/3	2988
3	21" x 18"	55 3/4"	2154-3-16/3	3043
3	24" x 24"	73 3/4"	2472-3-16/3	4205

### Type 430 stainless steel

# of bowls	W x L	bowl size length	overall model #	list	Qty List 3 or more
1	18" x 18"	19 1/4"	1818-1-16/4	1488	1443
1	18" x 24"	25 3/4"	1824-1-16/4	1976	1917
1	21" x 18"	19 1/4"	2118-1-16/4	1532	1486
1	21" x 24"	25 3/4"	2124-1-16/4	1576	1529
1	21" x 36"	37 3/4"	2136-1-16/4	2177	2112
1	24" x 24"	25 3/4"	2424-1-16/4	1727	1675
1	24" x 36"	37 3/4"	2436-1-16/4	2242	2175
2	18" x 18"	37 3/4"	1836-2-16/4	2647	2568
2	21" x 18"	37 3/4"	2136-2-16/4	2083	2021
2	24" x 24"	49 3/4"	2448-2-16/4	2454	2380
3	18" x 18"	37 3/4"	2136-3-16/4	2264	N/A
3	21" x 16"	49 3/4"	2148-3-16/4	2425	N/A
3	21" x 18"	55 3/4"	2154-3-16/4	2628	N/A
3	24" x 24"	73 3/4"	2472-3-16/4	3594	N/A



## Mop Sinks <sup>NSF</sup>

- Exclusive anti-splash double-offset "V" edge reduces spillage.
- All stainless steel construction.
- Floor mount for the ultimate in sanitation.
- Deep-drawn seamless bowl.



mop sink

bowl size		overall size		model #	list
w x l x d	w x l	w x l	w x l		
20" x 28" x 8"	25 1/2" x 32 1/2"	F2820	3384		
20" x 28" x 12"	25 1/2" x 32 1/2"	F2820-12	3760		

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**



bowl size		overall size		model #	list	Qty List 3 or more
w x l x d	w x l	w x l	w x l			
16" x 20" x 8"	21 1/2" x 24 3/8"	F1916	2698		2674	
16" x 20" x 12"	21 1/2" x 24 3/8"	F1916-12	3065		3038	



### Optional 16" Splash Kits for Mop Sinks


- 16 gauge type 304 stainless steel.
- 3" radius on front of end splashes.
- Kit comes with hardware for attaching to mop sink.



description	fits "F1916" mop sinks		fits "F2820" mop sinks	
	model #	list	model #	list
left and rear splash kit	503095	1097	503098	1162
right and rear splash kit	503096	1097	503099	1162
left, right and rear splash kit	503097	1729	503100	1897

## Mop Sink Accessories

description	model #	list
service faucet	312690	1062
hose & bracket	312689	340
mop holder	312688	366



## Mop Sink Storage Cabinets <sup>NSF</sup>

- Heavy gauge type 430 stainless steel.
- Overhead shelf.
- Double-pan stainless steel hinged doors.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- 16" x 20" x 8" mop sink holds two mops.



(mops shown not included)

### Single-Width Cabinet

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**



W x L x H	model #	list	Qty List 3 or more
22 1/4" x 25" x 84 1/4"	F1916-VSCS	10996	10666

### Double-Width Cabinets

W x L x H	mop sink on	model #	list
22 1/4" x 47 1/2" x 84 1/4"	left	F1916-VSCS-DL	11932
22 1/4" x 47 1/2" x 84 1/4"	right	F1916-VSCS-DR	11932

## Utility Shelf with Mop Hangers

- 16 gauge type 304 stainless steel



w x l	model #	list
8" x 24"	US0824-16/3	1185
8" x 36"	US0836-16/3	1359

## Corner Mop Sinks - Space Saving Design



Drop Front Edge Mop Sink  
3" dropped edge facilitates dumping.



**Space-Saving Design!**

- Five-sided corner construction saves space.
- Available with drop-front edge or flush front edge.
- Heavy gauge type 304 stainless steel bowl and skirt
- Bowl is fully welded in skirt.
- Fabricated bowl is fully welded and polished.
- Bowl is creased to improve drainage and prevent pooling.
- 2" brass no-caulk shower drain with 4 1/2" stainless steel strainer.

From our Video Library – Watch Now!  
**CORNER MOP SINK**



Flush Front Edge Mop Sink

W x L x H	Drop Front Edge		Flush Front Edge	
	model #	list	model	list
21" x 21" x 8"	F2121-8-CDE	4228	F2121-8-CNR	4215
21" x 21" x 12"	F2121-12-CDE	4478	F2121-12-CNR	4516
24" x 24" x 8"	F2424-8-CDE	4343	F2424-8-CNR	4353
24" x 24" x 12"	F2424-12-CDE	4610	F2424-12-CNR	4685



## Portable Hand Sinks

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Overall dimensions: 24" wide, 26" length, and 44½" height.
- Deck mount faucet with 8" spout and 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.
- Available with laminated cabinet.



### ...with Stainless Steel Cabinet

Comes with 4" swivel casters (two with brake).

description	with Cold Water only		with Hot & Cold Water	
	model #	list	model #	list
with single stainless 14" x 10" x 5" bowl	PHS-S-C	10560	PHS-S-H	13038
with 11½" x 6¼" x 5" 3-compartment bowl	PHS-S3-C	10903	PHS-S3-H	13725

## Touch-Free Portable Hand Sinks

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Furnished with 14" x 10" x 5" deep stainless steel sink bowl.
- Deck mount electronic-eye faucet, splash-mount electronic soap dispenser, electronic paper towel dispenser, 6"-diameter trash chute.
- 115-volt pump



From our Video Library - Watch Now!  
**HANDS-FREE PORTABLE SINK**

overall size	sink size	with Cold Water only		with Hot Water only	
		model #	list	model #	list
24" x 26" x 56¼"	14" x 10" x 5"	PHS-S-C-TF	12415	PHS-S-H-TF	12890



## Clean Dishtables

- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20½" opening.
- Crossbraced legs.
- Fit most leading manufacturers' dishwashers.



clean dishtable

### ...with Galvanized Legs

### ...with Stainless Steel Legs

length	left-hand or right-hand unit	16/430 stainless steel		16/304 stainless steel		16/430 stainless steel		16/304 stainless steel	
		model #	list	model #	list	model #	list	model #	list
24"	left	CDTL-24-16/4	1370	CDTL-24-16/3	1458	CDTL-24-16/4-SL	1750	CDTL-24-16/3-SL	1838
24"	right	CDTR-24-16/4	1370	CDTR-24-16/3	1458	CDTR-24-16/4-SL	1750	CDTR-24-16/3-SL	1838
30"	left	CDTL-30-16/4	1574	CDTL-30-16/3	1674	CDTL-30-16/4-SL	1948	CDTL-30-16/3-SL	2053
30"	right	CDTR-30-16/4	1574	CDTR-30-16/3	1674	CDTR-30-16/4-SL	1948	CDTR-30-16/3-SL	2053
36"	left	CDTL-36-16/4	1605	CDTL-36-16/3	1703	CDTL-36-16/4-SL	1983	CDTL-36-16/3-SL	2086
36"	right	CDTR-36-16/4	1605	CDTR-36-16/3	1703	CDTR-36-16/4-SL	1983	CDTR-36-16/3-SL	2086
48"	left	CDTL-48-16/4	1766	CDTL-48-16/3	1880	CDTL-48-16/4-SL	2144	CDTL-48-16/3-SL	2260
48"	right	CDTR-48-16/4	1766	CDTR-48-16/3	1880	CDTR-48-16/4-SL	2144	CDTR-48-16/3-SL	2260
60"	left	CDTL-60-16/4	2464	CDTL-60-16/3	2622	CDTL-60-16/4-SL	2847	CDTL-60-16/3-SL	3004
60"	right	CDTR-60-16/4	2464	CDTR-60-16/3	2622	CDTR-60-16/4-SL	2847	CDTR-60-16/3-SL	3004
72"	left	CDTL-72-16/4	2665	CDTL-72-16/3	2834	CDTL-72-16/4-SL	3047	CDTL-72-16/3-SL	3216
72"	right	CDTR-72-16/4	2665	CDTR-72-16/3	2834	CDTR-72-16/4-SL	3047	CDTR-72-16/3-SL	3216
96"	left	CDTL-96-16/4	2988	CDTL-96-16/3	3182	CDTL-96-16/4-SL	3750	CDTL-96-16/3-SL	3943
96"	right	CDTR-96-16/4	2988	CDTR-96-16/3	3182	CDTR-96-16/4-SL	3750	CDTR-96-16/3-SL	3943

## Soiled Dishtables

- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20" x 20" x 5" sink with 1/2" basket drain.
- Scrap block included on all SDT models except 36" (L & R) and 48" (R). Faucets extra.
- Fits most leading manufacturers' dishwashers.



## Stainless Steel Legs and Components

For clean dishtables on page 19 and soiled dishtables on this page.

includes s/s legs and...	add * suffix #	add to list price
s/s gussets, for units up to 72"	-SLG	482
s/s gussets, for units 84" and longer	-SLG	960
s/s gussets & feet, for units up to 72"	-SLGF	553
s/s gussets & feet, for units 84" and longer	-SLGF	1106

\* Example: SDTL-36-16/3-SLG

### ...with Galvanized Legs

length	left-hand or right-hand unit	16/430 stainless steel		16/304 stainless steel		16/430 stainless steel		16/304 stainless steel	
		model #	list	model #	list	model #	list	model #	list
36"	left	SDTL-36-16/4	3099	SDTL-36-16/3	3299	SDTL-36-16/4-SL	3480	SDTL-36-16/3-SL	3675
36"	right	SDTR-36-16/4	3099	SDTR-36-16/3	3299	SDTR-36-16/4-SL	3480	SDTR-36-16/3-SL	3675
48"	left	SDTL-48-16/4 *	3218	SDTL-48-16/3 *	3420	SDTL-48-16/4-SL *	3596	SDTL-48-16/3-SL *	3804
48"	right	SDTR-48-16/4	3218	SDTR-48-16/3	3420	SDTR-48-16/4-SL	3596	SDTR-48-16/3-SL	3804
60"	left	SDTL-60-16/4 *	3433	SDTL-60-16/3 *	3654	SDTL-60-16/4-SL *	3812	SDTL-60-16/3-SL *	4030
60"	right	SDTR-60-16/4 *	3433	SDTR-60-16/3 *	3654	SDTR-60-16/4-SL *	3812	SDTR-60-16/3-SL *	4030
72"	left	SDTL-72-16/4 *	3660	SDTL-72-16/3 *	3895	SDTL-72-16/4-SL *	4037	SDTL-72-16/3-SL *	4270
72"	right	SDTR-72-16/4 *	3660	SDTR-72-16/3 *	3895	SDTR-72-16/4-SL *	4037	SDTR-72-16/3-SL *	4270
96"	left	SDTL-96-16/4 *	4317	SDTL-96-16/3 *	4593	SDTL-96-16/4-SL *	5077	SDTL-96-16/3-SL *	5354
96"	right	SDTR-96-16/4 *	4317	SDTR-96-16/3 *	4593	SDTR-96-16/4-SL *	5077	SDTR-96-16/3-SL *	5354

\* Scrap block provided with these models. To order without scrap block, deduct \$72 off list price and add suffix "-NSB" to model number. Example: SDTL-72-16/3-NSB

## Undercounter Dishtables

- Sized to accept most undercounter dishwashers.
- Type 304 stainless steel.



description	model #	list
48", left	UDT-4L-16/3	4109
48", right	UDT-4R-16/3	4109
60", left	UDT-5L-16/3	4458
60", right	UDT-5R-16/3	4458

## Mobile Soak Sinks

- 14 gauge stainless steel.
- 8" deep sink bowl.



Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!



w x l x h	model #	list	Qty List 3 or more
24" x 24" x 33"	MSS2020	6103	5920
28" x 28" x 20"	MSS2424	6215	6029

## Sinks with Removable Silver Chute

w x l x h	model #	list
24" x 24" x 33"	MSS2020SC	6695
28" x 28" x 20"	MSS2424SC	6838

## Condensate Hoods NFPA-96

- 12" x 12" collar opening for exhaust connection.
- 20" height, 51" deep.
- 18 gauge type 304 stainless steel.
- Full perimeter gutter with drain tube.



w x l	model #	list
36" x 36"	HDC3636	4958
36" x 42"	HDC3642	5082
36" x 48"	HDC3648	5205
42" x 42"	HDC4242	5949
48" x 48"	HDC4848	7073
48" x 60"	HDC4860	7987

## Condensate Vents

- Fully welded, mounts to dishwasher.
- 18 gauge type 304 stainless steel.

w x l x h	model #	list
4" x 16" x 48"	DVS-48	2062
4" x 16" x 60"	DVS-60	2244
4" x 16" x 72"	DVS-72	2418

## Dishtable Package Special NSF

Dishtable package includes 48"-long 16 gauge type 304 stainless steel clean dishtable and 48"-long 16 gauge type 304 stainless steel soiled dishtable, rubber scrap block, prerinse faucet (model # 300718), prerinse basket and slide bar, and 42" KD tubular rack shelf. (Dishwasher not included.)

**Best Buy!**



left-to-right operation shown (#DTC-48LR-16/3)

**SPECIAL VALUE:  
\$8980 List!**

description	model #
left-to-right operation	<b>DTC-48LR-16/3</b>
right-to-left operation	<b>DTC-48RL-16/3*</b>

\* DTC-48RL-16/3 does not come with scrap block.

## Optional Prerinse Units for Dishtables

Temperature adjustment for hot water with preset cold water adjustment for anti-scald protection.



## Standard Prerinse Components

description	model #	list
splash mounted spray unit	<b>300719</b>	2259
deck mounted spray unit	<b>300718</b>	2250
faucet add-on with 12" spout	<b>301189</b>	598
wall bracket	<b>301190</b>	153

## T&S Extra Heavy Duty Prerinse Components

Top-of-the-line.



description	model #	list
deck mounted spray unit with wall bracket	<b>313295</b>	2784
faucet add-on with 12" spout	<b>313297</b>	736

## Lever Drains

description	model #	list
1.5" or 2" NPS connection	<b>300720</b>	467
2" NPS connection	<b>300721</b>	467

## Dishtable Accessories

### Tubular Rack Shelves

- Tubular, knock-down design.
- Wall mounted with brackets.



length	model #	list
21"	<b>606296</b>	1655
42"	<b>606297</b>	1844
63"	<b>606298</b>	1982
84"	<b>606299</b>	2095

### Solid Slanted Rack Shelves



- 16 gauge stainless steel.
- All models feature drip tube on the left or right.

size	dish rack capacity	WITH TUBE ON LEFT		WITH TUBE ON RIGHT	
		model #	list	model #	list
21" x 21"	1	<b>605380</b>	2148	<b>606641</b>	2148
21" x 42"	2	<b>605381</b>	2289	<b>606642</b>	2289
21" x 63"	3	<b>605382</b>	2469	<b>606643</b>	2469
21" x 84"	4	<b>606294</b>	2627	<b>606644</b>	2627

### Dishtable Undershelves




- 24 $\frac{1}{8}$ " wide.
  - Provides extra space for rack storage and operation equipment.
- NOTE: Order one size smaller than dishtable.**

length	galvanized		400 series		300 series	
	model #	list	model #	list	model #	list
24"	<b>605371</b>	1043	<b>605374</b>	1338	<b>606479</b>	1645
36"	<b>605372</b>	1267	<b>605375</b>	1488	<b>606480</b>	1837
48"	<b>605373</b>	1569	<b>605376</b>	1839	<b>606481</b>	2122

### Prerinse Basket with Slide Bar

- An all-in-one combination.
- Type 304 stainless steel construction.
- Prevents food waste from clogging sink drain.
- Fits standard 20" x 20" prerinse sink.



basket depth	model #	list
3"	<b>606434</b>	1117
4"	<b>383671</b>	1134

## "B" Series Worktables <sup>NSF</sup>

- 16 gauge type 430 stainless steel top.
- Galvanized legs and adjustable undershelf.
- Exclusive patented uni-lok® design for superior strength.
- All worktables 60" and longer feature three hat channels.
- All tables prepunched including attachment bolts for installation of 20" x 20" drawer assemblies.



patented  
**uni-lok**<sup>®</sup>  
system  
(Patent #5,165,349)



ALL "B" SERIES WORKTABLES  
FEATURE ADJUSTABLE UNDERSHELF  
WITH WELDED GUSSET DESIGN!

"B" Series Worktables are available with a 1½" upturn at no extra charge, same sizes & prices as shown on this page). To specify, add prefix "U" to model number.

### ...with Flat Top

w x l	model #	list
24" x 24"	T2424B	1012
24" x 30"	T2430B	1042
24" x 36"	T2436B	1056
24" x 48"	T2448B	1120
24" x 60"	T2460B	1226
24" x 72"	T2472B	1326
24" x 84"	T2484B	1455
24" x 96" *	T2496B	1898
30" x 24"	T3024B	1025
30" x 30"	T3030B	1056
30" x 36"	T3036B	1063
30" x 84"	T3084B	1707
30" x 96" *	T3096B	1958

\* NOTE: 96" tables feature 6 legs.

### ...with 4½" Backsplash

w x l	model #	list
24" x 24"	T2424B-BS	1148
24" x 30"	T2430B-BS	1215
24" x 36"	T2436B-BS	1253
24" x 48"	T2448B-BS	1400
24" x 60"	T2460B-BS	1517
24" x 72"	T2472B-BS	1654
24" x 84"	T2484B-BS	1870
24" x 96" *	T2496B-BS	2140
30" x 30"	T3030B-BS	1280
30" x 36"	T3036B-BS	1320
30" x 48"	T3048B-BS	1477
30" x 60"	T3060B-BS	1648
30" x 72"	T3072B-BS	1825
30" x 84"	T3084B-BS	2142
30" x 96" *	T3096B-BS	2332

\* NOTE: 96" tables feature 6 legs.

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!



...with Flat Top			Qty List
w x l	model #	list	3 or more
30" x 48"	T3048B	1132	1099
30" x 60"	T3060B	1248	1211
30" x 72"	T3072B	1338	1298

## Filler Tables <sup>NSF</sup>

- 16 gauge type 300 series stainless steel top.
- 1½" rear upturn.
- Standard flanged feet add stability.



w x l	model #	list
24" x 15"	UT2415STEB	1616
30" x 15"	UT3015STEB	1747
24" x 18"	UT2418STEB	1693
30" x 18"	UT3018STEB	1839

NOTE: Filler Tables are not designed to stand alone or to hold heavy equipment loads.

## Demo Tables <sup>NSF</sup>

- Tabletop features marine counter edge.
- Standard undershelf.
- Mirror tilts and adjusts to desired position.

table size	mirror size	model #	list
36" x 60"	24" x 49½"	DT3660SE	13782
36" x 72"	24" x 61½"	DT3672SE	16226



## Ceiling Mounted Pot Racks

- Made of 3/16" x 2" flat bars bolted together.
- Furnished with chain hangers for suspension from ceiling.
- Includes two-prong hooks.



length	ALUMINUM		STAINLESS STEEL	
	model #	list	model #	list
28"	CM36APR	1448	CM36PR	1847
40"	CM48APR	1523	CM48PR	1932
52"	CM60APR	1587	CM60PR	2062
64"	CM72APR	1678	CM72PR	2180
76"	CM84APR	2078	CM84PR	2654

## Table Casters <sup>NSF</sup>

- Swivel casters sold as sets.
- Tables 84" and shorter utilize set of four casters.
- Tables 96" and longer utilize set of six casters.



description	wt. cap.		model #	list
	per caster			
4"-dia., set of 4 (2 swivel, 2 w/brake)	115 lb.		CA4-SB	803
4"-dia., set of 6 (3 swivel, 3 w/brake)	115 lb.		CA6-SB	1204
5"-dia., set of 4 (2 swivel, 2 w/brake)	200 lb.		CAH4-SB	959
5"-dia., set of 6 (3 swivel, 3 w/brake)	200 lb.		CAH6-SB	1433

## “SEB” Series Worktables <sup>(NSF)</sup>

- 16 gauge 300 series stainless steel top with an adjustable undershelf and stainless steel legs.
- Exclusive patented uni-lok® design for superior strength.
- Worktables 60” and longer feature three hat channels.
- Tables prepunched including attachment bolts for installation of 20” x 20” drawer assemblies.

### ...with Flat Top

w x l	model #	list
24" x 24"	T2424SEB	1697
24" x 30"	T2430SEB	1880
24" x 36"	T2436SEB	2132
24" x 48"	T2448SEB	2329
24" x 60"	T2460SEB	2530
24" x 72"	T2472SEB	2734
24" x 84"	T2484SEB	2847
24" x 96" *	T2496SEB	4018
30" x 30"	T3030SEB	2040
30" x 36"	T3036SEB	2267
30" x 84"	T3084SEB	3122
30" x 96" *	T3096SEB	4333

\* NOTE: 96" tables feature 6 legs.

### ...with 4½" Backsplash

w x l	model #	list
24" x 24"	T2424SEB-BS	2036
24" x 30"	T2430SEB-BS	2250
24" x 36"	T2436SEB-BS	2654
24" x 48"	T2448SEB-BS	2873
24" x 60"	T2460SEB-BS	3087
24" x 72"	T2472SEB-BS	3412
24" x 84"	T2484SEB-BS	3543
24" x 96" *	T2496SEB-BS	4504
30" x 30"	T3030SEB-BS	2505
30" x 36"	T3036SEB-BS	2785
30" x 84"	T3084SEB-BS	3714
30" x 96" *	T3096SEB-BS	4809

\* NOTE: 96" tables feature 6 legs.

### ...with Flat Top

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

w x l	model #	list	Qty List 3 or more
30" x 48"	T3048SEB	2505	1914
30" x 60"	T3060SEB	2754	2250
30" x 72"	T3072SEB	2992	2618

**3VP**

### ...with 4½" Backsplash

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

w x l	model #	list	Qty List 3 or more
30" x 48"	T3048SEB-BS	3029	2279
30" x 60"	T3060SEB-BS	3304	2567
30" x 72"	T3072SEB-BS	3554	3089

**3VP**



#T3060SEB

#T3060SEB-BS

patented  
**uni-lok**®  
system

(Patent #5,165,349)

FOR ADDITIONAL ACCESSORIES,  
SEE PAGES 24 - 25.

**PATENT  
PENDING**

## Eagle Knockdown Welded Base Option

— Available For Eagle Worktables with Stainless Steel Base



table with undershelf  
knocked down

**Easily  
assembles  
in minutes!**



table assembled

### Base Options

- Marine edge stainless steel undershelf welded to lower leg sections..
- C-frame stainless steel tubular base.

### Legs

- 16 gauge 1" diameter legs.
- Precision machined stainless steel threaded inserts pressed into leg sections for knockdown construction.



From our Video Library - Watch Now!  
**KNOCKDOWN WELDED BASE OPTION**

Add suffix: - **KDWB** to worktable model number

### How Our Tables with Knockdown Welded Base Rate...

	Types of Construction:		
	Knockdown	Knockdown Welded Base	Welded Base
Strength	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
Stability	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
Durability	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
Shipping Costs	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
Packaging Waste	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★
Price	★ ★ ★ ★ ★	★ ★ ★ ★ ★	★ ★ ★ ★ ★

Knockdown welded base construction provides the best of both worlds: A rigid welded base for additional stability and durability, while knockdown construction reduces shipping volume and packaging waste.



#T3030SB

patented  
**uni-lok**<sup>®</sup>  
system

(Patent #5,165,349)

## “SB” Series Worktables <sup>(NSF)</sup>

• 16 gauge type 430 stainless steel top with an adjustable undershelf, and stainless steel legs.

24"-WIDE TABLES			30"-WIDE TABLES		
w x l	model #	list	w x l	model #	list
24" x 24"	T2424SB	1659	30" x 30"	T3030SB	1700
24" x 30"	T2430SB	1696	30" x 36"	T3036SB	1737
24" x 36"	T2436SB	1728	30" x 48"	T3048SB	1880
24" x 48"	T2448SB	1849	30" x 60"	T3060SB	2066
24" x 60"	T2460SB	2008	30" x 72"	T3072SB	2250
24" x 72"	T2472SB	2177	30" x 84"	T3084SB	2427
24" x 84"	T2484SB	2347	30" x 96"*	T3096SB	2812
24" x 96"*	T2496SB	2773			

\* NOTE: 96" tables feature 6 legs.

## Mixer Stands <sup>(NSF)</sup>

- Available with either galvanized legs and adjustable undershelf or galvanized tubular base.
- 24" working height.

### ...with Galvanized Legs & Undershelf

w x l	model #	list
24" x 24"	MS2424	1548
30" x 24"	MS3024	1584
30" x 30"	MS3030	1634
30" x 36"	MS3036	1707

patented  
**uni-lok**<sup>®</sup>  
system

(Patent #5,165,349)



mixer stand with undershelf



mixer stand with tubular base




caster

caster w/brake

## Optional Utensil Rack

- Stainless steel.
- 54" height.

model #	add to unit list
UR-501	1374



## Optional Casters for Mixer Stands

description	wt. cap. per caster	model #	list each
4" -dia., set of four (two swivel, two w/brake)	115 lbs.	CA4-SB	803
4" -dia., set of six (three swivel, three w/brake)	115 lbs.	CAG-SB	1204
5" -dia., set of four (two swivel, two w/brake)	200 lbs.	CAH4-SB	959
5" -dia., set of six (three swivel, three w/brake)	200 lbs.	CAH6-SB	1433

## Equipment Stands <sup>(NSF)</sup>

- 16 gauge type 304 stainless steel top.
- Galvanized legs & adjustable undershelf.
- 1 1/4" upturn on back and both ends.
- All equipment stands have three standard hat channels for extra support.



equipment stand with optional cutting board (shown with griddle—sold separately)

w x l	model #	list
24 3/8" x 24 3/8"	T2424GS	1394
24 3/8" x 36 3/8"	T2436GS	1415
24 3/8" x 48 3/8"	T2448GS	1600
24 3/8" x 60 3/8"	T2460GS	1737
24 3/8" x 72 3/8"	T2472GS	1809
30 3/8" x 24 3/8"	T3024GS	1475
30 3/8" x 36 3/8"	T3036GS	1499
30 3/8" x 48 3/8"	T3048GS	1614
30 3/8" x 60 3/8"	T3060GS	1897
30 3/8" x 72 3/8"	T3072GS	2089

## Optional Cutting Boards for Equipment Stands

- 8" wide, 1 1/4" thick hardwood top.
- Adjustable stainless steel tubular supports.

length	model #	list
36"	307105	960
48"	307106	1078
60"	307107	1185
72"	307108	1304

## Optional Plate Shelf for Equipment Stands

length	model #	list
48"	APS4	1056
60"	APS5	1173
72"	APS6	1277

Note: Available only in conjunction with purchase of an optional cutting board.

## Additional Galvanized or Stainless Steel Undershelves

- For 30"-wide tables with uni-lok® hat channel frame.
- Galvanized or stainless.
- Adjustable height.



### When Ordering:

Order per the size of your tabletop ("tabletop O.A." column in the charts below).

## Galvanized Undershelves

tabletop O.A.	model #	list
30" x 36"	3036GADJUS	456
30" x 48"	3048GADJUS	467
30" x 60"	3060GADJUS	480
30" x 72"	3072GADJUS	512
30" x 96"	3096GADJUS	527



## Stainless Steel Undershelves

tabletop O.A.	stainless steel 18/4		stainless steel 18/3	
	model #	list	model #	list
30" x 36"	3036SADJUS-18/4	997	3036SADJUS-18/3	1153
30" x 48"	3048SADJUS-18/4	1092	3048SADJUS-18/3	1263
30" x 60"	3060SADJUS-18/4	1248	3060SADJUS-18/3	1444
30" x 72"	3072SADJUS-18/4	1389	3072SADJUS-18/3	1610
30" x 96"	3096SADJUS-18/4	1725	3096SADJUS-18/3	1980

## Drawers

Type 430 stainless steel construction.

### Drawers with Pull Flange

Features include roller slides and stainless steel pan.

side-to-side *	model #	list
15"	502941	426
20"	500772	494



NOTE: 15"- wide drawers are designed for use with 30" long tables.

### Drawer Capacity Per Table

Drawers can be centered, left or right. Holes are predrilled for 20" x 20" drawers only.

table length	15" x 20"	
	drawer capacity per table	drawer capacity per table
24"	0	0
30"	1 centered	0
36"	1 centered	1 centered
48"	1 centered; or 1 left & 1 right	1 centered
60"	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72"	3 (1 centered, 1 left, 1 right)	1 centered; or 1 left & 1 right
84"	4	1 centered; or 1 left & 1 right
96"	4 (2 left & 2 right)	2 (1 left, 1 right)
108"	4 (2 left & 2 right)	4 (2 left, 2 right)
120"	4 (2 left & 2 right)	4 (2 left, 2 right)
132"	6 (2 between each set of legs)	3 (1 between each set of legs)
144"	6 (2 between each set of legs)	3 (1 between each set of legs)

### Drawers with Pull Flange & Full Front

Features include hemmed safety full-length pull handle, roller slides and stainless steel pan.

side-to-side *	model #	list
15"	502942	726
20"	501571	794

### Assembly with NSF-Approved Slides <sup>(NSF)</sup>

Features housing, removable drawer pan, drawer front with full-length pull handle, glides and removable roller slides.

side-to-side *	model #	list
15"	502947	1426
20"	502946	1497

\* Dimensions of drawer pan.

## Corner Guards

- Heavy gauge stainless steel.
- Adhesive tape backing included.

### Inside Corners

w x l x h	model #	list
2" x 2" x 36"	CG-I-36	217
2" x 2" x 48"	CG-I-48	252
2" x 2" x 60"	CG-I-60	287
2" x 2" x 72"	CG-I-72	319

### Outside Corners

w x l x h	model #	list
2" x 2" x 36"	CG-O-36	217
2" x 2" x 48"	CG-O-48	252
2" x 2" x 60"	CG-O-60	287
2" x 2" x 72"	CG-O-72	319



## Cutting Tables <sup>(NSF)</sup>



- 4½" backsplash.
- ½" polymer top.
- Stainless steel legs and adjustable metal feet.

w x l	model #	list
24" x 36"	CT2436S-BS	2580
24" x 48"	CT2448S-BS	2873
24" x 60"	CT2460S-BS	3137
30" x 36"	CT3036S-BS	2762
30" x 48"	CT3048S-BS	3066
30" x 60"	CT3060S-BS	3352





## Flex-Master® Overshelf System NSF


The Flex-Master® Overshelf System can easily be changed or expanded as needed. Create an unlimited combination of shelves, pot racks, and utility racks using standard components – imagine the possibilities!

- Shelves are adjustable up or down in 1" increments for flexible and accurate shelf placement.
- 10" and 12" shelf widths can be intermixed on same set of posts.

### Overshelves

- 16 gauge stainless steel.

w x l	TYPE 430 S/S		TYPE 304 S/S	
	model #	list	model #	list
10" x 30"	411030	630	421030	695
10" x 36"	411036	647	421036	720
10" x 48"	411048	696	421048	789
10" x 60"	411060	760	421060	888
10" x 72"	411072	859	421072	995
10" x 84"	411084	960	421084	1092
10" x 96"	411096	1055	421096	1236
10" x 120"	411012	1239	421012	1316
12" x 30"	411230	647	421230	720
12" x 36"	411236	672	421236	800
12" x 48"	411248	727	421248	838
12" x 60"	411260	788	421260	932
12" x 72"	411272	897	421272	1049
12" x 84"	411284	1006	421284	1182
12" x 96"	411296	1092	421296	1322
12" x 120"	411212	1349	421212	1523



### Posts

- Sold in pairs.
- 30"–72" shelves require 2 pairs.
- 84"–120" shelves require 3 pairs.

height	CHROME		STAINLESS STEEL	
	model #	list	model #	list
18"	418202	280	418002	319
30"	430202	299	430002	408
48"	448202	369	448002	548

### Pot/Ladle Racks

- Chrome plated.

length	model #	list
30"	PRT30-C	152
36"	PRT36-C	176
48"	PRT48-C	194
60"	PRT60-C	226
72"	PRT72-C	266
84"	PRT84-C *	307
96"	PRT96-C *	358
120"	PRT120-C *	376

### Pot Hook

description	model #	list
two-prong, stainless steel	300696	49

\* These racks come in two pieces.

## Worktables with Flex-Master® Overshelf Kits NSF

- Worktables and Flex-Master® Overshelf System packaged in convenient kits.
- Table tops predrilled for rear mounting of posts and shelves.
- "FM" Style includes four 30" stainless steel posts, and two 12" stainless steel overshelves.
- "FM-PL" Style includes two 30" stainless steel posts, two 48" stainless steel posts, two 12" stainless steel overshelves, and two pot racks.

### "B" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Galvanized legs and undershelf, plastic feet.

w x l	"FM" STYLE		"FM-PL" STYLE	
	model #	list	model #	list
30" x 48"	T3048B-FM	3464	T3048B-FM-PL	3978
30" x 60"	T3060B-FM	3704	T3060B-FM-PL	4380
30" x 72"	T3072B-FM	4012	T3072B-FM-PL	4672

### "SB" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Stainless steel legs and undershelf, plastic feet.

w x l	"FM" STYLE		"FM-PL" STYLE	
	model #	list	model #	list
30" x 48"	T3048SB-FM	4153	T3048SB-FM-PL	4667
30" x 60"	T3060SB-FM	4455	T3060SB-FM-PL	5034
30" x 72"	T3072SB-FM	4856	T3072SB-FM-PL	5515



### Spec-Master® "SE" Series

- 14 gauge type 304 stainless steel top.
- Stainless steel legs, undershelf and feet.
- 16 gauge 300 series stainless steel overshelves.



w x l	"FM" STYLE		"FM-PL" STYLE	
	model #	list	model #	list
30" x 48"	T3048SE-FM	5426	T3048SE-FM-PL	5944
30" x 60"	T3060SE-FM	5906	T3060SE-FM-PL	6486
30" x 72"	T3072SE-FM	6445	T3072SE-FM-PL	7107

## Spec-Master® Plate Counters (NSF)

- Used in modular design of chef's counters and cook lines.
- 14 gauge stainless steel top.
- Heavy gauge stainless steel wraparound.
- Standard stainless steel center shelf.
- 15" or 18" front-to-back.



Buy 3 of the Same Model – Get 3VP Special Qty Pricing!



w x l	no. of legs	WITH SLIDING DOORS		WITH HINGED DOORS	
		model #	list	model #	list
15" x 48"	4	PCS1548SE-CS	6750	PCH1548SE-CS	6822
15" x 60"	4	PCS1560SE-CS	7092	PCH1560SE-CS	7167
15" x 72"	4	PCS1572SE-CS	7696	PCH1572SE-CS	7775
15" x 84"	6	PCS1584SE-CS	7962	PCH1584SE-CS	8058
15" x 96"	6	PCS1596SE-CS	8487	PCH1596SE-CS	8562
15" x 120"	6	PCS15120SE-CS	9960	PCH15120SE-CS	10034
15" x 144"	6	PCS15144SE-CS	11845	PCH15144SE-CS	11927
18" x 48"	4	PCS1848SE-CS	7085	PCH1848SE-CS	7158
18" x 60"	4	PCS1860SE-CS	7529	PCH1860SE-CS	7604
18" x 72"	4	PCS1872SE-CS	8847	PCH1872SE-CS	8923
18" x 84"	6	PCS1884SE-CS	9416	PCH1884SE-CS	9487
18" x 96"	6	PCS1896SE-CS	9960	PCH1896SE-CS	10034
18" x 120"	6	PCS18120SE-CS	11095	PCH18120SE-CS	11173
18" x 144"	6	PCS18144SE-CS	12984	PCH18144SE-CS	13054

## Worktables with Sink (NSF)

- 16" x 20" x 14" sink bowl with faucet and basket drain.
- Tables prepunched including attachment bolts for installation of drawer assemblies.



patented uni-lok® system

(Patent #5,165,349)

w x l	model #	list
30" x 48"	T3048SEB-BS-E23L	5786
30" x 48"	T3048SEB-BS-E23R	5786
30" x 60"	T3060SEB-BS-E23L	6082
30" x 60"	T3060SEB-BS-E23R	6082
30" x 72"	T3072SEB-BS-E23L	6364
30" x 72"	T3072SEB-BS-E23R	6364
30" x 96"	T3096SEB-BS-E23L	7204
30" x 96"	T3096SEB-BS-E23R	7204

NOTE: The suffix L or R denotes the placement of the sink bowl - right or left side.

## Wall Mounted Bottle Filler Stations (NSF)

- Compact space-saving design.
- Fully enclosed skirt with access panel.
- All 300 series stainless steel construction.
- T&S electric-eye faucets with battery backup for hands-free operation.
- Anti-splash, wire and custom trough covers available - Consult Factory.



#BF-1-12 single unit

From our Video Library - Watch Now!  
**BOTTLE FILLER STATION**



description	T&S faucet part #	Single-Faucet Units		Double-Faucet Units	
		model #	list	model #	list
Includes electric-eye faucet(s) w/8" clearance	EC-1210-08	BF-1-08	3763	BF-2-08	6620
Includes electric-eye faucet(s) w/10" clearance	EC-1210-10	BF-1-10	3787	BF-2-10	6665
Includes electric-eye faucet(s) w/12" clearance	EC-1210-12	BF-1-12	3812	BF-2-12	6716
Includes electric-eye faucet(s) w/8" clearance and water filter	EC-1210-08-WFK	BF-1-08-F	6778	BF-2-08-F	12662
Includes electric-eye faucet(s) w/10" clearance and water filter	EC-1210-10-WFK	BF-1-10-F	6797	BF-2-10-F	1266
Includes electric-eye faucet(s) w/12" clearance and water filter	EC-1210-12-WFK	BF-1-12-F	6769	BF-2-12-F	12710

## Mobile Ice Caddies

- Top and body are heavy gauge stainless steel.
- Ice storage bin is type 304 stainless steel, fully insulated, isolated from exterior with thermoplastic plastic breaker strips.
- 19" front-to-back and 18" deep, with pan sloped to a 1" NPS drain connection with ball valve, lift-off sliding cover.
- 5"-diameter casters—two with brakes.

Ideal for any place which serves ice cold beverages, from restaurants and bars to indoor and outdoor venues in which portability is a must, Eagle's NEW Mobile Ice Caddies will meet your needs! Stainless steel construction is durable as well as attractive. The 29" height allows for these caddies to easily fit underneath a standard-height bar or countertop.



#MIC1425

model #	dimensions w x l	weight	list
MIC1425	25 1/4" x 14 1/4"	180 lbs.	4472
MIC2825	25 1/4" x 28 1/4"	215 lbs.	5368



## Portable Bars

- 37" working height, 47 3/4" overall height.
- 25 1/8" x 61" cabinet, with 14" x 63" formica top.
- 15 3/8" x 19 3/4" x 8" ice bin.
- Standard models come with towel ring and two speed rails; Deluxe models feature locking cabinet(s). Models "-5L," "-5R," and "-5LR" feature removable single speed rail mounted on left and/or right cabinet door(s).

**IMPORTANT: PORTABLE BARS ARE FOR INDOOR USE ONLY.**



description	black exterior *		white exterior *		"Vintage" exterior *	
	model #	list	model #	list	model #	list
standard portable bar	-	-	PB-5-W	9643	PB-5-V	10101
Deluxe, with center locking cabinet **	DPB-5	11401	DPB-5-W	11971	DPB-5-V	12539
Deluxe, with locking cabinets at center and left	DPB-5L	11446	DPB-5L-W	12016	DPB-5L-V	12590
Deluxe, with locking cabinets at center and right	DPB-5R	11446	DPB-5R-W	12016	DPB-5R-V	12590
Deluxe, with locking cabinets at center, left & right	DPB-5LR	11860	DPB-5LR-W	12454	DPB-5LR-V	13049

\* Melamine cabinet and matching formica top; \*\* Comes with double-tier speed rail.

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

description	black exterior		Qty List 3 or more
	model #	list	
standard portable bar	PB-5	9181	7589



spec-bar® portable bar

## Spec-Bar® Portable Bars

- Welded 1-1/2" type 300 stainless steel square tubular base construction.
- Stainless steel top with marine edge.
- Available in three standard configurations to match your serving needs.



description	L x W x H	model #	list
spec-bar® standard portable bar	80" x 33" x 48"	SBBP-CCS-6	29323
spec-bar® portable bar w/ double ice bins	80" x 32" x 48"	SBBP-DBL-6	30183
spec-bar® portable bar w/ workboard	80" x 32" x 48"	SBBP-CWS-6	22759



spec-bar® portable bar with double ice bins




spec-bar® portable bar with workboard

The design combines Eagle Group's most popular back bar equipment with a rugged stainless steel tubular frame to create a compact and capable mobile workstation.


From our Video Library – Watch Now!  
**SPEC-BAR® PORTABLE BAR**

## Spec-Bar® Glass Rinsers

- Type 300 series stainless steel construction.
- 4½" -diameter actuation disk.
- 1½" FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover



#UBGR underbar glass rinser



#BTGR bar top glass rinser



W x L	model #	list
6" x 11"	<b>UBGR</b>	1110
6" x 6"	<b>BTGR</b>	712

## Spec-Bar® Drop-In Glass Rinser Troughs

- Type 300 series stainless steel construction.
- 4½" -diameter actuation disk.
- 1½" FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover.
- Lengths available range from 6" to 24".



#DIGRT-6



#DIGRT-12



#DIGRT-18



#DIGRT-24



W x L	model #	list
6¼" x 6¼"	<b>DIGRT-6</b>	836
6¼" x 12¼"	<b>DIGRT-12</b>	851
6¼" x 18¼"	<b>DIGRT-18</b>	938
6¼" x 24¼"	<b>DIGRT-24</b>	1010

## Spec-Bar® Dump Sinks with Glass Rinsers

- Type 300 series stainless steel construction.
- T&S splash-mounted faucet
- 1½" stainless steel IPS threaded drain with nut and washer
- Glass rinser spray head features multi-outlet nozzle to ensure complete rinsing.
- 4½" -diameter actuation disk
- Inline preset pressure regulator
- Removable perforated drainboard
- Stainless steel adjustable bullet feet



W x L x H	model #	list
24" x 12" x 37"	<b>DSGR-12-24</b>	4486
24" x 18" x 37"	<b>DSGR-18-24</b>	5544



sink with glass rinser



sink with glass rinser and dipper well

From our Video Library - Watch Now!  
**SPEC-BAR® UNDERBAR SERIES**

## Spec-Bar® Soda Gun Holders

- Type 300 series stainless steel construction.
- Attaches to side of adjacent equipment (by others in field).
- Designed for Wunder-Bar® or Schroeder America™ 8-14 soda gun manifolds
- Built-in drip pan with 3/8" drain
- 20' clear vinyl tubing included
- Removable top and side panels



W x L x H	model #	list
6" x 19" x 21"	<b>SGH-19</b>	1589
6" x 24" x 21"	<b>SGH-24</b>	1612




SGH-19



SGH-24

## Spec-Bar® Combination Cocktail Stations

- Back, backsplash, sides, bottom, front panel, liquor steps, ice chests and bowls are 20 gauge stainless steel.
- Blender shelf is 18 gauge stainless steel.
- Blender shelf sides, speed rail sides, and liquor display sides are 14 gauge stainless steel.
- Blender station, wet waste sink, double speed rail, condiment dispenser, and combination ice chest



CCS-60-1



CCS-60-2

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

comes with	model #	W x L	list	Qty List 3 or more
12"-long liquor display	<b>CCS-60-1</b>	29" x 60"	16625	15461
12"-long recessed workboard	<b>CCS-60-2</b>	29" x 60"	15547	14459



## Underbar Sinks

All stainless steel top, front and ends. 1800 series measures 20" front to back. 2200 series measures 24" front to back. Faucets included. 4½" backsplash and 1½" drain. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B5C-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

description	1800 Series			2200 Series		
	model #	list	Qty List 3 or more	model #	list	Qty List 3 or more
5'-long; 3 bowls; 12½" db.	<b>B5C-18</b>	4431	3379	<b>B5C-22</b>	4768	3618
6'-long; 3 bowls; 18½" db.	<b>B6C-18</b>	4678	3563	<b>B6C-22</b>	5022	3818
4'-long; 3 bowls; 12½" R db.	<b>B4R-18</b>	4324	N/A	<b>B4R-22</b>	4569	N/A
4'-long; 3 bowls; 12½" L db.	<b>B4L-18</b>	4324	N/A	<b>B4L-22</b>	4569	N/A
6'-long; 4 bowls; 12½" db.	<b>B6C-4-18</b>	5545	4209	<b>B6C-4-22</b>	5912	4483
7'-long; 4 bowls; 18½" db.	<b>B7C-4-18</b>	5899	N/A	<b>B7C-4-22</b>	6316	N/A

**3VP**



## Cocktail Units

Type 304 stainless steel ice chest. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B2CT-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**


description	1800 Series			2200 Series		
	model #	list	Qty List 3 or more	model #	list	Qty List 3 or more
2' cocktail ice chest	<b>B2CT-18</b>	2374	2128	<b>B2CT-22</b>	2494	2131
3' cocktail ice chest with s/s sliding cover	<b>B3CT-18</b>	3024	N/A	<b>B3CT-22</b>	3084	N/A
2' cocktail ice chest w/7-circuit cold plate	<b>B2CT-18-7</b>	6298	N/A	<b>B2CT-22-7</b>	6298	N/A
3' cocktail ice chest w/7-circuit cold plate	<b>B3CT-18-7</b>	7036	N/A	<b>B3CT-22-7</b>	7036	N/A

**3VP**



## Speed Rails

- Made for liter-size bottles.
- Heavy gauge 300 series stainless steel construction.
- Single-tier are 4⅞"-wide. double-tier are 7⅞"-wide.
- All speed rails feature keyholes.



## Ice Chests

Fiberglass insulation & sliding door. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B2IC-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

w x l	1800 Series			2200 Series		
	model #	list	Qty List 3 or more	model #	list	Qty List 3 or more
18" x 24"	<b>B2IC-18</b>	2866	2098	<b>B2IC-22</b>	3175	2140
18" x 30"	<b>B30IC-18</b>	3052	N/A	<b>B30IC-22</b>	3314	N/A
18" x 36"	<b>B36IC-18</b>	3724	N/A	<b>B36IC-22</b>	3747	N/A

**3VP**



## Single-Tier Speed Rails

length	number of keyholes	model #	list
22"	2	<b>500778</b>	270
34"	3	<b>500779</b>	346
46"	3	<b>500780</b>	442
58"	3	<b>502956</b>	528
70"	3	<b>501045</b>	624

## Side-To-Side Modular Add-Ons

- Predrilled mounting holes.
- Standard faucets, basket drain and galvanized tubular legs.
- Units come with knock-down gusset/channel and galvanized leg assembly.
- 120V-15A duplex receptacle and waterproof cover plate on MA7 models.



**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

description	1800 Series			2200 Series		
	model #	list	Qty List 3 or more	model #	list	Qty List 3 or more
12" hand sink unit	<b>MA2-18</b>	1839	1656	<b>MA2-22</b>	1974	1723
18" sink step-down unit	<b>MA7-18</b>	2461	1924	<b>MA7-22</b>	2529	2011

**3VP**

Optional stainless steel leg assembly available. Two sets per unit. Add \$350 to list price and suffix "-SL" to model number. Example: MA2-18-SL

## Double-Tier Speed Rails

length	number of keyholes	model #	list
22"	2	<b>501883</b>	514
34"	3	<b>501884</b>	684
46"	3	<b>501885</b>	901
58"	3	<b>502957</b>	1125
70"	3	<b>501886</b>	1355

## Sealed Well Hot Food Tables

- All stainless steel unit with stainless steel legs, gussets, undershelf, dish shelf, bullet feet and a poly cutting board.
- Sealed wells with individual controls, drains, drain manifold and drain valve.
- Can be used for wet or dry applications.

description	model #	list
120V dry hot or full wet – 2 well, sealed wells	<b>SHT2-120</b>	6242
240V dry hot or full wet – 2 well, sealed wells	<b>SHT2-240 or -208</b>	6242
120V dry hot or full wet – 3 well, sealed wells	<b>SHT3-120</b>	8264
240V dry hot or full wet – 3 well, sealed wells	<b>SHT3-240 or -208</b>	8264
120V dry hot or full wet – 4 well, sealed wells	<b>SHT4-120</b>	10139
240V dry hot or full wet – 4 well, sealed wells	<b>SHT4-240 or -208</b>	10139
240V dry hot or full wet – 5 well, sealed wells	<b>SHT5-240 or -208</b>	12438

**NOTE: Models listed above are available with optional AutoFill® Water System.**

## Hot Food Tables with Open Base

- Stainless steel top and stainless steel wrapper with galvanized legs and undershelf.
- Standard ½" poly cutting board located on control side of table.
- Recessed control panel.
- Designed to accommodate our exclusive Flex-Master® Overshelf System including optional heat lamp feature.
- AWT models come standard with a removable stainless steel dish shelf.
- Hardwood cutting board available as an option.

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

**3VP**

description	model #	list	Qty List 3 or more
gas, full wet – 2 well	<b>AWT2-NG or LP*</b>	4466	4333
gas, full wet – 3 well	<b>AWT3-NG or LP*</b>	4986	4848
gas, full wet – 4 well	<b>AWT4-NG or LP*</b>	5994	5694
gas, full wet – 5 well	<b>AWT5-NG or LP*</b>	7462	7320
gas, dry hot – 2 well	<b>HT2-NG or LP</b>	3519	3448
gas, dry hot – 3 well	<b>HT3-NG or LP</b>	4219	4092
gas, dry hot – 4 well	<b>HT4-NG or LP</b>	5162	5008
gas, dry hot – 5 well	<b>HT5-NG or LP</b>	6347	N/A
120v. dry hot – 2 well	<b>DHT2-120 -208 or -240</b>	3473	3369
120v. dry hot – 3 well	<b>DHT3-120 -208 or -240</b>	3910	3775
240v. dry hot – 4 well	<b>DHT4-120 -208 or -240</b>	5177	5006
240v. dry hot – 5 well	<b>DHT4-240 or -208</b>	6685	N/A

Optional bolted undershelf available - Add suffix "B" to model number and add 20% to list price.  
Example: DHT3-120B.

**NOTE: models with \* are available with optional AutoFill® Water System.**

## Optional AutoFill® Water System with Built-In Back Flow Preventer

Automatically supplies and maintains proper water level in hot food wells with drains. No additional holes or drains in well. Independent system with its own On/Off switch with LED indicator. Reliable level sensing (even in conditions of mineral deposit build-up). Maintains less than a ¼" difference in high and low water levels. Available on wet hot food tables (an \* indicates units applicable in the charts).

**To order:** Add "A" in front of first dash in model number. Example: AWT4**A**-LP-1 and add \$2563 to list price of Hot Food Table.



SHT3-120



DHT3-120



DHT5-240



HT40B-NG



## Spec-Master® Enclosed Base



- All stainless construction.
- Recessed control panels with infinite controls for gas and thermostatic controls for electric units.
- 8" wide, 1/2" poly cutting board.
- Adaptable for wet application using optional spillage pans.

description	model #	list
3-well, gas, open front	HT30B-NG	9960
4-well, gas, open front	HT40B-NG	11696
3-well, 120V, open front	HT30B-120	9888
4-well, 240V, open front	HT40B-240	11667



## Hot Food Tables with Flex-Master® Overshelves



- Each unit includes one hot food table per model designation.
- Two 10"-wide 16 gauge type 304 stainless steel overshelves adjustable on 1" increments for flexibility.
- Four 30" stainless steel posts.


### 3-Well Units

description	model #	list
gas, water bath	AWT3-NG-FM	7785
electric, dry hot	DHT3-120-FM	6764
gas, dry hot	HT3-NG-FM	7078
electric, sealed wells	SHT3-120-FM	11034



### 4-Well Units

description	model #	list
gas, water bath	AWT4-NG-FM	8985
electric, dry hot	DHT4-240-FM	8305
gas, dry hot	HT4-NG-FM	8148
electric, sealed wells	SHT4-240-FM	13016



## Deluxe Service Mates



- Clear carbonite sneeze guard.
- 4" swivel casters, two with brake.
- Stainless steel top with black vinyl on steel wrapper and black vinyl base.



BPDHT3-120

description	model #	list
120V dry buffet hot food unit, portable, 3-well	BPDHT3-120	8253
buffet cold pan unit, portable, 48"-long	BPCP-3	7456
buffet cold pan unit, portable, 63 1/2"-long	BPCP-4	7923



Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

description	model #	list	Qty List 3 or more
120V dry buffet hot food unit, portable, 4-well	BPDHT4-120	8660	8525
240V dry buffet hot food unit, portable, 4-well	BPDHT4-240	8660	8525

## Service Mate Accessories

### FLUORESCENT LIGHTS WITH PLASTIC SHIELDS

model #	list
FL-2	2340
FL-3	3359
FL-4	3444



### INFRARED BULLET LAMPS

model #	list
IL-2	3112
IL-3	3582
IL-4	3906



## Accessories - Hot Food Tables

### Deluxe Serving Shelves

- 14½"-wide stainless steel top panel.
- ¼"-thick clear Acrylite® front and end panels.

length	model #	list
33"	<b>DSSP-HT2</b>	2352
48"	<b>DSSP-HT3</b>	2445
63½"	<b>DSSP-HT4</b>	2697
79"	<b>DSSP-HT5</b>	3448



DSSP-HT3

### Rolltop Cover

- 18 gauge stainless steel.
- Front section telescopes into back section.

description	model #	list
fits over heat well	<b>501585</b>	845



rolltop cover

### Spillage Pans — 6-pack

- Deep-drawn, fully covered, 6½" deep.

description	model #	list
aluminum, 6 pack	<b>502809</b>	1354
stainless steel, 6 pack	<b>502808</b>	2215



spillage pan

### Cold Storage Bottle Holders

Patent #7,003,969

- For cold pan units.
- Type 300 series stainless steel.
- 2¼" diameter holes for condiment bottle dispensers.

description	model #	list
holds 4 bottles 7" x 6½" x 5½" opening	<b>SBH-1/6</b>	185 *
holds 8 bottles 7½" x 12¼" x 5½" opening	<b>SBH-1/3 *</b>	206



SBH-1/3

\*Fits traditional 1/3- or 1/6-size food pan applications.

## Accessories - Hot Food Tables and Food Warmers (see page 35 for Food Warmers)

### Round Insets

- Food pans and insets are heavy gauge stainless steel.
- Adapter bars are heavy gauge stainless steel and allow for different size food pans to be organized in one well.



description	model #	list
4-quart inset for 6½" opening	<b>304020</b>	153
7-quart inset for 8½" opening	<b>304021</b>	226
11-quart inset for 10½" opening	<b>304060</b>	240
Lid for 4-quart inset	<b>304018</b>	40
Lid for 7-quart inset	<b>304019</b>	87
Lid for 11-quart inset	<b>304049</b>	87

### Adapter Tops for Round Insets

- Heavy gauge stainless steel.
- Two or three openings available.

description	model #	list
two 8½" diameter insets, each for 7 qts.	<b>501600</b>	239
one 8½" diameter inset for 7 qts, and one 10½" diameter inset for 11 qts.	<b>501912</b>	239
one 6½" diameter inset for 4 qts, and one 10½" diameter inset for 11 qts.	<b>501913</b>	239
one 6½" diameter inset for 4 qts, and one 8½" diameter inset for 7 qts	<b>501915</b>	239
three 6½" diameter insets, each for 4 qts	<b>501914</b>	239



### Food Pans/Adapter Bars

description	model #	list
full size pan, 20¼" x 12¼" x 2½"	<b>301669</b>	148
full size pan, 20¼" x 12¼" x 4"	<b>303775</b>	196
half size pan, 10⅞" x 12¼" x 2½"	<b>304050</b>	95
half size pan, 10⅞" x 12¼" x 4"	<b>304051</b>	118
one-third size pan, 6⅞" x 12¼" x 2½"	<b>304052</b>	69
one-third size pan, 6⅞" x 12¼" x 4"	<b>304053</b>	103
one-fourth size pan, 6⅞" x 10⅞" x 2½"	<b>304054</b>	74
one-fourth size pan, 6⅞" x 10⅞" x 4"	<b>304055</b>	92
10" adapter bar	<b>301792</b>	62
12" adapter bar	<b>301791</b>	65

### Lids for Food Pans

description	model #	list
full size lid, with handle	<b>304056</b>	156
half size lid, with handle	<b>304057</b>	86
one-third size lid, with handle	<b>304058</b>	60
one-fourth size lid, with handle	<b>304059</b>	75



## RedHots® Heated Drawers

- Heavy duty stainless steel construction with 1/2" fiberglass insulation.
- All drawer liners are 12" front-to-back x 20" side-to-side x 6 1/2" deep.
- Individual recessed thermostat control and indicator lamp for each drawer.




1-drawer  
built-in model



2-drawer  
built-in model



3-drawer  
freestanding model



### 1-Drawer Units — All models: \$7648 list price.

electrical data	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
	model #	model #	model #	model #
120V, 3.75A, 450W	<b>DWN-1-120</b>	<b>DWN-1BI-120</b>	<b>DWW-1-120</b>	<b>DWW-1BI-120</b>
240V, 1.88A, 450W	<b>DWN-1-240</b>	<b>DWN-1BI-240</b>	<b>DWW-1-240</b>	<b>DWW-1BI-240</b>
	* 21"W x 27"D x 16"H overall dimensions		*** 29"W x 23"D x 16"H overall dimensions	
	** 21"W x 26"D x 10"H cutout dimensions		**** 29"W x 23"D x 10"H cutout dimensions	

### 2-Drawer Units — All models: \$12478 list price.

electrical data	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
	model #	model #	model #	model #
120V, 7.5A, 900W	<b>DWN-2-120</b>	<b>DWN-2BI-120</b>	<b>DWW-2-120</b>	<b>DWW-2BI-120</b>
240V, 3.75A, 900W	<b>DWN-2-240</b>	<b>DWN-2BI-240</b>	<b>DWW-2-240</b>	<b>DWW-2BI-240</b>
	* 21"W x 27"D x 26"H overall dimensions		*** 29"W x 23"D x 26"H overall dimensions	
	** 21"W x 26"D x 21"H cutout dimensions		**** 29"W x 23"D x 21"H cutout dimensions	

### 3-Drawer Units — All models: \$16925 list price.

electrical data	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
	model #	model #	model #	model #
120V, 11.25A, 1350W	<b>DWN-3-120</b>	<b>DWN-3BI-120</b>	<b>DWW-3-120</b>	<b>DWW-3BI-120</b>
240V, 5.63A, 1350W	<b>DWN-3-240</b>	<b>DWN-3BI-240</b>	<b>DWW-3-240</b>	<b>DWW-3BI-240</b>
	* 21"W x 27"D x 37"H overall dimensions		*** 29"W x 23"D x 37"H overall dimensions	
	** 21"W x 26"D x 32"H cutout dimensions		**** 29"W x 23"D x 32"H cutout dimensions	



## RedHots® Heat Lamps

- Standard and high-watt units offered.
- Each element controlled individually.
- Interior with aluminized reflector plate to focus heat.
- Each heating element controlled individually via toggle switch with indicator light.
- Heat lamps can be attached with stainless steel brackets or hung from the ceiling using hanging tabs.
- Also available with incandescent lights with dedicated switch.

### Without Incandescent Light (120V)

length	STANDARD WATT UNITS		HIGH WATT UNITS	
	model #	list	model #	list
30"	<b>RHHL-30-120</b>	862	<b>RHHL-30-120-H</b>	892
36"	<b>RHHL-36-120</b>	921	<b>RHHL-36-120-H</b>	944
42"	<b>RHHL-42-120</b>	960	<b>RHHL-42-120-H</b>	996
48"	<b>RHHL-48-120</b>	1020	<b>RHHL-48-120-H</b>	1040
54"	<b>RHHL-54-120</b>	1069	<b>RHHL-54-120-H</b>	1090
60"	<b>RHHL-60-120</b>	1177	<b>RHHL-60-120-H</b>	1196

## RedHots® Bulb Warmers

- Adjustable frame of heavy-gauge steel with chrome finish.
- Polished aluminum light shields.
- Two 250-watt infrared white bulbs.
- Chrome-plated bottom plate and 6'-long three-conductor cord.



BW-2-120I

description	model #	list
500W, 120V	<b>BW-2-120</b>	763
500W, 120V, w/drain insert and pan	<b>BW-2-120I</b>	1174

## RedHots® Display Lights

- Feature shatterproof Teflon coating.
- Designed for field wiring, features lighted rocker switch.
- Can be chain-mounted from ceiling or mounted under a shelf.



length	Built-In switch		Remote Switch	
	model #	list	model #	list
36"	<b>RHDL-36-I</b>	1235	<b>RHDL-36-I-R</b>	1268
42"	<b>RHDL-42-I</b>	1277	<b>RHDL-42-I-R</b>	1329
48"	<b>RHDL-48-I</b>	1438	<b>RHDL-48-I-R</b>	1486



## RedHots® Roller Grill

Ideal for fast food, convenience stores, sporting stadiums and entertainment venues, the Hot Dog Roller Grill offers reliable performance and is perfect for hot dogs, sausages, burritos and egg rolls. The unit comes with a commercially built gear-box and chain drive assembly, which allows the unit to operate for long periods of time. The range provides non-stick roller capabilities with stadium style set up.



- Stainless steel construction
- Individual 360° roller tube rotation
- Coated steel roller tubes with non-stick surface
- Individual heat elements per roller tube
- Stadium style – roller slanted at a 3°-5° slope to enhance showcasing the food product
- Dual seals per roller tube
- Infinite controls with indicator lights – dual zone
- Removable drip tray
- Non-slip feet
- Supplied with cord and NEMA 5-15P plug



end-to-end	front-to-back	height	electrical info	model #	list
24"	20½"	13"	120V, 11.9A, 1430W	HDR-10-24-120	1695

### Optional Food Shield for Roller Grill

- Sits atop roller grill.
- Easy assembly.



height	model #	list
10½"	SHDR-10-24	849

### Optional Bun Drawer for Roller Grill

- Full-extension slides.
- Designed for roller grill sit on top.




height	model #	list
11"	HDBW-10-24	1482

## RedHots® Gas Fryers

These compact, easy-to-operate countertop fryers answer the needs of modern, busy catering establishments for reliable, well-built equipment that offer flexibility, performance, style and value for money. 40 to 50 lbs. of frozen french fries cooked per hour. Designed with safety, ease of operation and performance as paramount, these fryers have a stylish and robust modular design, constructed of high-quality brushed stainless steel, large "cool to touch" dial, large heavy duty adjustable feet and easy to clean and remove accessories.




- Stainless steel construction with stainless steel fry pot.
- Four stainless steel open burners at 13,250 BTU per burner (53,000 total BTU per hour).
- Furnished with thermostatic control, push-button ignition and pilot light.
- Stainless steel hinged front door for access to thermostatic control and ignitor.
- Stainless steel tube style tank.
- Two 5-lb. capacity iron mesh nickel-plated fry baskets.
- Hi-limit safety shutoff.
- Burner safety valves.
- Attachable drain connection to facilitate draining down.
- Heavy duty adjustable feet.
- Unit supplied with gas regulator.



end-to-end	front-to-back*	height**	NATURAL GAS ***		PROPANE GAS ***	
			model #	list	model #	list
17¼"	29"	25"	CLGF30-NG	4529	CLGF30-LP	4529

### Optional Night Cover



model #	list
383949	382

\* Add 4" front-to-back to allow for regulator.


\*\* Add 5" height to allow for removable baffle.

\*\*\* Must specify NG or LP at time of order. Unit is NOT convertible.



## RedHots® Chef's Line® Charbroilers

- 40,000 BTU burner every 12" on radiant units; 32,000 BTU burner every 12" on lava rock units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½"-wide front trough with chute, located at the left end, accommodates standard sized spatula.
- 4" heavy duty adjustable appliance legs with flanged feet.
- Heavy duty cast iron cooking grates can be individually positioned flat or angled.
- 13" working height adjustable to 14".
- 4" sides and rear splash sloped front-to-back.
- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- ¾" N.P.T. gas connection.



full size, polished stainless steel grease drawer complete with baffles

## Lava Rock Charbroilers



- Each "U" shaped burner is combined with heavy duty stainless steel radiant to allow even heat distribution.
- Lava rocks supplied—one 4-lb. bag per burner.

width	BTU rating	model #	list
24"	64,000	CLCHRBL-24-NG	5633
36"	96,000	CLCHRBL-36-NG	7793
48"	128,000	CLCHRBL-48-NG	11005

## Radiant Charbroilers



- Cast-iron burners with stainless steel removable shields.

width	BTU rating	model #	list
24"	80,000	CLCHRB-24-NG	7778
36"	120,000	CLCHRB-36-NG	10731
48"	160,000	CLCHRB-48-NG	

## RedHots® Chef's Line® Griddles - Now Extra-Deep!

- 30,000 BTU burner per every 12" on gas units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½"-wide front trough with chute, located at the left edge, accommodates standard sized spatula.
- 4" heavy duty adjustable appliance legs with flanged feet.
- ¾"-thick smooth polished steel griddle plate fully welded to top assembly.
- 13" working height adjustable to 14".
- 4" sides and rear splash sloped front-to-back.
- 7½-quart polished stainless steel grease drawer.



3½"-wide front trough with chute




## Gas Griddles



- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- 31,250 BTU burner every 12" for even heat distribution.
- Front-to-back dimension, including flue riser, is 28⅝".
- ½" N.P.T. gas connection.

width	BTU rating	with THERMOSTATIC CONTROLS		with MANUAL CONTROLS	
		model #	list	model #	list
15"	31,250	CLAGGDT-15-NG	6253	CLAGGD-15-NG	4680
24"	62,500	CLAGGDT-24-NG	8330	CLAGGD-24-NG	5226
36"	94,000	CLAGGDT-36-NG	10514	CLAGGD-36-NG	6686
48"	125,000	CLAGGDT-48-NG	13619	CLAGGD-48-NG	9013

## Electric Griddles



- Thermostatic controls, adjustable from 100° to 450°F.
- 4000-watt tubular heating elements are secured to underside of griddle plate to provide uniform distribution of heat over entire griddle surface.
- Internal wiring terminated in a junction box at rear for field wiring.
- Front-to-back dimension, including junction box, is 29⅝".

width	electrical data	model #	list
24"	208V/240V, 28.9A/33.3A, 6000W/8000W	CLEGD-24-240	6972
36"	208V/240V, 43.3A/50.0A, 9000W/12000W	CLEGD-36-240	8807
48"	208V/240V, 57.8A/66.7A, 12000W/16000W	CLEGD-48-240	12262

## RedHots® Chef's Line® Electric Fryers

- Thermostat – snap action complete with indicator light provides for accurate temperature control.
- Fry tank – 10" x 14" all-stainless steel deep-drawn one-piece construction, removable for easy cleaning or filtering of fat.
- Hi limit safety control – provides total system shutdown in case of malfunction – complete with reset button and indicator light.
- Heating elements – self-cleaning Incoloy® sheath for long life and high performance.
- Fry baskets – each 4" x 11" heavy plated mesh construction. Single tank - two provided. Double tank - four provided; optional double fry baskets available.
- Heavy duty cast metal legs with flanged feet adjustable from 4" to 5".
- Line cord and plug furnished on single-tank fryers.




### Single Tank—15-lb. capacity

description	model #	list
120V, 1800W, 15A	<b>CLEF10-120</b>	4731
208/240V, 4125/5500W, 19.8/22.9A	<b>CLEF10-240</b>	5633

### Double Tank—30-lb. capacity

description	model #	list
208/240V, 8250/11000W, 39.6/45.8A	<b>CLEF102-240</b>	9663



### RedHots® Electric Fryers

description	model #	list
120V/1800W, 15 lb. capacity	<b>EF10-120</b>	3351
208/240V, 15 lb. capacity	<b>EF10-240</b>	3991
208/240V, 30 lb. capacity	<b>EF102-240</b>	9467

*EF10-120*



## RedHots® Chef's Line® Electric Hot Plates

- New bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 13" working height adjustable to 14".
- 4" heavy adjustable appliance legs, flanged feet.
- Top and front are constructed of highly polished stainless steel.

### Gas Hot Plates

Features include standing pilot for safe and easy operation and heavy duty cast iron grates. Available in two styles: flat top and step-up. All units are for natural gas (NG), complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP). Full size polished stainless steel crumb tray included.

w x d	BTU rating	FLAT TOP UNITS		STEP-UP UNITS	
		model #	list	model #	list
12¾" x 24¾"	50,000	<b>CLHP-2-NG</b>	3314	<b>CLUHP-2-NG</b>	4496
24¾" x 24¾"	100,000	<b>CLHP-4-NG</b>	5329	<b>CLUHP-4-NG</b>	6420
36¾" x 24¾"	150,000	<b>CLHP-6-NG</b>	7678	<b>CLUHP-6-NG</b>	9318



gas hot plate (flat top)



electric hot plate

### Electric Hot Plates

Featured are swing-up elements with individual drip pans, removable for easy cleaning. Infinite controls provide accurate heat setting and are equipped with an Off-On light. All units are 60 cycle single phase. Models #CLC-240-2 and CLC-208-2 are field-wired. #CLCW-120-2 comes complete with cord and 120-volt 15-amp NEMA 5-15 plug.

description	model #	list
120V, 1625W, 13.5A	<b>CLCW-120-2</b>	3782
208V, 3150W, 15.1A	<b>CLC-208-2</b>	3782
240V, 4200W, 17.5A	<b>CLC-240-2</b>	3782



## RedHots® Food Warmers & Cooker/Warmers

### Food Warmers

- Infinite controls.
- Highly polished stainless steel exterior.



1220FWD-120

description	model #	list
economy, 750W	<b>1220FWE-120</b>	1221
deluxe, 1200W	<b>1220FWD-120</b>	1278
double, 1800W	<b>1220FW2-120</b>	3347
7-quart, 550W	<b>7QFW-120</b>	929
11-quart, 550W	<b>11QFW-120</b>	1312

### Cooker/Warmers

- Thermostatically controlled, offering range setting from 100° to 450°, in 50° increments.
- Wet or dry operation.



110CW-120

description	model #	list
12" x 20", 1200W	<b>1220CWD-120</b>	1854
11 quart round, 750W	<b>110CW-120</b>	1815

## Aluminum Bun Pans

- Rust-resistant wire bead for extended use.
- Available in solid, glazed and perforated.
- All pans packed 12 per box.
- Made from industry's best H-24 3003 aluminum alloy, proven harder and more durable.



description	size	model #	list each pan	
			1-19 dozen	20+ dozen
solid, half size	17 $\frac{1}{4}$ " x 12 $\frac{1}{8}$ "	SP1813-18	40	36
solid, full size	17 $\frac{1}{4}$ " x 25 $\frac{3}{4}$ "	SP1826-18	55	48
perforated, half size	17 $\frac{1}{4}$ " x 12 $\frac{1}{8}$ "	PP1813-18	62	n/a
perforated, full size	17 $\frac{1}{4}$ " x 25 $\frac{3}{4}$ "	PP1826-18	69	n/a
glazed, full size	17 $\frac{1}{4}$ " x 25 $\frac{3}{4}$ "	SP1826-G	80	n/a

## NSF Bun Pans <sup>(NSF)</sup> The Last Baking Pan You'll Ever Need!

- Solid 12 gauge aluminum construction.
- Available in full size only - 17 $\frac{1}{4}$ " x 25 $\frac{3}{4}$ ".

description	model #	list each pan	
		1-19 dozen	20+ dozen
NSF solid	SP1826-N	142	130
anodized NSF, solid	SP1826-NCA	169	153

## 16 Gauge Bun Pans

- Solid 16 gauge aluminum construction.
- Rust-resistant bead wire bead for extended use.
- Available in full size only - 17 $\frac{1}{4}$ " x 25 $\frac{3}{4}$ ".



pans shown with drip racks

description	model #	list each pan	
		1-19 dozen	20+ dozen
16 gauge, solid	SP1826-16	66	60

## Drip & Cooling Racks

- Designed to fit inside half- and full-size Panco® pans.
- Chrome finish.

description	w x l x d	model #	list
half size rack	11 $\frac{1}{8}$ " x 16 $\frac{1}{8}$ " x $\frac{3}{4}$ "	DPRK1216C	62
full size rack	16 $\frac{1}{8}$ " x 24 $\frac{3}{4}$ " x 1"	DPRK1725C	109

NOTE: Packed 12 to a box.

## 18 Series Deluxe Bun Pan Racks <sup>(NSF)</sup>

- Constructed of high strength extruded aluminum sections.
- Rack slides are designed to fit most popular tray sizes and are configured to accommodate a variety of products.
- Features 5" casters.

dimensions w x d x h	sliding space	18" x 26" tray capacity	model #	list
21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ "	3"	18	OUR-1818-3	980
21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ "	3"	20	OUR-1820-3	998
21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	24	OUR-1824-2	N/A



## Pan Rack and Cover Combo

Includes:

- (1) #OUR1818-3 pan rack
- (1) #P2RC-3 clear cover
- (12) #SP1826-18 full size bun pans

MODEL #: **OUR-1818-3RC**  
LIST: \$2049

## All-Welded Pan Racks <sup>(NSF)</sup>

- Heavy duty all-welded aluminum construction.
- Rack slides designed to fit popular tray sizes.
- Square tubing and side-to-side crossbracing.
- Features 5" swivel stem casters.
- Units available in front and side load models.



## 18 Series Front Load All-Welded Racks

dimensions w x d x h	sliding space	18" x 26" tray capacity	model #	list
20 $\frac{1}{2}$ " x 26" x 69"	2"	30	OUR-1830-2/W	1936

## 26 Series Side Load All-Welded Racks

dimensions w x d x h	sliding space	18" x 26" tray capacity	model #	list
28 $\frac{1}{2}$ " x 19" x 69"	2"	30	OUR-2630-2/W	2043



**Panco® “Z” Type Nesting Rack** (NSF)

- Racks accommodate 18" x 26" sheet pans.
- Heavy duty all-welded aluminum construction.
- Units available with pan capacity of 20 or 30.
- 5" -diameter heavy duty plate casters.

“Z”-shaped horizontal supports and base allow these racks to take up less square footage than standard racks - racks “nest” inside each other when not in use.

w x d x h	slide spacing	pan capacity	model #	list
20½" x 26" x 69½"	3"	20	<b>OUR-1820-3-N</b>	2414
20½" x 26" x 69½"	2"	30	<b>OUR-1830-2-N</b>	2445



#OUR-1820-3-N (pans sold separately)

**Pizza Pan Racks** (NSF)

- Adjustable pan opening.
- Features 5" casters.
- Can hold round and square pans.



adjustable pizza pan rack

All-Welded Rack				Adjustable Rack			
sliding space	pizza pan capacity	dimensions w x d x h	model #	list each	dimensions w x d x h	model #	list each
2"	12	22" x 20" x 33¾"	<b>OUR-PZ-12A</b>	1849	adj. x 13¾" x 34¾"	<b>OUR-PZA-12A</b>	1758

**LIFETIME Series Enclosed Pan Racks** (NSF)

- Constructed of heavy duty extruded aluminum alloy.
- Fully welded construction includes top bracing, interior bracing, and bottom frame.
- Side panels welded to uprights, top bracing, and bottom frame.
- Heavy duty base includes 6" x 2" non-marking swivel plate casters.
- 3¾" wide aluminum angle slides are welded to frame.
- Designed for 18" x 26" pans or 13" x 18" pans.

**LIFETIME GUARANTEE** against rust and corrosion, and against material defects and workmanship.



enclosed pan rack (pans sold separately)

dimensions w x d x h	sliding space	18" x 26" pan capacity	type of 6" caster	model #	list
20¾" x 27¾" x 69"	1½"	38	polyolefin	<b>1290PP *</b>	5952
20¾" x 27¾" x 69"	1½"	38	K-urethane	<b>1290WDW</b>	7763
20¾" x 27¾" x 69"	1½"	38	polyolefin	<b>1292</b>	5995

\* #1290PP "Prison Package" includes (4) aluminum welded hinges, (4) 6" casters, (2) padlock holes in door, extra interior bracing, and tamper proof screws and bolts.

**LIFETIME Series Universal Roll-In Racks** (NSF)

- Designed for 12" x 20" steam table pans, 18" x 26", 13" x 18" or 14" x 18" pans.
- Constructed of heavy duty aluminum alloy.
- Fully welded frame features 1½" x 1¼" "D"-shaped tubing.
- Crossbracing consists of 1" square tubing.
- Heavy duty base includes 5" x 1½" non-marking recessed swivel plate casters.
- 3¾" wide aluminum angle slides are welded to frame.

dimensions w x d x h	sliding space	pan/tray capacity				model #	list
		12" x 20"	18" x 26"	13" x 18"	14" x 18"		
21½" x 26" x 64"	5"	10	11	22	22	<b>4337</b>	4239
21½" x 26" x 64"	3"	17	18	36	36	<b>4338</b>	5059



universal roll-in rack (pans sold separately)

## Working Height Racks (NSF)

- Top pan guides and out-rigger pan mount.
- Features 5" swivel casters.
- Optional tops available in maple, poly or stainless steel.



working height rack with optional maple top and pans

description	dimensions	slide	pan	weight	list
	w x d x h	spacing	capacity	lbs.	
aluminum *	22" x 28 1/4" x 35"	3"	9**	29	OUR-1807-3 1976
stainless steel	22" x 28 1/4" x 35"	3"	9**	78	OUR-1807-3-SR 3729

\* Factory assembly available for aluminum models - contact factory.  
 \*\* Total pan capacity is 9 when outrigger pan mounts are in use.




## Can Racks (NSF)

- All welded aluminum construction.
- Mobile unit features 4" heavy duty plate casters.
- Aluminum top.
- Full and half can rack models available.



OCR-10-4A



FCR-10-9A

description	dimensions l x w x h	capacity		model #	list each
		#10	#5		
stationary full size	25" x 35" x 71"	162	216	FCR-10-9A	2617
mobile full size	25" x 35" x 78 1/4"	162	216	OCR-10-9A	3058
mobile half size, aluminum top	25" x 35" x 41"	72	96	OCR-10-4A	2840
mobile half size, poly top	25" x 35" x 41"	72	96	OCR-10-4AP	3122

## Keg Racks (NSF)

- Racks feature three shelves - two heavy duty for kegs and the third (usually on top) for general storage.
- Aluminum cooler shelving for 1/4 or 1/2 kegs.
- Compatible with any wet or dry storage environment.
- 18" shelves are adjustable in 2" increments.



**Resists corrosion and rust.**

w x l x h	keg capacity	model #	list
18" x 42" x 76"	4	KR1842A	1564
18" x 60" x 76"	6	KR1860A	2104
18" x 80" x 76"	8	KR1880A	2420
18" x 93" x 76"	10	KR1893A	2882



## Pan Truck (NSF)

- For use with 18" x 26" bun pans.
- Aluminum construction.
- Features 5" casters and rear pan strap.



dimensions w x d x h	pan capacity	model #	list each
21" x 27" x 33 1/2"	75	PT-1826-A	930

## Bus Box Cart (NSF)

- Holds 3 bus boxes.
- All welded aluminum construction.
- Features 5" heavy duty casters.
- 10" slide spacing.



dimensions w x d x h	box capacity	model #	list each
18 1/2" x 26" x 36"	3	OBC-3A	874

## Mobile Platform Trucks (NSF)

- Heavy-duty all-aluminum construction.
- 1 1/2" x 2 3/4" square tubing.
- Features 5" casters—two swivel with brake and two rigid.




overall dimensions w x d x h*	deck size	weight capacity	model #	list
20" x 37 1/4" x 8 1/4"	20" x 36"	1200 lbs.	1202	1026
20" x 49 1/4" x 8 1/4"	20" x 48"	1200 lbs.	1203	1110
20" x 61 1/4" x 8 1/4"	20" x 60"	1200 lbs.	1212	1160

\* 42" overall height with handle installed.

## Glass Rack & Bun Pan Dollies (NSF)

- Features 5" plate casters.
- Heavy duty welded, all-aluminum construction.



glass rack dolly holds 20" x 20" racks

description	dimensions	weight	list
	w x d x h	capacity	
Glass Rack Dolly	20 5/8" x 22 5/8" x 9 1/4"	1200 lbs.	GRD-2020-A 792
Bun Pan Dolly	18 1/2" x 27" x 7"	800 lbs.	BPD-1826-A 720



bun pan dolly holds 75 pans

# PANCO® TRANSPORT HOLDING CABINETS

## Eagle Panco® Transport Holding Cabinets

Features on all units include aluminum construction on exterior and interior, bottom-mounted heating system removable for cleaning or servicing, adjustable thermostatic temperature control with digital temperature indicator, full 270° open swing door, heavy duty 5" swivel casters - two with brake (extended undercounter cabinets feature 3" casters), magnetic door latch, full perimeter bumper, 8' cord and 20A plug. All units standard in 39½" half size, 76½" full size and 30½" extended undercounter heights. Extended cabinets hold two 12" x 20" food pans per shelf.

### Heated Holding Cabinets... – 120-volt 20-amp.

#### ...Full Size

model #	quick-order #	description: full-size narrow unit with...	list ea
HCFNSSN-RA2.25-120	<b>FSHC-A</b>	...solid single door, non-insulated, wire slides spaced 2.25"	12089
HCFNLSN-RA2.25-120	<b>FSHC-B</b>	...single door with poly window, non-insulated, wire slides spaced 2.25"	13852

#### ...Half Size

model #	quick-order #	description: half-size narrow unit with...	list ea
HCHNSSN-RA2.25-120	<b>HSHC-A</b>	...solid single door, non-insulated, wire slides spaced 2.25"	10862
HCHNLSN-RA2.25-120	<b>HSHC-B</b>	...single door with poly window, non-insulated, wire slides spaced 2.25"	12517

#### ...Extended Undercounter – Units hold two 12" x 20" food pans per shelf.

model #	quick-order #	description: extended undercounter unit with...	list ea
HCUSSN-RA3.00-120	<b>EUHC-A</b>	solid single door, non-insulated, wire slides spaced 3.00"	12066
HCUELSN-RA3.00-120	<b>EUHC-B</b>	single door with poly window, non-insulated, wire slides spaced 3.00"	13715

### Heated/Proofing Holding Cabinets – 120-volt 20-amp.

#### ...Full Size

model #	quick-order #	description: full-size narrow unit with...	list ea
HPFNSSN-RA2.25-120	<b>FSHPC-A</b>	...solid single door, non-insulated, wire slides spaced 2.25"	12220
HPFNLSN-RA2.25-120	<b>FSHPC-B</b>	...single door with poly window, non-insulated, wire slides spaced 2.25"	13978

#### ...Half Size

model #	quick-order #	description: half-size narrow unit with...	list ea
HPHNSSN-RA2.25-120	<b>HSHPC-A</b>	...solid single door, non-insulated, wire slides spaced 2.25"	11077
HPHNLSN-RA2.25-120	<b>HSHPC-B</b>	...single door with poly window, non-insulated, wire slides spaced 2.25"	12729

#### ...Extended Undercounter – Units hold two 12" x 20" food pans per shelf.

model #	quick-order #	description: full-size narrow unit with...	list ea
HPUESSN-RA3.00-120	<b>EUHPC-A</b>	...solid single door, non-insulated, wire slides spaced 3.00"	12278
HPUELNSN-RA3.00-120	<b>EUHPC-B</b>	...single door with poly window, non-insulated, wire slides spaced 3.00"	13933

NOTE: Full size cabinets standard with 12 pairs of wire slides. Half size and extended undercounter cabinets standard with 8 pairs of slides.



full size  
transport cabinet



Let Eagle's  
SpecFAB® Division  
Quote Your Next  
Custom Project

## Sales and Project Experts SpecFAB® QUOTATIONS TEAM DELIVERS

Our Sales and Quotations Team are product experts who can guide you in choosing, specifying and quoting the right Eagle products for your next project. We even have a dedicated Consultant Intermediary to assist the consultant community through the entire process. Contact our Quotations Team to learn more about our custom fabrication capabilities and services.

[LEARN MORE](#)



100 Industrial Blvd. Clayton DE, 19938  
Toll Free: 1-800-441-8440 • Fax: 302-653-2065  
www.eaglegrp.com

EG6200 Rev. 02/24

© 2024 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions. Due to an ongoing product improvement program, specifications, dimensions and pricing are subject to change without notice.