

Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle Spec-Master® Grab-N-Go Single-Side Shelf Unit, model
______. Stainless steel open base cabinet with
6" deep insulated pan, 5" plate casters (two with brake),
1" drain with valve. Available with shelves with single- or
double-tier. Includes POS end shelf and push handle. Optional
tray slides available.

Item No.:	_
Project No.:	_
S.I.S. No.:	_

Spec-Master® Grab-N-Go Single-Side Shelf Units

MODELS:

MODELS:	
☐ INS-20B-M-1S	☐ <i>INS-20B-M-2S</i>
□ INS-30B-M-1S	☐ <i>INS-30B-M-2S</i>
□ INS-40B-M-1S	☐ INS-40B-M-2S
□ INS-50B-M-1S	☐ INS-50B-M-2S
□ INS-60B-M-1S	☐ <i>INS-60B-M-2S</i>



#INS-40B-M-1S (shown with optional #TS-DB-HT4 tray slides)

Design and Construction Features

- Stainless steel open base body
- 6" (152mm) deep insulated food pan
- 5" (127mm) casters, two with brake
- Push handle
- POS shelf with drop brackets

Options / Accessories

☐ Tray slide - see EG30.20A

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com

For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com





EG33.28A Rev. 02/25




Item No.:	
Project No.:	
S.I.S. No.:	

Spec-Master® Grab-N-Go Single-Side Shelf Units







			Single-Tier	Double-Tier
# of	len	gth*	_	
openings	in.	mm	model #	model #
2	33″	914	INS-2OB-M-1S	INS-2OB-M-2S
3	48″	1270	INS-30B-M-1S	INS-30B-M-2S
4	63 ¹ / ₂ "	1626	INS-40B-M-1S	INS-40B-M-2S
5	78″	1981	INS-50B-M-1S	INS-50B-M-2S
6	96″	2438	INS-60B-M-1S	INS-60B-M-2S

^{*} Length excludes POS end shelf.

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 02/25

Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle Spec-Master® Grab-N-Go Double-Side Shelf Unit, model
_____. Stainless steel open base cabinet with
6"-deep insulated pan, 5" plate casters (two with brake),
1" drain with valve. Available with double-sided shelves with
single- or double-tier. Includes POS end shelf and push handle.
Optional tray slides available.

Item No.:
Project No.:
S.I.S. No.:

Spec-Master® Grab-N-Go Double-Side Shelf Units

MODELS:

MODELS.	
☐ <i>INS-20B-M-1D</i>	☐ INS-20B-M-2D
☐ <i>INS-30B-M-1D</i>	☐ <i>INS-30B-M-2D</i>
☐ INS-40B-M-1D	☐ INS-40B-M-2D
☐ INS-50B-M-1D	☐ INS-50B-M-2D
☐ <i>INS-60B-M-1D</i>	☐ INS-60B-M-2D



#INS-4OB-M-1D (shown with optional #TS-DB-HT4 tray slides)

Design and Construction Features

- Stainless steel open base body
- 6" (152mm) deep insulated food pan
- 5" (127mm) casters, two with brake
- Push handle
- POS shelf with drop brackets

Options / Accessories

☐ Tray slide - see EG30.20A

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com

For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com




EG33.28B Rev. 02/25



Item No.:	_
Project No.:	-
S.I.S. No.:	-

Spec-Master® Grab-N-Go Double-Side Shelf Units



			Single-Tier	Double-Tier
# of	len	gth*	_	
openings	in.	mm	model #	model #
2	33″	914	INS-2OB-M-1D	INS-2OB-M-2D
3	48″	1270	INS-30B-M-1D	INS-30B-M-2D
4	631/2"	1626	INS-4OB-M-1D	INS-4OB-M-2D
5	78″	1981	INS-50B-M-1D	INS-50B-M-2D
6	96″	2438	INS-6OB-M-1D	INS-60B-M-2D

^{*} Length excludes POS end shelf.

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 02/25



Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle Spec-Master® Grab-N-Go Buffet Unit, model ______. Stainless steel open base cabinet with 6"-deep insulated pan, 5" plate casters (two with brake), 1" drain with valve. Available with single- or double-sided buffet shields. Includes POS end shelf and push handle. Optional tray slides available.

Item No.: _	
Project No.: _	
S.I.S. No.: _	

Spec-Master® Grab-N-Go Buffet Units

MODELS:

MODELO.	
☐ <i>INS-20B-M-BS1</i>	☐ <i>INS-20B-M-BS2</i>
☐ INS-30B-M-BS1	☐ <i>INS-30B-M-BS2</i>
☐ INS-40B-M-BS1	☐ INS-40B-M-BS2
☐ INS-50B-M-BS1	☐ INS-50B-M-BS2
☐ INS-60B-M-BS1	☐ INS-60B-M-BS2



#INS-4OB-M-BS2 (shown with optional #TS-DB-HT4 tray slides)

Design and Construction Features

- Stainless steel open base body
- 6" (152mm) deep insulated food pan
- 5" (127mm) casters, two with brake
- Push handle
- POS shelf with drop brackets

Options / Accessories

☐ Tray slide - see EG30.20A

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com

For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com





EG33.28C Rev. 02/25




Item No.:	
Project No.:	
S.I.S. No.:	

Spec-Master® Grab-N-Go Buffet Units







			Single-Sided	Double-Sided
# of	len	gth*	_	
openings	in.	mm	model #	model #
2	33″	914	INS-2OB-M-BS1	INS-2OB-M-BS2
3	48″	1270	INS-30B-M-BS1	INS-30B-M-BS2
4	63¹/₂″	1626	INS-40B-M-BS1	INS-40B-M-BS2
5	78″	1981	INS-50B-M-BS1	INS-50B-M-BS2
6	96″	2438	INS-60B-M-BS1	INS-60B-M-BS2

^{*} Length excludes POS end shelf.

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 02/25