

# **CUSTOM OPTIONS / ACCESSORIES**

For Tables, Sinks, and Dishtables
Please note: Suffixes are typically indicated by the dash ("-") preceding numbers and/or letters.

Please note: Suffixes are typically indicated by the dash ("-") precedir	y numbers and/or letters.
model #	model #
or suffix description unit list	or suffix description unit list
	04700F Contago F" with hyplic
TABLE EDGES:	317635       Casters 5" with brake       EA       283         317636       Casters 5" without brake       EA       283
E10 Square edge table PER TABLE 443	
E11	<b>3</b>
E12	<b>300692</b> Bullet foot, stainless steel EA 40 <b>301036</b> Bullet foot, white metal EA 22
E13 Bullnose edge	<b>301036</b> Bullet foot, white metal EA 22 <b>300293</b> Bullet foot, plastic EA 6
E13AInverted roll edge (flour gutter), up to 96" long PER TABLE 900	300293
E10A tray lock-rear edge turned up, then forward PER TABLE 452	ELECTRIC & PLUMBING MODIFICATIONS AND OPTIONS:
TARLE CRI ACH MODIFICATIONS AND ORTIONS.	E18*
TABLE SPLASH MODIFICATIONS AND OPTIONS: -6BS	E18.1 * Duplex receptacle in splash
-8BS 8" backsplash LIN. FT 82	(requires at least 6"-high backsplash)
-10BS	E18.2 * Pedestal duplex receptacle (top of table or overshelf) EA 929
-1055	E10.2 Cadistal adplox receptable (top of table of oversitell) EA 323
-18BS18" backsplash	ENCLOSED BASE CABINET MODIFICATIONS AND OPTIONS:
	E85EA900
-PBS         Partial backsplash         LIN. FT         55           -UE         1-1/2" upturn end         EA         197	<b>E27B.</b>
E30 End splash, all heights EA 650	E86Provision for undercounter equipmentEA1523
E33 Sink splash, single thickness, 4" high EA	E87 Tubular Tray Slide w/dropdown s/s brackets LIN. FT 350
E39. Enclosed backsplash LIN. FT	E88. Solid Tray Slide w/dropdown s/s brackets. LIN. FT 585
E57 Backsplash capping strip, for two tables back-to-back LIN. FT 94	E89Modify enclosed base table to 36" wide
CORNER	-L Lock assembly for door EA
GUARD-ACorner quard, angle type, 2" x 2" x 48" high, stainlessEA 263	
GUARD-CCorner guard, channel type, 2" x 8" x 48" high, stainless EA 389	OVERSHELF MODIFICATIONS AND OPTIONS:
TABLE TOP MODIFICATIONS AND OPTIONS:	<b>E90</b> Bullnose all sides shelf - no charge 0
<b>E27</b>	-HLBheat lamp brackets
<b>E27A</b> Top cutout and reinforcement,	E38-6 ** Cantilever mount up to 6', add to wall shelf price EA 822
for heavy drop-in equipment (specify model)	E38-12 ** Cantilever mount up to 12', add to wall shelf price EA 1229
E29	E91 pair L brackets for adding overshelf
E32 Can Opener Provision	E92 Microwave extension EA 843
<b>E34</b> Column cutout	
E37NSF sprayed-on sound deadening PER TABLE 1414	SINK WELDMENTS, MODIFICATIONS AND OPTIONS:
E37ASound deadening over 12 ft. (for ea. additional foot) . LIN. FT 115	<b>E20A</b> 10" x 14" x 5" sink
<b>606329</b> Scrap Chute	<b>E20</b>
<b>E108</b> Field joint, bolted or ready for field welding by others EA 554	<b>E21</b> 14" x 16" x 9.5" Bowl
E112 Mitered corner (backsplash or front edge angled) EA 1414	<b>E22</b> 16" x 20" x 8" Bowl
<b>606331</b> Knife rack	<b>E23</b>
<b>E58</b>	<b>E24</b> 18" x 20" x 14" Bowl
TABLE BASE MODIFICATIONS AND OPTIONS:	<b>E24A</b> 20" x 20" x 14" Bowl
E15EA1404	<b>E25</b> 24" x 24" x 14" Bowl
E17 Special Height Legs TABLE 333	<b>313304</b> T&S faucet upgrade
E19 Stainless steel gussets	E93
E28	<b>E94</b>
E28A	<b>E95</b> lce Bin and fill faucet with trough and grate, installed EA 6822
E31	TALLETTO AND AGGEOGRAPIES
E59Upgrade 16 ga. 304 stainless steel undershelfLIN. FT82	FAUCETS AND ACCESSORIES:
E3516 ga apron front of sink or cutoutLIN. FT 328	
<b>E36</b> Fully welded	<b>300716</b> Faucet, std. splash mtd. 12″L, 8″o.c
E36ABA704	300804 Faucet, std. splash mtd. 14"L, 8"o.c EA 482
DRAWER MODIFICATIONS AND ORTIONS	313919 Faucet, std. splash mtd. 16"L, 8"o.c EA 485
DRAWER MODIFICATIONS AND OPTIONS:	313920 Faucet, T&S splash mtd. 8"L, 8"o.c EA 1217
-LLock assembly	340380 Faucet, T&S splash mtd. 10"L, 8"o.c
E84 Hasp for padlock	313293 Faucet, T&S splash mtd. 12"L, 8"o.c
NTD3IThree Drawers integral to table	<b>313294</b> Faucet, T&S splash mtd. 14"L, 8"o.c
TADI E CACTEDO AND EEET.	
TABLE CASTERS AND FEET:           300698 Casters 4" with brake	
<b>300699</b> Casters 4" without brake EA 217	ı
200 LA LA 200	

<sup>\* -</sup> for GFI receptacle, add "-GFI" to E number (example: E18.1-GFI) and \$82 to list price.



<sup>\*\* -</sup> applicable to wall mount shelves and pot racks

For Tables, Sinks, and Dishtables (continued)
Please note: Suffixes are typically indicated by the dash ("-") preceding numbers and/or letters.

Please note: Sumixes are typically indicated by the dash ("-") preceding	
model #	model #
or suffix description unit list	or suffix description unit list
PRERINSE FAUCETS AND ACCESSORIES:	SINK COMPARTMENT MODIFICATIONS AND OPTIONS (continued):
300719       Prerinse Faucet, std. splash mtd. 8"o.c.       EA       2328         300718       Prerinse Faucet, std. deck mtd.       EA       2322	<b>E47</b> Sink cover holder, upper/lower track (for s/s or poly) SLOT 1404
<b>301189</b> Prefinse Faucet 12" Add-on Spout EA 2522	<b>E50</b>
<b>301190</b> Prerinse Wall Bracket, std	CINIC PAGE MODIFICATIONS AND OBTIONS
<b>313116</b> Prerinse Hose, 36″L, std EA 445	SINK BASE MODIFICATIONS AND OPTIONS:
<b>313323</b> Prerinse Spray Valve, std	E54         Working height revision         TABLE         614           E36         Fully welded         EA         1048
<b>313296</b> Prerinse Faucet, T&S splash mtd. 8"o.c	E36A. Welded base EA 704
<b>313295</b> Prerinse Faucet, T&S deck mtd EA 2869	E108Field joint, bolted or ready for field welding by others
<b>313297</b> Prerinse 12" Add-on Faucet	<b>E96</b> EAEA
DRAINS AND ACCESSORIES:	<b>E96A.</b> Control Panel Bracket 9x12 EA
<b>300720</b> Lever drains, 1.5"	<b>300692</b> Bullet feet, stainless steel
<b>300721</b> Lever drains, 2" EA 485	313835 Flanged bullet feet, stainless steel
<b>300722</b> Lever drains, 2" with overflow	311772 Legs and crossbrace assembly
<b>341189</b> Twist handle drains, 1.5"	E201 E101A E42
<b>336002</b> Twist handle drains, 2"	DISHTABLE BACKSPLASH MODIFICATIONS AND OPTIONS:
<b>341190</b> Twist handle drains, 2" with overflow	<b>E101</b> Splash 10" per linear ft. (dishtable only) LIN. FT 130
-TBTwist drain handle bracketEA	E101ATurn down backsplash (with z-clips)
313834         Backflow Preventer         EA         429           300789         P-Trap, Nickel Plated         EA         192	E30 End splash - per end, all heights
<b>300791</b> Tail Piece EA 192	DISHTABLE TOP MODIFICATIONS AND OPTIONS:
313832 Anti-Siphon Vacuum Breaker EA 367	E100Additional length NSF Construction LIN. FT 734
<b>300287</b> Crumb Cup Strainer EA 45	E102
·	E102Aadditional over 36" for pass-thru shelf
SINK COVERS / CUTTING BOARDS:	E106
<b>313207</b> Polyboard, 10" x 14"	<b>E107</b> EA2830
<b>351584</b> Polyboard, 16" x 20"	E108Field joint, bolted or ready for field welding by others EA 554
<b>335377</b> Polyboard, 18" x 20" EA 327 <b>326267</b> Polyboard, 20" x 20" EA 333	<b>E109</b> EA 1383
<b>313204</b>	<b>E112</b> Mitered Corner
<b>326268</b>	<b>E119</b> Landing shelf 12"W integral with top LIN. FT 499
<b>313205</b> Polyboard, 24" x 24"	<b>E120</b> Limit switch
<b>326269</b> Polyboard, 20" x 28"	E97EA1547
<b>321555</b> Stainless steel, 10" x 14"	E98 Modify for custom machine opening
<b>351585</b> Stainless steel, 16" x 20"	DIGUTADI E CODADDINO MODIFICATIONIC AND ODTIONIC
<b>346175</b> Stainless steel, 18" x 20" EA 416	DISHTABLE SCRAPPING MODIFICATIONS AND OPTIONS:   E115 Scrapping Trough 6"x4" deep—up to 60" LIN. FT 3436
<b>305428</b> Stainless steel, 20" x 20" EA 418 <b>321557</b> Stainless steel, 22" x 22" EA 439	<b>E115A</b> additional over 60"
<b>326270</b> Stainless steel, 18" x 24" EA 426	E115BMitered angle in scrapping troughEA1488
<b>321558</b> Stainless steel, 24" x 24"	E116 Scrap Block installed (Rubber)
<b>326271</b> Stainless steel, 20" x 28"	300691 Replacement rubber scrap block
SINK SPLASH MODIFICATIONS AND OPTIONS:	DISHTABLE SINK WELDMENT MODIFICATIONS AND OPTIONS:
E101ATurn down backsplash (with z-clips)TABLE505	<b>E105</b> Prerinse sink 20" x 20" x 5"
E30 End splash - per end, all heights EA 650  E44 Faucet Hole Revision (adding or moving) EA 343	<b>E105A</b> for each additional 2" in depthEA
E46	<b>E110</b> Sink 24" x 26 1/2" x 14" EA 3884
<b>E48</b> Stainless steel apron to cover sink bowls (2 or 3) SET 2244	E117       Soak sink 16" x 20" x 13 1/2"       EA       2783         E122       Faucet Holes       EA       349
<b>E48A</b> additional compartments over 3 EA 376	<b>E20A</b> 10" x 14" x 5" sink
<b>E52</b>	<b>E20</b>
E53	<b>E24A</b>
<b>E56</b> Overflow Holes	LETA
CINIC DE AINE CARR MODIFICATIONS AND ORTIONS.	DISHTABLE BASE MODIFICATIONS AND OPTIONS:
SINK DRAINBOARD MODIFICATIONS AND OPTIONS:  E41ADisposal provision package, cone	E111 Undershelving stainless steel, per linear foot LIN. FT 518
E45Drain trough installed in drainboard or dishtableEA1867	E113 Brackets for booster heater,
<b>E49</b> Undershelf under drainboard 24" long	installation only, brackets by others
<b>E49A</b> additional charge over 24" long	E118 Crossbracing left-to-right, stainless steel LIN. FT 172
<b>E51</b> Optional size drainboard LIN. FT 697	
E55 Drainboard corner turn	DISHTABLE RACK SHELF MODIFICATIONS AND OPTIONS:
OINIZ COMPARTMENT MODIFICATIONS AND COTIONS	E103 Rack shelf, back splash mounted
SINK COMPARTMENT MODIFICATIONS AND OPTIONS:	E104 Drain, bleeder type
E40 Provision for sink heater EA 369	<b>E-DRS60</b> Tubular rack unit, 60" long, with shelf
<b>E41</b> Disposal provision package, collar EA 1523 <b>E41B</b> Provision for scrap collector and troughveyor EA 2830	<b>E-DRS60-NS</b> . Tubular rack unit, 60" long, no shelf
E43Stand pipe w/corner guardEAEA	E-DRS96 Tubular rack unit, 96 long, with shelf EA 12432 E-DRS96-NS Tubular rack unit, 96" long, no shelf EA 10897
	- E STOSO NO Tubulai raok uliit, so long, no sheli

# **CUSTOM OPTIONS / ACCESSORIES**

# For Underbar

		1000	0000
		1800	2200
		Series	Series
usedel #	description	list	list
model #	description	price	price
E60	Workboards (minimum 4´´0") per linear foot	960	1168
	Sinks:		
E61	- hand sink 10" x 14" x 5" w/drain faucet	901	901
E61A	- sink bowl 10" x 14" x 9½" w/drain, faucet & overflow	1050	1050
E61B	- sink bowl 12" x 14" x 9½" w/drain, faucet & overflow	1308	1308
	Cocktail units 15½" x 19¾" bowls:		
E62	- 24" unit, 6 bottle wells, inside liner, no cover	3595	3947
E62A	- 36" unit, 8 bottle wells, outside liner, sliding s/s cover	4732	5083
E63	lce chest 15½" x 19¾" x 8" deep	4606	6571
E64	Ice chest w/sliding s/s cover 15½" x 19¾" x 8" deep	3501	3501
E65	Higher backsplash up to 9" high per linear foot	283	283
	Blender step unit w/liquid waste chute, faucet, electrical outlet:		
E66	- 12" wide single station	3379	3634
E66A	- 14" wide double station	3634	4166
E67	Blender recess 12" (305mm) wide with electrical GFCl outlets	2451	2704
E68	Open waste chute installed	1098	1098
E69	Liquid waste chute installed	1312	1312
E70	Glass filler	907	907
E71	Cutout in back (2200 Series only)	-	383
E72	End splash per end	1532	1567
E73	"L" shape corner welded per corner (except sink bowls)	price upon applica	ation
E74	Pass-thru	2008	2387
E75	Blender shelf 12" (305mm) wide, removable hook-on type	1105	1105
300712	Towel bar, 24" (610mm)-long, stainless steel - shipped loose	192	192

		1800	2200
		Series	Series
		list	list
model #	description	price	price
300670	Sliding s/s ice cover for 15½ x 19¾ bowl (non NSF)	1099	1099
300325	Rack for round bottle wells	400	400
300491	Bottle holder, individual	108	108
300805	Bottle holder trays (not installed) hold 4 bottles each	198	198
326636	Poly cutting board 15" x 15" x ½" (not attached) poly-plastic	439	439
303365	Faucet - 10" spout, splash mount	474	474
E76	Divider for ice chest (removable), installed at factory	978	978
300713	- Bottle opener and	172	172
300819	- Cap catcher (not attached)	172	172
E77	Duplex GFCI receptacle, installed	848	848
359032	Post-mix cold plate for 15½" x 19¾" bowl, 7-circuit, sealed-in (NSF)	4160	4160
E78	Glass rack storage, holds (2) 20" x 20" racks	3630	3630
E79	Dipperwell with faucet	1958	1958
	Pass-thru ice chests:		
E80	- 18" x 36" x 8"	6909	6909
E80A	- 24" x 36" x 8"	7013	7013
E81	Stainless steel leg, each	123	123
300293	Plastic bullet foot, each	6	6
E83	NSF sprayed-on sound deadening, up to 12 (3658mm) length	1746	1746
	- for each additional foot	150	150

# **For Ventilation Hoods**


model # description	unit	list	model # description	unit	list
E150 3" Air Space - on front side of unit	. LIN. FT	153	E164 Stainless Steel Trim Strips - on right side of unit	LIN. FT .	65
E151 3" Air Space - on left side of unit	PER SIDE	642	E165 Extra Collars -exhaust collar	EA	1164
E152 3" Air Space - on right side of unit			E166 Extra Collars - supply collar	EA	1164
E153 Insulated Back - on front side of unit			E167 Extra Supply Fire Damper		
E154 Insulated Back - on back side of unit			E168 Filter Frames		
E155 Insulated Back - on left side of unit			E169 Light Switch		
E156 Insulated Back - on right side of unit			E170 Extra Bullet Lights		
E157 Stainless Steel Furring Channel - on front side of unit.			E174 Enclosure Panels		
E158 Stainless Steel Furring Channel - on back side of unit.			E175 Insulated Make-Up Air Plenum		
E159 Stainless Steel Furring Channel - on left side of unit			361269 . Add'l Mounting Channel		
E160 Stainless Steel Furring Channel - on right side of unit			· · · · · · · · · · · · · · · · · · ·		
E161 Stainless Steel Trim Strips - on front side of unit			331677 . Extra Grease Cups		
E162 Stainless Steel Trim Strips - on back side of unit					
E163 Stainless Steel Trim Strips - on left side of unit	. LIN. FT	. 65	332494 . Extra Grease Filters - steel	EA	308

© 2022 EAGLE GROUP. Profit From The EAGLE Advantage $^{\circ}$  is a registered trademark of EAGLE GROUP.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.

Due to an ongoing product improvement program, specifications, dimensions and pricing are subject to change without notice.





# CLICK HERE FOR FULL WARRANTY INFO

# **General Terms**

- Warranty does not cover any cost associated with maintenance, misuse, abuse, or improper installation.
- Warranty applies in the contiguous United States only.
- Eagle will cover mileage up to 2 hrs or 100 miles round trip up to a maximum of \$150.00 for approved warranty work, any overage is a customer responsibility.
- Any warranty work must be authorized by Eagle's service department before the repair appointment.
- The cost of warranty work cannot exceed the cost of the original item.
- Warranty does not cover items purchased as excess, seconds, or closeout inventory.
- Repair parts will be sent on ground transportation, air options available at customer expense.
- All purchases made by the Buyer from the Seller are subject to the seller's warranty and return policy.

# **To Obtain Service Under Eagle Warranty:**



- Include with email the following information...
  - a. Date of purchase and installation
  - b. Proof of purchase (copy of the original dated invoice)
  - c. Description of nature of the defect
  - d. Model number, serial number, or description of model or component part
  - e. Photographs, if applicable
- 3 Wait for disposition from our service team.

Note: Service work performed without Eagle approval will not be covered.



# Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

### **PRICES**

All merchandise will be billed at our current published list prices in effect at the time of shipment. Freight charges are in addition to merchandise charges unless shipped freight collect or freight prepaid at customer expense. Any sales tax or export fee Eagle must collect will be added to the Customer's invoice. Order consolidation is available for an additional charge.

### **PERFORMANCE**

All shipping dates are approximate. Eagle is not responsible for any delays in processing, production, or shipping. Fulfillment is always subject to the availability of material and to conditions affecting shipment that are beyond our control. Eagle shall not be held liable for any delay.

### **SHORTAGE**

All claims for shortage must be brought to our attention within five (5) business days from the date merchandise is received. Failure to notify Eagle Group of any shortage within five (5) business days of receipt shall result in a waiver of any claim of a shortage. Please be certain that you receive the number of packages signed for. A clear delivery ticket constitutes shipment was delivered without shortage and releases Eagle from liability.

### CANCELLATIONS

Cancellations are not accepted on orders in transit, custom items, and electro-polished items. Standard orders that are canceled in production will be subject to up to a 30% cancellation charge.

### RETURNS

Custom, modified standard equipment, and electro-polished items are non-returnable.

**Authorization Policy for Standard Returns:** 

- Written approval from Eagle's Customer Service is mandatory on all returns
- Return authorization must be requested within 60 days from the date of shipment.
- Authorized return shipments, in which merchandise is not defective and orders have been properly filled, must be shipped prepaid and properly packaged in original Eagle Group packaging to prevent merchandise damage.
- Each return authorization number must be written on the outside of each carton returned to Eagle.
- ✓ No credits will be processed for a return until we have confirmation that the item has been received, has been inspected, and is confirmed that the item is in unused, new, and sellable condition. All items returned without proper authorization will not be credited and Eagle Group will not be responsible for shipping costs associated with the attempted return.

### Restocking:

- Restocking and equipment repair fees for merchandise damaged during return shipment to Eagle will be withheld from the issued credit
- Returns of made-to-stock merchandise are subject to a 30% restocking fee.
- Returns of standard made-to-order merchandise are subject to a 50% restocking fee.
- Returns of Cool Trough® Water Tempering System floor troughs (Models beginning with ASWT and WT) are subject to a 100% restocking fee.
- ✓ The minimum restocking fee on merchandise returns shall be \$75.00.

### **CUSTOM ORDERS & DRAWINGS**

Custom orders require submittal drawings for customer approval prior to the start of fabrication. All prints and drawings submitted with orders are accepted as final approval in the custom order process. Errors that arise due to incorrect submittals are the responsibility of the customer. If an order is canceled after drawings are provided by Eagle, a drawing fee equal to 10% of the custom item's net value will apply. Orders for custom work already in production are not permitted to be canceled.

### **DAMAGES**

EAGLE's responsibility ceases immediately upon our retaining receipt of pickup from our dock by the transportation company. Therefore, all liability passes to the customer at our loading dock (FOB Origin), regardless of who pays the carrier, except in the rare case that we deliver using our truck (not a common carrier). If a container shows rough handling, do not give the carrier a clear delivery receipt and inspect the merchandise immediately or refuse the piece(s) of damaged merchandise. Note the damage on the delivery receipt/bill of lading while the driver is there. If you sign your name on the freight bill without noting any damages, then you are stating you have received your order/shipment in acceptable condition. Upon finding damage while unpacking the product, call the carrier without further unpackaging, ask for an inspection, and follow-through by filing a claim with the carrier immediately. Concealed damage claims must be reported in writing to the carrier within five (5) business days of receipt.

# **ORDER APPROVAL**

All orders are subject to final approval by Eagle's home office. Acceptance and/or performance shall be at all times subject to the approval of Eagle's Credit Department. A deposit may be required on larger orders, the amount of the deposit is to be determined at Eagle's sole discretion based on payment history and D&B reports. Minimum order of \$50.00 net after any credits required. Shipping cost is not included towards the minimum order.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -



# Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

### **TERMS**

- ✓ Discount and discount dates are clearly marked at the bottom of each invoice should you be entitled to any discount, subject to the current status of your account. If any payment owed to Eagle is not paid when due, it shall bear interest at 1.5% per month, from the date on which it is due, until it is paid. Eagle shall have the right, among other remedies, in the event of delinquency to suspend further performance under this Agreement and/or other agreements with Customer. The customer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.
- Credit memos expire one year from date of issuance, hold no cash value and cannot be redeemed or refunded for cash unless previously agreed upon by both parties.
- Sales Tax Customers claiming sales tax exemptoin must provide a valid and up-to-date exemption certificate at the time of purchase. Once an order has been invoiced, customers are liable for any tax incurred, and Eagle Group will not issue credits or allowances.

### **UPS/FEDEX**

All UPS and FedEx shipments will be charged a minimum shipping fee of \$25.00.

### FOB/FREIGHT

All orders ship FOB Origin unless otherwise specified. All orders shipped prepaid/add will receive an administrative surcharge added to the freight charge.

Freight rates are based on standard dock to dock shipments via Eagle's preferred carriers. Guaranteed delivery, expedited freight, and dedicated shipments are all subject to additional charges. Eagle is not responsible for any unauthorized accessorial charges including but not limited to lift gate, re-delivery, advance notification, limited access, residential, inside delivery, diversion miles, etc. All unauthorized accessorial charges will be billed back to the Customer. These charges will be applied after shipment in the form of a separate invoice. The customer is responsible for arranging and all costs associated with overweight, over height, and overwidth shipments and any logistical obligations such as permits and transportation escorts. Eagle reserves the right to make partial shipments and to segregate special orders and made-to-order Goods. Estimated shipping dimensions and weights serve as a guide only. The customer's shipping documents will include freight charges based on class.

### **ASSIGNMENT**

Customer shall not assign its rights or duties hereunder without the prior written consent of Eagle. The rights and obligations of Eagle under this Agreement shall inure to the benefit of the successors, affiliates, and assigns of Eagle.

### PATENTS AND COPYRIGHTS

In the event Eagle sells Customer an item infringing any valid U.S. patent or copyright and the use of such Goods is enjoined, Eagle shall have the right at its option and expense to: (i) procure for Customer the right to continue using such Goods; or (ii) replace them with non-infringing Goods; or (iii) modify same to become non-infringing; or (iv) grant Customer a credit for the depreciated value of such Goods and accept return of them. Any additional remedy is waived by the customer.

Eagle's (and its affiliates') name, logo, designs, drawings, trademarks, and other intellectual property remains the property of Eagle and may not be disclosed, reproduced, or used without its prior written consent.

### **USE OF GOODS**

Customer shall not use any Goods for an unlawful purpose.

### JURISDICTION

This Agreement shall be construed in accordance with the laws of the State of Delaware without regard to conflicts of laws. The parties hereto each irrevocably consent to the exclusive jurisdiction of the State courts of the State of Delaware for the resolution of any dispute hereunder and waive removal to Federal Court. This Agreement shall be deemed to be performed in Delaware. Customer specifically agrees to accept service of process by hand-delivery or Certified Mail even if same is not effectuated upon Customer within the territorial jurisdiction of the State of Delaware.

### THIRD PARTY OFFERS

EAGLE Group only will honor pricing on proposals submitted by Eagle Group. No third-party pricing offers shall be valid.

# **CONTROLLING LAW**

This Agreement is made under and shall be governed by, construed, and enforced in accordance with, the laws of Delaware without regard to conflicts of law principles.

### **EXCLUSIVE JURISDICTION**

The parties consent to the exclusive jurisdiction of the courts of Delaware and/or the United States District Court for the District of Delaware in any action between the parties arising out of this and Agreement.

### **LIMITED WARRANTY**

Eagle Group warrants only that goods supplied hereunder manufactured by Eagle Group will be free from defects in material and workmanship at the time they leave our factory and are fit only for the purposes intended and no other use or purpose. Remedies in the event of a breach or default by Eagle Group of any kind, including but not limited to the foregoing, arising or not arising under this Agreement, are limited to the cost of goods sold, exclusive of shipping charges. Eagle Group makes no implied warranties to end-users or third persons except as set forth specifically in its written warranties. To view our complete warranty information please visit our website.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

All orders are to be sent to our corporate office.

Please call our corporate office to place your order.

All addresses are subject to change.

Delaware (corporate office): EAGLE GROUP

100 Industrial Blvd., Clayton, DE 19938

**Toll Free** Ph: 1-800-441-8440

G9064C0A Rev 12/24

