



# EAGLE PLUS

## SEPTEMBER 2026

**SPECIAL SAVINGS INSIDE!**



**Special Quantity Pricing – Save on our most popular sizes!**

**EAGLE**  
GROUP  
*Profit from the Eagle Advantage®*



Look for the 3VP coin for special quantity break pricing on some of our most popular items!  
Buy Three or More of the same model to receive special 3VP quantity pricing!



## TABLE OF CONTENTS

|                          |       |
|--------------------------|-------|
| SHELVING                 | 3-7   |
| WALL SHELVES             | 8-9   |
| SINKS                    | 10-18 |
| DISHTABLES               | 18-20 |
| TABLES                   | 21-26 |
| UNDERBAR                 | 26-29 |
| HOT FOOD TABLES          | 30-32 |
| REDHOTS® COOKING/WARMING | 32-36 |
| PANCO®                   | 37-40 |




## Quad-Truss® Wire Shelving NSF

- Super strong patented Quad-Truss® design makes shelves up to 25% stronger and provides a retaining ledge for increased storage stability.
- EAGLEbrite® shelves feature MasterSeal® coating for improved rust protection.

Shelves:  
24" – 48" are packed 4 to a box  
60" – 72" are packed 2 to a box  
Plastic split sleeves included  
with each shelf.

**PATENTED**  
Patent #5,390,803

**QuadTruss®**  
design



## Shelves

|           | EAGLEbrite®<br>zinc finish |      | Valu-Gard®<br>green epoxy |      | VALU-MASTER®<br>gray epoxy finish |      | EAGLEgard®<br>green epoxy finish |      |
|-----------|----------------------------|------|---------------------------|------|-----------------------------------|------|----------------------------------|------|
| w x l     | model #                    | list | model #                   | list | model #                           | list | model #                          | list |
| 18" x 24" | 1824Z                      | 107  | 1824VG                    | 113  | 1824V                             | 113  | 1824E                            | 135  |
| 18" x 36" | 1836Z                      | 114  | 1836VG                    | 114  | 1836V                             | 114  | 1836E                            | 142  |
| 18" x 48" | 1848Z                      | 129  | 1848VG                    | 146  | 1848V                             | 146  | 1848E                            | 169  |
| 18" x 60" | 1860Z                      | 154  | 1860VG                    | 187  | 1860V                             | 187  | 1860E                            | 201  |
| 18" x 72" | 1872Z                      | 179  | 1872VG                    | 212  | 1872V                             | 212  | 1872E                            | 232  |
| 24" x 24" | 2424Z                      | 128  | 2424VG                    | 134  | 2424V                             | 134  | 2424E                            | 167  |
| 24" x 36" | 2436Z                      | 131  | 2436VG                    | 149  | 2436V                             | 149  | 2436E                            | 172  |
| 24" x 48" | 2448Z                      | 158  | 2448VG                    | 189  | 2448V                             | 189  | 2448E                            | 209  |
| 24" x 60" | 2460Z                      | 194  | 2460VG                    | 218  | 2460V                             | 218  | 2460E                            | 247  |
| 24" x 72" | 2472Z                      | 221  | 2472VG                    | 255  | 2472V                             | 255  | 2472E                            | 292  |

## Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.

|                | EAGLEbrite®<br>zinc |      | Valu-Gard®<br>green epoxy |      | VALU-MASTER®<br>gray epoxy |      | EAGLEgard®<br>green epoxy |      |
|----------------|---------------------|------|---------------------------|------|----------------------------|------|---------------------------|------|
| post<br>height | model #             | list | model #                   | list | model #                    | list | model #                   | list |
| 54"            | P54-Z               | 39   | P54-VG                    | 41   | P54-V                      | 41   | P54-E                     | 47   |
| 63"            | P63-Z               | 42   | P63-VG                    | 44   | P63-V                      | 44   | P63-E                     | 55   |
| 74"            | P74-Z               | 51   | P74-VG                    | 48   | P74-V                      | 48   | P74-E                     | 59   |
| 86"            | P86-Z               | 64   | P86-VG                    | 63   | P86-V                      | 63   | P86-E                     | 68   |

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z



## "S" Hooks

Used to join shelving units in a number of configurations.



| model # | list ea. |
|---------|----------|
| A200012 | 7        |



## Label Holders

3/4"-long. Plastic.



| color | model # | list |
|-------|---------|------|
| gray  | A204331 | 7    |
| black | A206216 | 7    |
| clear | A208746 | 7    |

## Stem Casters

- Resilient 5"-diameter\* swivel casters.
- 300 lb weight capacity per caster.

\* Additional sizes available consult factory.

| description | model #  | list |
|-------------|----------|------|
| stem/swivel | CSS5-300 | 82   |
| stem/brake  | CSB5-300 | 94   |



## Stationary Wall Mount Brackets

- End unit consists of one single shelf support and mounting plate.
- Mid unit consists of one double shelf support and mounting plate.
- Designed for fixed application where vertical adjustment is not required.

| End Units * |         |      | Mid Units |      |
|-------------|---------|------|-----------|------|
| length      | model # | list | model #   | list |
| 14"         | WB14-C  | 86   | DWB14-C   | 132  |
| 18"         | WB18-C  | 87   | DWB18-C   | 133  |
| 21"         | WB21-C  | 92   | DWB21-C   | 134  |
| 24"         | WB24-C  | 93   | DWB24-C   | 136  |

\* Priced per piece



## Starter Units

- Convenient, easy to order starter unit kits.
- Each starter unit consists of four shelves and four 74" posts.

|           | EAGLEbrite®<br>zinc finish |      | Valu-Gard®<br>green epoxy |      | VALU-MASTER®<br>gray epoxy finish |      | EAGLEgard®<br>green epoxy finish |      |
|-----------|----------------------------|------|---------------------------|------|-----------------------------------|------|----------------------------------|------|
| w x l     | model #                    | list | model #                   | list | model #                           | list | model #                          | list |
| 18" x 36" | S4-74-1836Z                | 660  | S4-74-1836VG              | 648  | S4-74-1836V                       | 648  | S4-74-1836E                      | 804  |
| 18" x 48" | S4-74-1848Z                | 720  | S4-74-1848VG              | 776  | S4-74-1848V                       | 776  | S4-74-1848E                      | 912  |
| 18" x 60" | S4-74-1860Z                | 820  | S4-74-1860VG              | 940  | S4-74-1860V                       | 940  | S4-74-1860E                      | 1040 |
| 18" x 72" | S4-74-1872Z                | 920  | S4-74-1872VG              | 1040 | S4-74-1872V                       | 1040 | S4-74-1872E                      | 1164 |
| 24" x 36" | S4-74-2436Z                | 728  | S4-74-2436VG              | 788  | S4-74-2436V                       | 788  | S4-74-2436E                      | 924  |
| 24" x 48" | S4-74-2448Z                | 836  | S4-74-2448VG              | 948  | S4-74-2448V                       | 948  | S4-74-2448E                      | 1072 |
| 24" x 60" | S4-74-2460Z                | 980  | S4-74-2460VG              | 1064 | S4-74-2460V                       | 1064 | S4-74-2460E                      | 1224 |
| 24" x 72" | S4-74-2472Z                | 1088 | S4-74-2472VG              | 1212 | S4-74-2472V                       | 1212 | S4-74-2472E                      | 1404 |



## QuadPLUS® Polymer Shelf Mats




shelves and posts  
sold separately

- Removable green polymer shelf mats with choice of epoxy-coated standard wire truss frames or Quad-Adjust® truss frames.
- Mats lay securely on top of truss frame.
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection.
- 800-lb. weight capacity for shelves up to 48", 600-lb. 54" through 72" long - evenly distributed static load.
- Louvered and solid mats available.
- Easy assembly - no tools required.

- Easy cleaning and dishwasher-safe.
- Truss frames coated with Valu-Gard® green epoxy finish or EAGLEgard® hybrid epoxy with MICROGARD® (other finishes available, consult factory).
- Both style of truss frames can be fitted onto the same shelf unit.

**Quad PLUS**  
ANTIMICROBIAL



QuadPLUS® shown with  
standard wire truss frame

## QuadPLUS® with Standard Wire Truss Frames



| w x l<br>in. | ...with Valu-Gard® epoxy finish |      |                 |      | ...with EAGLEgard® epoxy finish |      |                 |      |
|--------------|---------------------------------|------|-----------------|------|---------------------------------|------|-----------------|------|
|              | with louvered mats              |      | with solid mats |      | with louvered mats              |      | with solid mats |      |
|              | model #                         | list | model #         | list | model #                         | list | model #         | list |
| 18" x 36"    | QPF-1836VG-GL                   | 204  | QPF-1836VG-GS   | 214  | QPF-1836E-GL                    | 223  | QPF-1836E-GS    | 238  |
| 18" x 48"    | QPF-1848VG-GL                   | 243  | QPF-1848VG-GS   | 256  | QPF-1848E-GL                    | 270  | QPF-1848E-GS    | 285  |
| 18" x 54"    | QPF-1854VG-GL                   | 289  | QPF-1854VG-GS   | 304  | QPF-1854E-GL                    | 325  | QPF-1854E-GS    | 340  |
| 18" x 60"    | QPF-1860VG-GL                   | 289  | QPF-1860VG-GS   | 304  | QPF-1860E-GL                    | 325  | QPF-1860E-GS    | 340  |
| 18" x 72"    | QPF-1872VG-GL                   | 330  | QPF-1872VG-GS   | 344  | QPF-1872E-GL                    | 366  | QPF-1872E-GS    | 386  |
| 24" x 36"    | QPF-2436VG-GL                   | 244  | QPF-2436VG-GS   | 258  | QPF-2436E-GL                    | 272  | QPF-2436E-GS    | 287  |
| 24" x 48"    | QPF-2448VG-GL                   | 300  | QPF-2448VG-GS   | 312  | QPF-2448E-GL                    | 334  | QPF-2448E-GS    | 350  |
| 24" x 54"    | QPF-2454VG-GL                   | 354  | QPF-2454VG-GS   | 372  | QPF-2454E-GL                    | 394  | QPF-2454E-GS    | 417  |
| 24" x 60"    | QPF-2460VG-GL                   | 354  | QPF-2460VG-GS   | 372  | QPF-2460E-GL                    | 394  | QPF-2460E-GS    | 417  |
| 24" x 72"    | QPF-2472VG-GL                   | 417  | QPF-2472VG-GS   | 437  | QPF-2472E-GL                    | 462  | QPF-2472E-GS    | 486  |

## QuadPLUS® with Quad-Adjust® Truss Frames

- Add or remove a shelf without having to disassemble the entire shelf unit.



| w x l<br>in. | ...with Valu-Gard® epoxy finish |      |                 |      | ...with EAGLEgard® epoxy finish |      |                 |      |
|--------------|---------------------------------|------|-----------------|------|---------------------------------|------|-----------------|------|
|              | with louvered mats              |      | with solid mats |      | with louvered mats              |      | with solid mats |      |
|              | model #                         | list | model #         | list | model #                         | list | model #         | list |
| 18" x 36"    | QPF-QA1836VG-GL                 | 239  | QPF-QA1836VG-GS | 248  | QPF-QA1836E-GL                  | 265  | QPF-QA1836E-GS  | 276  |
| 18" x 48"    | QPF-QA1848VG-GL                 | 285  | QPF-QA1848VG-GS | 303  | QPF-QA1848E-GL                  | 319  | QPF-QA1848E-GS  | 337  |
| 18" x 54"    | QPF-QA1854VG-GL                 | 342  | QPF-QA1854VG-GS | 356  | QPF-QA1854E-GL                  | 376  | QPF-QA1854E-GS  | 396  |
| 18" x 60"    | QPF-QA1860VG-GL                 | 342  | QPF-QA1860VG-GS | 356  | QPF-QA1860E-GL                  | 376  | QPF-QA1860E-GS  | 396  |
| 18" x 72"    | QPF-QA1872VG-GL                 | 283  | QPF-QA1872VG-GS | 295  | QPF-QA1872E-GL                  | 313  | QPF-QA1872E-GS  | 328  |
| 24" x 36"    | QPF-QA2436VG-GL                 | 287  | QPF-QA2436VG-GS | 304  | QPF-QA2436E-GL                  | 322  | QPF-QA2436E-GS  | 338  |
| 24" x 48"    | QPF-QA2448VG-GL                 | 353  | QPF-QA2448VG-GS | 369  | QPF-QA2448E-GL                  | 393  | QPF-QA2448E-GS  | 408  |
| 24" x 54"    | QPF-QA2454VG-GL                 | 418  | QPF-QA2454VG-GS | 438  | QPF-QA2454E-GL                  | 463  | QPF-QA2454E-GS  | 487  |
| 24" x 60"    | QPF-QA2460VG-GL                 | 418  | QPF-QA2460VG-GS | 438  | QPF-QA2460E-GL                  | 463  | QPF-QA2460E-GS  | 487  |
| 24" x 72"    | QPF-QA2472VG-GL                 | 487  | QPF-QA2472VG-GS | 514  | QPF-QA2472E-GL                  | 542  | QPF-QA2472E-GS  | 567  |

## Posts for use with QuadPLUS®

- Numbered posts for easy assembly. Standard adjustable leveling feet.




| post<br>height | Valu-Gard®<br>green epoxy |      | EAGLEgard®<br>green epoxy |      | post<br>height | Valu-Gard®<br>green epoxy |      | EAGLEgard®<br>green epoxy |      |
|----------------|---------------------------|------|---------------------------|------|----------------|---------------------------|------|---------------------------|------|
|                | model #                   | list | model #                   | list |                | model #                   | list | model #                   | list |
| 54"            | P54-VG                    | 41   | P54-E                     | 47   | 74"            | P74-VG                    | 48   | P74-E                     | 59   |
| 63"            | P63-VG                    | 44   | P63-E                     | 55   | 86"            | P86-VG                    | 63   | P86-E                     | 68   |

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z



## Quad-Adjust® Adjustable Wire Shelving

- Shelves feature special interlocking corners that fit in slots of collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire unit.
- 800-lb. weight capacity for shelves up to 48" long, evenly distributed static load, 600-lb. weight capacity for shelves 54" through 72".
- Accommodates all standard wire accessories.
- Packaging: 24"-48" four to a box, 54"-72" two per box.



channel of shelf corner fits into slot of collar attached to split sleeve

**PATENTED**  
Patent #7,992,731



## Quad-Adjust® Shelves

| w x l     | EAGLEbrite®<br>zinc finish |      | Valu-Gard®<br>green epoxy |      | VALU-MASTER®<br>gray epoxy finish |      | EAGLEgard®<br>green epoxy finish |      |
|-----------|----------------------------|------|---------------------------|------|-----------------------------------|------|----------------------------------|------|
|           | model #                    | list | model #                   | list | model #                           | list | model #                          | list |
| 18" x 36" | QA1836Z                    | 210  | QA1836VG                  | 210  | QA1836V                           | 210  | QA1836E                          | 218  |
| 18" x 48" | QA1848Z                    | 234  | QA1848VG                  | 234  | QA1848V                           | 234  | QA1848E                          | 248  |
| 18" x 60" | QA1860Z                    | 265  | QA1860VG                  | 265  | QA1860V                           | 265  | QA1860E                          | 280  |
| 18" x 72" | QA1872Z                    | 299  | QA1872VG                  | 299  | QA1872V                           | 299  | QA1872E                          | 319  |
| 24" x 36" | QA2436Z                    | 238  | QA2436VG                  | 238  | QA2436V                           | 238  | QA2436E                          | 248  |
| 24" x 48" | QA2448Z                    | 269  | QA2448VG                  | 269  | QA2448V                           | 269  | QA2448E                          | 287  |
| 24" x 60" | QA2460Z                    | 309  | QA2460VG                  | 309  | QA2460V                           | 309  | QA2460E                          | 334  |
| 24" x 72" | QA2472Z                    | 353  | QA2472VG                  | 353  | QA2472V                           | 353  | QA2472E                          | 388  |

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelves.



Quad-Adjust® shelves can also be ordered single-packaged for applications where only one shelf is required to add to an existing wire shelving unit. Call for pricing.

## Quad-Adjust® Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.

| post<br>height | EAGLEbrite®<br>zinc finish |      | Valu-Gard®<br>green epoxy |      | VALU-MASTER®<br>gray epoxy |      | EAGLEgard®<br>green epoxy |      |
|----------------|----------------------------|------|---------------------------|------|----------------------------|------|---------------------------|------|
|                | model #                    | list | model #                   | list | model #                    | list | model #                   | list |
| 54"            | P54-Z                      | 39   | P54-VG                    | 41   | P54-V                      | 41   | P54-E                     | 47   |
| 63"            | P63-Z                      | 42   | P63-VG                    | 44   | P63-V                      | 44   | P63-E                     | 55   |
| 74"            | P74-Z                      | 51   | P74-VG                    | 48   | P74-V                      | 48   | P74-E                     | 59   |
| 86"            | P86-Z                      | 64   | P86-VG                    | 63   | P86-V                      | 63   | P86-E                     | 68   |

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z


## Simple as one, two, three!



1) Snap the split sleeves onto a post over the number of your choice.



2) Attach the Quad-Adjust® slotted collar onto the split sleeves.



3) Slide shelf into slotted collar to complete.



## Quad-Adjust® Starter Units

- Each starter unit consists of two standard Quad-Truss® shelves, two Quad-Adjust® shelves, and four 74" posts.

| w x l     | EAGLEbrite®<br>zinc finish |      | VALU-MASTER®<br>gray epoxy |      | EAGLEgard®<br>green epoxy |      |
|-----------|----------------------------|------|----------------------------|------|---------------------------|------|
|           | model #                    | list | model #                    | list | model #                   | list |
| 18" x 36" | F2QA2-74-1836Z             | 852  | F2QA2-74-1836V             | 840  | F2QA2-74-1836E            | 956  |
| 18" x 48" | F2QA2-74-1848Z             | 930  | F2QA2-74-1848V             | 952  | F2QA2-74-1848E            | 1070 |
| 18" x 60" | F2QA2-74-1860Z             | 1042 | F2QA2-74-1860V             | 1096 | F2QA2-74-1860E            | 1198 |
| 18" x 72" | F2QA2-74-1872Z             | 1160 | F2QA2-74-1872V             | 1214 | F2QA2-74-1872E            | 1338 |
| 24" x 36" | F2QA2-74-2436Z             | 942  | F2QA2-74-2436V             | 896  | F2QA2-74-2436E            | 1076 |
| 24" x 48" | F2QA2-74-2448Z             | 1058 | F2QA2-74-2448V             | 1222 | F2QA2-74-2448E            | 1228 |
| 24" x 60" | F2QA2-74-2460Z             | 1210 | F2QA2-74-2460V             | 1184 | F2QA2-74-2460E            | 1398 |
| 24" x 72" | F2QA2-74-2472Z             | 1352 | F2QA2-74-2472V             | 1322 | F2QA2-74-2472E            | 1596 |



ADD  
SUBTRACT  
ADJUST  
IT'S THAT  
EASY

## Dunnage Racks (NSF)

### Panco® Aluminum Dunnage Racks

- Features 1½" square tubing and plastic feet.
- 12" height.



| w x l     | weight<br>capacity | # of<br>lats | model #     | list |
|-----------|--------------------|--------------|-------------|------|
| 20" x 36" | 2000               | 4            | WDR203612-A | 426  |
| 20" x 48" | 2000               | 4            | WDR204812-A | 473  |
| 20" x 60" | 1500               | 4            | WDR206012-A | 553  |
| 24" x 36" | 2000               | 5            | WDR243612-A | 522  |
| 24" x 48" | 2000               | 5            | WDR244812-A | 573  |
| 24" x 60" | 1500               | 5            | WDR246012-A | 641  |

NOTE: Models available with 8" height. To order, replace "12" in model number with "08". Example WDR203608-A



### Polymer Dunnage Racks

- 12" height, durable polyethylene construction prevents corrosion, rust and will not chip.



| w x l     | weight<br>capacity | model # | list |
|-----------|--------------------|---------|------|
| 22" x 36" | 2000               | PD3622  | 560  |
| 22" x 48" | 3000               | PD4822  | 677  |
| 22" x 60" | 3000               | PD6022  | 770  |



### Panco® Nesting Aluminum Dunnage Racks

- Racks are stackable, saving space when not in use.
- 12" height.



| w x l     | weight<br>capacity | # of<br>lats | model #     | list<br>each |
|-----------|--------------------|--------------|-------------|--------------|
| 20" x 36" | 3200               | 4            | NDR203612-A | 489          |
| 20" x 48" | 2700               | 4            | NDR204812-A | 551          |
| 24" x 36" | 3200               | 5            | NDR243612-A | 609          |
| 24" x 48" | 2700               | 5            | NDR244812-A | 694          |

### Wire Platform Dunnage Racks

- 14" height.



| w x l     | chrome   |      | EAGLEgard® |      |
|-----------|----------|------|------------|------|
|           | model #  | list | model #    | list |
| 18" x 24" | PF1824-C | 273  | PF1824-E   | 273  |
| 18" x 30" | PF1830-C | 283  | PF1830-E   | 283  |
| 18" x 36" | PF1836-C | 287  | PF1836-E   | 287  |
| 24" x 24" | PF2424-C | 307  | PF2424-E   | 307  |
| 24" x 30" | PF2430-C | 309  | PF2430-E   | 309  |
| 24" x 36" | PF2436-C | 322  | PF2436-E   | 322  |

## Utility Carts - Wire (NSF)

- Zinc finish.
- 18"-wide carts have 4" casters, 24"-wide carts have 5" casters.

| # shelves | w x l     | model #   | list |
|-----------|-----------|-----------|------|
| 2         | 18" x 36" | EU2-1836Z | 647  |
| 2         | 24" x 36" | EU2-2436Z | 749  |
| 3         | 18" x 36" | EU3-1836Z | 792  |
| 3         | 24" x 36" | EU3-2436Z | 929  |




2-shelf utility cart



### Wire Basket Utility Cart (NSF)

- Chrome finish.
- One basket shelf, one standard shelf.
- Set of 4" swivel casters.

| # shelves | w x l     | model #       | list |
|-----------|-----------|---------------|------|
| 2         | 18" x 36" | WBC1836C-1B1W | 782  |



Cart features 4¼"-deep wire basket shelf

## Security Modules

- Includes end panels, rear panel, and door(s).
- Fits in between two wire shelves\* spaced 20" apart.
- More than one module can be added, depending on unit's overall height.
- Available for 18", 21", and 24" -wide shelving units.



Note:  
Shelves and Posts Sold Separately  
– see page 3

### ...with Flip-Up Door

| size      | EAGLEbrite® zinc |      | chrome     |      | Valugard®   |      | EAGLEgard® |      | stainless steel |      |
|-----------|------------------|------|------------|------|-------------|------|------------|------|-----------------|------|
|           | model #          | list | model #    | list | model #     | list | model #    | list | model #         | list |
| 18" x 36" | SECM1836FZ       | 944  | SECM1836FC | 1120 | SECM1836FVG | 1205 | SECM1836FE | 1180 | SECM1836FS      | 2988 |
| 18" x 48" | SECM1848FZ       | 987  | SECM1848FC | 1177 | SECM1848FVG | 1263 | SECM1848FE | 1243 | SECM1848FS      | 3134 |
| 18" x 60" | SECM1860FZ       | 998  | SECM1860FC | 1272 | SECM1860FVG | 1366 | SECM1860FE | 1343 | SECM1860FS      | 3154 |
| 24" x 36" | SECM2436FZ       | 978  | SECM2436FC | 1194 | SECM2436FVG | 1284 | SECM2436FE | 1255 | SECM2436FS      | 3094 |
| 24" x 48" | SECM2448FZ       | 1025 | SECM2448FC | 1308 | SECM2448FVG | 1405 | SECM2448FE | 1376 | SECM2448FS      | 3244 |
| 24" x 60" | SECM2460FZ       | 1069 | SECM2460FC | 1426 | SECM2460FVG | 1536 | SECM2460FE | 1503 | SECM2460FS      | 3399 |



unit with flip-up door—  
shown assembled to wire shelf unit

### ...with Hinged Door

| size      | EAGLEbrite® zinc |      | chrome    |      | Valugard®  |      | EAGLEgard® |      | stainless steel |      |
|-----------|------------------|------|-----------|------|------------|------|------------|------|-----------------|------|
|           | model #          | list | model #   | list | model #    | list | model #    | list | model #         | list |
| 18" x 36" | SECM1836Z        | 809  | SECM1836C | 1053 | SECM1836VG | 1130 | SECM1836E  | 1110 | SECM1836S       | 2572 |
| 18" x 48" | SECM1848Z        | 860  | SECM1848C | 1116 | SECM1848VG | 1197 | SECM1848E  | 1173 | SECM1848S       | 2753 |
| 18" x 60" | SECM1860Z        | 870  | SECM1860C | 1250 | SECM1860VG | 1344 | SECM1860E  | 1315 | SECM1860S       | 2762 |
| 24" x 36" | SECM2436Z        | 849  | SECM2436C | 1140 | SECM2436VG | 1222 | SECM2436E  | 1203 | SECM2436S       | 2697 |
| 24" x 48" | SECM2448Z        | 905  | SECM2448C | 1292 | SECM2448VG | 1389 | SECM2448E  | 1356 | SECM2448S       | 2880 |
| 24" x 60" | SECM2460Z        | 959  | SECM2460C | 1444 | SECM2460VG | 1549 | SECM2460E  | 1518 | SECM2460S       | 3065 |



unit with hinged doors—  
shown assembled to wire shelf unit

## Full Size Security Units

- Shipped knocked-down for easy assembly and reduced shipping costs.
- Mobile units feature four 5" swivel poly casters, two with brake.
- Units provided with 63" posts.

| description | w x l x h               | chrome  |      | EAGLEgard® |      |
|-------------|-------------------------|---------|------|------------|------|
|             |                         | model # | list | model #    | list |
| stationary  | 27 1/4" x 39 1/4" x 67" | SC2436  | 2548 | SC2436E    | 3108 |
| stationary  | 27 1/4" x 51 1/4" x 67" | SC2448  | 3167 | SC2448E    | 3860 |
| mobile      | 27 1/4" x 39 1/4" x 69" | CSC2436 | 3010 | CSC2436E   | 3674 |
| mobile      | 27 1/4" x 51 1/4" x 69" | CSC2448 | 3627 | CSC2448E   | 4423 |



chrome mobile security unit with  
optional center shelf

## Mini Security Units

- Stationary units only.
- Chrome finish for durability.
- Units shipped knocked-down for easy assembly and reduced shipping costs.



mini security unit

| w x l x h       | model # | list |
|-----------------|---------|------|
| 16" x 38" x 40" | MSC1436 | 2410 |
| 16" x 50" x 40" | MSC1448 | 3026 |
| 26" x 38" x 40" | MSC2436 | 2489 |
| 26" x 50" x 40" | MSC2448 | 3134 |

## Optional Shelves for Security Units

Chrome finish.

| w x l     | description                 | Standard Shelves |      | Quad-Adjust Shelves |      |
|-----------|-----------------------------|------------------|------|---------------------|------|
|           |                             | model #          | list | model #             | list |
| 14" x 36" | chrome, mini                | 1436C            | 139  | QA1436C             | 204  |
| 14" x 48" | chrome, mini                | 1448C            | 162  | QA1448C             | 226  |
| 24" x 36" | chrome, full size           | 2436C            | 185  | QA2436C             | 248  |
| 24" x 48" | chrome, full size           | 2448C            | 220  | QA2448C             | 287  |
| 24" x 36" | Eaglegard® epoxy, full size | 2436E            | 185  | QA2436E             | 248  |
| 24" x 48" | Eaglegard® epoxy, full size | 2448E            | 220  | QA2448E             | 287  |



## WalStor® Modular Wall System

(NSF)

WalStor® allows you to maximize space, utilizing previously unused wall area for storage, prep work, almost anything — all the while, keeping everything within easy reach, without taking up valuable floor space. WalStor® is designed so that your shelves can be positioned anywhere on a wall, regardless of stud position.

**Please note: WalStor® must be mounted to a solid surface or studs in a wall. User must determine installation materials and methods suitable to hold and support the WalStor® system.**




WalStor® Double Shelf Kit with accessories



## Single Shelf Kits

- (1) EAGLEbrite® shelf
- (1) 18"-tall full-length wall mat
- (1) pair of 30" vertical wall uprights
- (1) pair of 18" wire shelf brackets

| shelf<br>w x l | model #           | list |
|----------------|-------------------|------|
| 18" x 36"      | <b>WAL-1-1836</b> | 659  |
| 18" x 48"      | <b>WAL-1-1848</b> | 759  |



## Double Shelf Kits


- (2) EAGLEbrite® shelves
- (2) 18"-tall full-length wall mats
- (1) pair of 45" vertical wall uprights
- (2) pair of 18" wire shelf brackets

| shelf<br>w x l | model #           | list |
|----------------|-------------------|------|
| 18" x 36"      | <b>WAL-2-1836</b> | 1030 |
| 18" x 48"      | <b>WAL-2-1848</b> | 1174 |

## Adjustable Post Wall Mount Kits

(NSF)

- Sold as prepackaged units.
- Adjustable design.
- Chrome finish.



end units shown

## End Units

Consists of two posts, single shelf brackets and post supports.

| shelf<br>width | post<br>height | for       | model #         | list |
|----------------|----------------|-----------|-----------------|------|
| 14"            | 14"            | 1 shelf   | <b>PWE14-1C</b> | 370  |
| 14"            | 33"            | 2 shelves | <b>PWE14-2C</b> | 598  |
| 18"            | 14"            | 1 shelf   | <b>PWE18-1C</b> | 375  |
| 18"            | 33"            | 2 shelves | <b>PWE18-2C</b> | 598  |

Note: Shelves and accessories sold separately.

## Mid Units

Consists of one post, double shelf brackets and post supports.

| shelf<br>width | post<br>height | for       | model #         | list |
|----------------|----------------|-----------|-----------------|------|
| 14"            | 14"            | 1 shelf   | <b>PWM14-1C</b> | 240  |
| 14"            | 33"            | 2 shelves | <b>PWM14-2C</b> | 406  |
| 18"            | 14"            | 1 shelf   | <b>PWM18-1C</b> | 243  |
| 18"            | 33"            | 2 shelves | <b>PWM18-2C</b> | 407  |

Note: Shelves and accessories sold separately.

## Cradle Wine Shelves

(NSF)

- Each bottle is "cradled" by heavy gauge wire to avoid movement.

**Not recommended for mobile application.**




| w x l     | capacity<br>(750ml bottles) | chrome        |      | black epoxy    |      |
|-----------|-----------------------------|---------------|------|----------------|------|
|           |                             | model #       | list | model #        | list |
| 14" x 36" | 9                           | <b>W1436C</b> | 265  | <b>W1436BL</b> | 269  |
| 14" x 48" | 12                          | <b>W1448C</b> | 303  | <b>W1448BL</b> | 308  |

## Pot Racks

(NSF)

- Supplied with stainless steel brackets.
- One two-prong sliding hook per foot.



| for table<br>length | aluminum       |      | stainless steel |      |
|---------------------|----------------|------|-----------------|------|
|                     | model #        | list | model #         | list |
| 4'                  | <b>WM48APR</b> | 564  | <b>WM48PR</b>   | 752  |
| 5'                  | <b>WM60APR</b> | 645  | <b>WM60PR</b>   | 800  |
| 6'                  | <b>WM72APR</b> | 823  | <b>WM72PR</b>   | 1019 |



## Snap-N-Slide® Wall Shelves - Solid Stainless Steel



- 1½" upturn on rear and ends of shelf.
- Available in 12" or 15" widths with rolled front edge.



## Snap-N-Slide® Wall Shelves - Wire Construction



- Wire design allows for free air circulation.
- No tools required to attach shelf to wall brackets

| w x l     | 16 gauge type 430 |      | 16 gauge type 304 |      | 14 gauge type 304 |      |
|-----------|-------------------|------|-------------------|------|-------------------|------|
|           | model #           | list | model #           | list | model #           | list |
| 12" x 24" | SWS1224-16/4      | 495  | SWS1224-16/3      | 594  | SWS1224-14/3      | 628  |
| 12" x 36" | SWS1236-16/4      | 533  | SWS1236-16/3      | 747  | SWS1236-14/3      | 800  |
| 12" x 48" | SWS1248-16/4      | 656  | SWS1248-16/3      | 827  | SWS1248-14/3      | 892  |
| 12" x 60" | SWS1260-16/4      | 697  | SWS1260-16/3      | 906  | SWS1260-14/3      | 964  |
| 12" x 72" | SWS1272-16/4      | 862  | SWS1272-16/3      | 1116 | SWS1272-14/3      | 1219 |
| 15" x 24" | SWS1524-16/4      | 533  | SWS1524-16/3      | 646  | SWS1524-14/3      | 707  |
| 15" x 36" | SWS1536-16/4      | 550  | SWS1536-16/3      | 772  | SWS1536-14/3      | 870  |
| 15" x 48" | SWS1548-16/4      | 663  | SWS1548-16/3      | 938  | SWS1548-14/3      | 1058 |
| 15" x 60" | SWS1560-16/4      | 715  | SWS1560-16/3      | 1029 | SWS1560-14/3      | 1088 |
| 15" x 72" | SWS1572-16/4      | 876  | SWS1572-16/3      | 1281 | SWS1572-14/3      | 1447 |

| w x l     | Chrome    |      | Valu-Master® |      | EAGLEgard® |      |
|-----------|-----------|------|--------------|------|------------|------|
|           | model #   | list | model #      | list | model #    | list |
| 12" x 24" | SNSW1224C | 220  | SNSW1224V    | 234  | SNSW1224E  | 258  |
| 12" x 36" | SNSW1236C | 293  | SNSW1236V    | 308  | SNSW1236E  | 337  |
| 12" x 48" | SNSW1248C | 366  | SNSW1248V    | 384  | SNSW1248E  | 407  |
| 12" x 60" | SNSW1260C | 395  | SNSW1260V    | 417  | SNSW1260E  | 448  |
| 12" x 72" | SNSW1272C | 506  | SNSW1272V    | 532  | SNSW1272E  | 559  |

## Snap-N-Slide® Wall Shelves - with Ticket Rail

- Features flat front and "tape-on" ticket rails - (ticket rails are provided with tape and are to be attached in the field).
- Standard checks are held with ease by a floating ball mechanism.



| w x l     | model #        | list |
|-----------|----------------|------|
| 12" x 36" | SWS1236TR-16/4 | 552  |
| 12" x 48" | SWS1248TR-16/4 | 697  |
| 12" x 60" | SWS1260TR-16/4 | 768  |
| 12" x 72" | SWS1272TR-16/4 | 942  |
| 12" x 96" | SWS1296TR-16/4 | 1211 |

All Snap-N-Slide® Wall Shelves -

No tools required to attach shelf to wall brackets. Brackets can be mounted to studs - no wall backing required.

## Wall Shelves



- Die-formed stainless steel mounting brackets are stud-welded to shelf.
- 1½" roll on front and 1½" upturn on rear and ends.

| 16 GAUGE - TYPE 430 STAINLESS |             |      |
|-------------------------------|-------------|------|
| w x l                         | model #     | list |
| 10" x 24"                     | WS1024-16/4 | 562  |
| 10" x 36"                     | WS1036-16/4 | 594  |
| 10" x 48"                     | WS1048-16/4 | 635  |
| 10" x 60"                     | WS1060-16/4 | 737  |



| 16 GAUGE - TYPE 430 STAINLESS |             |      | 16 GAUGE - TYPE 300 STAINLESS |             |      |
|-------------------------------|-------------|------|-------------------------------|-------------|------|
| w x l                         | model #     | list | w x l                         | model #     | list |
| 12" x 24"                     | WS1224-16/4 | 578  | 12" x 24"                     | WS1224-16/3 | 674  |
| 12" x 36"                     | WS1236-16/4 | 659  | 12" x 36"                     | WS1236-16/3 | 761  |
| 12" x 48"                     | WS1248-16/4 | 745  | 12" x 48"                     | WS1248-16/3 | 762  |
| 12" x 60"                     | WS1260-16/4 | 822  | 12" x 48"                     | WS1260-16/3 | 889  |
| 12" x 72"                     | WS1272-16/4 | 877  | 12" x 72"                     | WS1272-16/3 | 1011 |

## Microwave Shelves

- Heavy gauge type 430 stainless steel.
- Front marine counter edge.



| w x l     | model # | list |
|-----------|---------|------|
| 18" x 24" | MWS1824 | 958  |
| 24" x 24" | MWS2424 | 1100 |

## Shelf with Removable Hooks

- 16 gauge type 430 shelf, type 304 rack.
- 1½" roll on front, 1½" upturn on rear/ends.



| w x l     | model # | list |
|-----------|---------|------|
| 12" x 48" | WSP1248 | 1829 |
| 12" x 60" | WSP1260 | 1914 |
| 12" x 72" | WSP1272 | 1985 |

## Tab-Lock Shelves



- 16 gauge type 430 stainless steel.
- Tab lock for easy assembly.
- 1½" roll on front and 1½" upturn on rear and ends.

| w x l     | model #  | list | w x l     | model #  | list |
|-----------|----------|------|-----------|----------|------|
| 10" x 24" | WS1024TL | 412  | 12" x 24" | WS1224TL | 439  |
| 10" x 36" | WS1036TL | 438  | 12" x 36" | WS1236TL | 475  |
| 10" x 48" | WS1048TL | 498  | 12" x 48" | WS1248TL | 533  |
| 10" x 60" | WS1060TL | 565  | 12" x 60" | WS1260TL | 594  |

## Eagle Hand Sinks

Eagle hand sinks are the most specified in the industry. A variety of models are offered, including basic units, units with towel dispensers and all-electronic units. All models are wall mounted. Many available with MICROGARD® antimicrobial protection, see below.

### MICROGARD® Antimicrobial Protection

An antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface of bowl that cause stains, odors and degradation. MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may. Available only on the sink bowl. An\* indicates units applicable.

#### HOW TO ORDER MICROGARD® ON HAND SINKS:

Add suffix "-MG" to model number (example: HSA-10-FE-B-MG) and \$254 to list price of hand sink.

### Basic Units (NSF)

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

**3VP**

| description                                              | model #           | list | Qty List<br>3 or more |
|----------------------------------------------------------|-------------------|------|-----------------------|
| 4" centerline faucet holes, w/basket drain               | <b>HSA-10*</b>    | 792  | 753                   |
| with faucet and basket drain                             | <b>HSA-10-F*</b>  | 896  | 855                   |
| with faucet, P-trap and tailpiece                        | <b>HSA-10-FA</b>  | 1300 | 1236                  |
| faucet w/wrist handles, p-trap, tail piece, basket drain | <b>HSA-10-FAW</b> | 1735 | 1657                  |

| description                                            | model #             | list |
|--------------------------------------------------------|---------------------|------|
| with faucet w/wrist handles and basket drain           | <b>HSA-10-FW*</b>   | 1007 |
| 12" from side to side, w/faucet and basket drain       | <b>HSAN-10-F*</b>   | 1432 |
| economy model, w/faucet, wall brackets                 | <b>HSAE-10-FA*</b>  | 965  |
| with faucet and polymer lever drain                    | <b>HSA-10-FL</b>    | 1203 |
| with faucet, polymer lever drain w/overflow            | <b>HSA-10-FO</b>    | 1463 |
| with faucet, basket drain, tubular wall brackets       | <b>HSA-10-FTWS*</b> | 1899 |
| with faucet, basket drain, left and right end splashes | <b>HSA-10-F-LRS</b> | 1757 |

\*Sink bowl available with optional MICROGARD® antimicrobial protection.



**HSA-10-F**  
splash mount faucet  
with basket drain



**HSAE-10-FA**  
economy model with deck  
mount faucet and wall  
brackets



**HSA-10-F-LRS**  
splash mount faucet  
with basket drain and left and  
right end splashes



**HSA-10-FTWS**  
splash mount faucet  
with basket drain and tubular  
wall brackets



**HSA-10-FW**  
splash mount faucet with  
wrist handles and basket  
drain

### Electronic Hand Sinks - AC Power (NSF)

| description                                                | model #             | list |
|------------------------------------------------------------|---------------------|------|
| w/electric eye on basic sink                               | <b>HSA-10-FE*</b>   | 3649 |
| w/electric eye on sink, towel & soap dispenser             | <b>HSA-10-FDPE*</b> | 4860 |
| w/electric eye on sink, and polymer lever drain w/overflow | <b>HSA-10-FOE</b>   | 4715 |

\* Sink bowl available with optional MICROGARD® antimicrobial protection.



**HSA-10-FE**  
basic sink with  
electronic eye faucet



**HSA-10-FDPE**  
electronic eye faucet with  
towel & soap dispenser



**HSA-10-FE-B**



**HSAN-10-FE-B-DS**

**Only 12" side-to-side  
for maximum space  
efficiency.**

### Electronic Hand Sinks - Battery Power (NSF)

| description                                                                            | model #                | list |
|----------------------------------------------------------------------------------------|------------------------|------|
| w/battery powered electric eye on basic sink                                           | <b>HSA-10-FE-B*</b>    | 4373 |
| w/battery powered electric eye, deck mount soap dispenser and basket drain             | <b>HSA-10-FE-B-DS*</b> | 5563 |
| narrow bowl w/battery powered electric eye, deck mount soap dispenser and basket drain | <b>HSAN-10-FE-B-DS</b> | 6233 |
| w/battery powered electric eye on sink, towel & soap dispenser                         | <b>HSA-10-FDPE-B*</b>  | 5587 |

\* Sink bowl available with MICROGARD® antimicrobial protection.



## Hand Sinks with Knee or Foot Valve

| description                                                             | model #             | list |
|-------------------------------------------------------------------------|---------------------|------|
| *w/spout, knee pedals, skirt and basket drain                           | <b>HSA-10-FK</b>    | 2724 |
| *w/spout, single knee pedal, skirt and basket drain                     | <b>HSA-10-1FK</b>   | 2724 |
| *w/spout, foot pedal valves, P-trap, tail piece and basket drain        | <b>HSA-10-FA-P</b>  | 2777 |
| *w/spout, single foot pedal valves, P-trap, tail piece and basket drain | <b>HSA-10-FA-1P</b> | 2777 |

\*Sink bowl available with optional MICROGARD® antimicrobial protection.



**PATENT  
PROTECTED**

HSA-10-FDP-T

HSA-10-FWLP-LRS

HSA-10-FLDP

EAGLE HAND SINKS MEET ALL THE  
LATEST HEALTH CODE REQUIREMENTS!

## Hand Sinks with Towel Dispenser

| description                                                                                                                                                                                      | model #                | list |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| *w/towel dispenser and soap dispenser                                                                                                                                                            | <b>HSA-10-FDP</b>      | 2506 |
| *w/towel dispenser, soap dispenser, waste skirt & receptacle                                                                                                                                     | <b>HSA-10-FDP-T</b>    | 3374 |
| w/towel dispenser, soap dispenser, and lever drain<br>includes faucet with wrist handles, towel and soap<br>dispenser, factory installed side splashes, lever drain,<br>P-trap, and basket drain | <b>HSA-10-FLDP</b>     | 2682 |
|                                                                                                                                                                                                  | <b>HSA-10-FWLP-LRS</b> | 4172 |

\*Sink bowl available with optional MICROGARD® antimicrobial protection.



HSA-10-FK



HSA-10-1FK

## Physically Challenged Hand Sinks

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

**3VP**

ADA compliant hand sinks  
for maximum accessibility.

| description                                                                                                       | model #                 | list  | Qty List<br>3 or more |
|-------------------------------------------------------------------------------------------------------------------|-------------------------|-------|-----------------------|
| w/deck mounted gooseneck faucet w/wrist handles,<br>basket drain, and wall brackets                               | <b>HSAP-14-FW</b>       | 3615  | 3435                  |
| w/6-volt electronic-eye faucet, soap dispenser, basket<br>drain, skirt assembly, and paper towel dispenser        | <b>HSAP-14-ADA-FE-B</b> | 10027 | N/A                   |
| splash mount faucet w/wrist handles, mixer valve, C-fold<br>towel dispenser, deck-mount soap dispenser, and skirt | <b>HSAP-14-ADA-FW</b>   | 8146  | 7698                  |



HSAP-14-FW

## Standard Faucets

With 4" center, except #313075.



splash  
mounted



deck  
mounted



deck mounted  
with 8" spout



drinking  
bubbler

| description                                        | model #       | list |
|----------------------------------------------------|---------------|------|
| splash mounted, gooseneck spout                    | <b>303987</b> | 352  |
| wrist handles                                      | <b>307120</b> | 219  |
| splash mounted with wrist handles, gooseneck spout | <b>306495</b> | 724  |
| deck mounted, gooseneck spout, 1/4-turn handles    | <b>302004</b> | 385  |
| deck mounted, 8" spout, 1/4-turn handles           | <b>301248</b> | 347  |
| drinking bubbler                                   | <b>318495</b> | 1221 |
| splash mounted, gooseneck spout, 8" center         | <b>313075</b> | 341  |

## Soap Dispensers

| description                   | model #       | list |
|-------------------------------|---------------|------|
| conventional                  | <b>300602</b> | 68   |
| wall mounted w/electronic eye | <b>377456</b> | 550  |
| deck mount (16oz)             | <b>324074</b> | 254  |



300602



377456

## Towel Dispensers

| description                                     | model #       | list |
|-------------------------------------------------|---------------|------|
| wall mounted, C-fold towels                     | <b>318496</b> | 602  |
| wall mounted w/conventional<br>soap dispenser   | <b>DP-10*</b> | 1722 |
| wall mounted w/electronic eye<br>soap dispenser | <b>DP-20*</b> | 3577 |



DP-20

\*Fits all HSA hand sinks except Space Saver models.

## Drains

| description                                         | maximum flow rate     |                     | model #       | list |
|-----------------------------------------------------|-----------------------|---------------------|---------------|------|
|                                                     | gallons<br>per minute | gallons<br>per hour |               |      |
| polymer lever drain fits<br>3 1/2" diameter holes   | 11                    | 660                 | <b>319931</b> | 166  |
| overflow assembly for<br>lever drain #319931(above) | -                     | -                   | <b>319932</b> | 78   |



## Side Splash

Self-adhesive splash can be used for right  
or left application. (For field installation.)

| description                              | model #        | list |
|------------------------------------------|----------------|------|
| 6 1/2" high stainless steel splash (1ea) | <b>HSA-SSK</b> | 295  |



## Seamless Welded-In Sinks

- Deep-drawn seamless construction.
- Large radius bowl construction.
- Type 304 stainless steel all-welded construction.

**3VP**
**Buy 3 of the Same Model –Get 3VP Special Qty Pricing!**

| w x l     | # of bowls | model #         | list | Qty List 3 or more |
|-----------|------------|-----------------|------|--------------------|
| 16" x 12" | 1          | FDI-10-14-5-1   | 691  | 657                |
| 16" x 12" | 1          | FDI-10-14-9.5-1 | 767  | 744                |
| 16" x 24" | 2          | FDI-10-14-9.5-2 | 1473 | 1430               |
| 16" x 36" | 3          | FDI-10-14-9.5-3 | 2197 | 2132               |

## Hand Sinks with Factory-Installed Side Splashes

| description                                                                                                     | model #         | list |
|-----------------------------------------------------------------------------------------------------------------|-----------------|------|
| faucet, basket drain and side splashes<br>12" from side to side, with faucet, basket<br>drain and side splashes | HSA-10-F-LRS    | 1757 |
| w/faucet, basket drain, tubular wall brackets<br>and side splashes                                              | HSA-10-FTWS-LRS | 2159 |
| w/battery powered electric eye on sink,<br>towel & soap dispenser and side splashes                             | HSA-10-FDPE-LRS | 5169 |



HSA-10-FDPE-LRS



FDI-10-14-9.5-2



HSA-10-FTWS-LRS

## Deep-Drawn Countertop Drop-In Sinks

**Buy 3 of the Same Model –Get 3VP Special Qty Pricing!**

| description                                                 | # of bowls | bowl depth | model #       | list | Qty List 3 or more |
|-------------------------------------------------------------|------------|------------|---------------|------|--------------------|
| w/gooseneck faucet and basket drain, 12 3/4" overall length | 1          | 5"         | SR10-14-5-1   | 802  | 786                |
| w/gooseneck faucet and basket drain, 12 3/4" overall length | 1          | 9 1/2"     | SR10-14-9.5-1 | 1066 | 1046               |
| w/gooseneck faucet and basket drain, 16 1/2" overall length | 1          | 5"         | SR14-10-5-1   | 1048 | 1028               |
| w/gooseneck faucet and basket drain, 16 1/2" overall length | 1          | 9 1/2"     | SR14-10-9.5-1 | 1498 | 1469               |
| w/faucet and basket drain, 24 1/2" overall length           | 2          | 9 1/2"     | SR10-14-9.5-2 | 2427 | 2330               |
| w/12" spout and basket drains, 36 1/2" overall length       | 3          | 9 1/2"     | SR10-14-9.5-3 | 3021 | 2962               |



SR10-14-5-1

## Replacement Faucets for Drop-Ins

| description                                 | model # | list |
|---------------------------------------------|---------|------|
| Deck Mounted, w/gooseneck, for Single Bowls | 302004  | 385  |
| Deck Mounted, w/8" spout, for Single Bowls  | 301248  | 347  |
| Deck Mounted, w/12" spout, for Triple Bowls | 300490  | 368  |

## Bottom Mount Kit

One kit per one-compartment sinks,  
three kits required for three-compartment sink.

| description     | model # | list |
|-----------------|---------|------|
| 8 clips per kit | 362188  | 56   |

## Floor Troughs and Drains

- 14 gauge type 304 stainless steel construction.
- Built-in pitch towards waste designed for assurance of complete drainage.
- Troughs and drains feature coved corners and accommodate up to 4" diameter waste pipe.

### Floor Troughs

| w x l     | With Yellow Fiberglass<br>Subway-Style Grating |      | With Stainless Steel<br>Subway-Style Grating |       |
|-----------|------------------------------------------------|------|----------------------------------------------|-------|
|           | model #                                        | list | model #                                      | list  |
| 12" x 24" | FT-1224-FG                                     | 4079 | FT-1224-SG                                   | 5271  |
| 12" x 36" | FT-1236-FG                                     | 5144 | FT-1236-SG                                   | 6392  |
| 15" x 36" | FT-1536-FG                                     | 5188 | FT-1536-SG                                   | 7441  |
| 15" x 48" | FT-1548-FG                                     | 5973 | FT-1548-SG                                   | 9056  |
| 18" x 24" | FT-1824-FG                                     | 4899 | FT-1824-SG                                   | 6764  |
| 18" x 36" | FT-1836-FG                                     | 5796 | FT-1836-SG                                   | 7518  |
| 24" x 36" | FT-2436-FG                                     | 6372 | FT-2436-SG                                   | 9722  |
| 24" x 48" | FT-2448-FG                                     | 7482 | FT-2448-SG                                   | 11258 |

### Floor Drains

Waste cup can be inverted to double as a bee hive strainer.

| w x l     | With Yellow Fiberglass<br>Subway-Style Grating |      | With Stainless Steel<br>Subway-Style Grating |      |
|-----------|------------------------------------------------|------|----------------------------------------------|------|
|           | model #                                        | list | model #                                      | list |
| 12" x 12" | FD-FG                                          | 3028 | FD-SG                                        | 4031 |

Note: Floor opening = 11 1/2" x 11 1/2"

#FD-SG  
floor drain

## Anti-Splash Floor Troughs

Patented (#D519,618 S)  
"anti-splash" design assures  
complete drainage while  
preventing waste from  
splashing back onto floor.



floor trough with fiberglass grating

| w x l     | With Yellow Fiberglass<br>Subway-Style Grating |      | With Stainless Steel<br>Subway-Style Grating |       |
|-----------|------------------------------------------------|------|----------------------------------------------|-------|
|           | model #                                        | list | model #                                      | list  |
| 12" x 24" | ASFT-1224-FG                                   | 4580 | ASFT-1224-SG                                 | 5884  |
| 15" x 24" | ASFT-1524-FG                                   | 5129 | ASFT-1524-SG                                 | 6243  |
| 18" x 24" | ASFT-1824-FG                                   | 5020 | ASFT-1824-SG                                 | 6568  |
| 24" x 36" | ASFT-2436-FG                                   | 7163 | ASFT-2436-SG                                 | 10379 |
| 24" x 48" | ASFT-2448-FG                                   | 8409 | ASFT-2448-SG                                 | 12136 |

## 314 Series NSF

### Coved Corner Sinks

- Heavy gauge type 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless coved corner bowls, 14" bowl depth.
- Legs crossbraced front-to-back.
- 9½" backsplash.

**ALL 304 stainless steel!**

**All 14" deep — Meets all health codes.**

### Upgrade Sink Packages

For 412, 414 and 314 Sinks. Easy-To-Add Kits for legs, faucets and drains.

#### Kit A

Includes stainless steel crossbraced legs, gussets, feet, and faucet (313293).

To order: Add suffix **-CLF** to sink model #.

Add to list price for sinks:

1 faucet..... 2602  
2 faucets..... 3900

#### Kit B

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain.

To order: Add suffix **-CLFD** to sink model #.

Add to list price for sinks:

1 faucet..... 2602  
2 faucets..... 3900  
Per lever drain..... 506

#### Kit C

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain with overflow.

To order: Add suffix **-CLFDO** to sink model #.

Add to list price for sinks:

1 faucet..... 2602  
2 faucets..... 3900  
Per lever drain w/overflow..... 1030

### Stainless Steel Legs

Optional stainless steel legs with front-to-back crossbracing available. To order, add \$756 to list price and suffix **-SL** to model number.

Example: 414-16-1-SL

### Buy 3 of the Same Model —Get 3VP Special Qty Pricing!

| # of bowls | bowl size w x l | # of drbds | overall length | model #      | list | Qty List 3 or more |
|------------|-----------------|------------|----------------|--------------|------|--------------------|
| 1          | 20" x 16"       | 0          | 23.25"         | 314-16-1     | 2695 | 2614               |
| 1          | 20" x 16"       | 1          | 38.875"        | 314-16-1-18R | 3978 | 3779               |
| 1          | 20" x 16"       | 1          | 38.875"        | 314-16-1-18L | 3978 | 3779               |
| 1          | 20" x 16"       | 2          | 54.5"          | 314-16-1-18  | 4810 | 4569               |
| 2          | 20" x 16"       | 0          | 41.0"          | 314-16-2     | 4384 | 4165               |
| 2          | 20" x 16"       | 1          | 56.625"        | 314-16-2-18R | 5117 | 4964               |
| 2          | 20" x 16"       | 1          | 56.625"        | 314-16-2-18L | 5117 | 4964               |
| 2          | 20" x 16"       | 2          | 72.25"         | 314-16-2-18  | 5378 | 5216               |
| 3          | 20" x 16"       | 0          | 58.75"         | 314-16-3     | 5378 | 5216               |
| 3          | 20" x 16"       | 1          | 74.375"        | 314-16-3-18R | 6586 | 6346               |
| 3          | 20" x 16"       | 1          | 74.375"        | 314-16-3-18L | 6586 | 6346               |
| 3          | 20" x 16"       | 2          | 90.0"          | 314-16-3-18  | 6725 | 6657               |

## One-Compartment Sinks

Includes one set of faucet holes.

| bowl size w x l | # of drbds | overall length | model #      | list |
|-----------------|------------|----------------|--------------|------|
| 20" x 16"       | 2          | 54.5"          | 314-16-1-18  | 4810 |
| 24" x 18"       | 0          | 25.5"          | 314-18-1     | 2971 |
| 24" x 18"       | 1          | 40.75"         | 314-18-1-18R | 4096 |
| 24" x 18"       | 1          | 40.75"         | 314-18-1-18L | 4096 |
| 24" x 24"       | 0          | 31.5"          | 314-24-1     | 3373 |

## Two-Compartment Sinks

Includes one set of faucet holes.

| bowl size w x l | # of drbds | overall length | model #      | list |
|-----------------|------------|----------------|--------------|------|
| 24" x 18"       | 0          | 45.5"          | 314-18-2     | 5273 |
| 24" x 18"       | 1          | 60.75"         | 314-18-2-18R | 5735 |
| 24" x 18"       | 1          | 60.75"         | 314-18-2-18L | 5735 |
| 24" x 18"       | 2          | 76.0"          | 314-18-2-18  | 6016 |
| 24" x 24"       | 1          | 78.75"         | 314-24-2-24R | 6370 |
| 24" x 24"       | 1          | 78.75"         | 314-24-2-24L | 6370 |
| 24" x 24"       | 2          | 100.0"         | 314-24-2-24  | 6655 |

## Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

| bowl size w x l | # of drbds | overall length | model #       | list  |
|-----------------|------------|----------------|---------------|-------|
| 20" x 16"       | 2          | 102.0"         | 314-16-3-24   | 7530  |
| 24" x 18"       | 0          | 65.5"          | 314-18-3*     | 6722  |
| 24" x 18"       | 1          | 80.75"         | 314-18-3-18R* | 7331  |
| 24" x 18"       | 1          | 80.75"         | 314-18-3-18L* | 7331  |
| 24" x 18"       | 2          | 96.0"          | 314-18-3-18*  | 7808  |
| 24" x 18"       | 1          | 86.75"         | 314-18-3-24R* | 7473  |
| 24" x 18"       | 1          | 86.75"         | 314-18-3-24L* | 7473  |
| 24" x 18"       | 2          | 108.0"         | 314-18-3-24*  | 8797  |
| 24" x 24"       | 0          | 83.5"          | 314-24-3*     | 9328  |
| 24" x 24"       | 1          | 104.75"        | 314-24-3-24R* | 10566 |
| 24" x 24"       | 1          | 104.75"        | 314-24-3-24L* | 10566 |
| 24" x 24"       | 2          | 126.0"         | 314-24-3-24*  | 10941 |

\* Includes two sets of faucet holes.

## Four-Compartment Sink

Includes two sets of faucet holes.

| bowl size w x l | # of drbds | overall length | model #     | list  |
|-----------------|------------|----------------|-------------|-------|
| 20" x 16"       | 2          | 107.75"        | 314-16-4-18 | 10586 |

**3VP**



314-16-1



## One-Compartment Sinks

Includes one set of faucet holes.

| bowl size | # of  | overall |                     |      |
|-----------|-------|---------|---------------------|------|
| w x l     | drbds | length  | model #             | list |
| 20" x 16" | 0     | 23.25"  | <b>414-16-1</b>     | 2425 |
| 20" x 16" | 1     | 38.875" | <b>414-16-1-18R</b> | 3593 |
| 20" x 16" | 1     | 38.875" | <b>414-16-1-18L</b> | 3593 |
| 20" x 16" | 2     | 54.5"   | <b>414-16-1-18</b>  | 4260 |
| 24" x 18" | 0     | 25.5"   | <b>414-18-1</b>     | 2670 |
| 24" x 18" | 1     | 40.75"  | <b>414-18-1-18R</b> | 3628 |
| 24" x 18" | 1     | 40.75"  | <b>414-18-1-18L</b> | 3628 |
| 24" x 24" | 0     | 31.5"   | <b>414-24-1</b>     | 3034 |

## Two-Compartment Sinks

Includes one set of faucet holes.

| bowl size | # of  | overall |                     |      |
|-----------|-------|---------|---------------------|------|
| w x l     | drbds | length  | model #             | list |
| 20" x 16" | 0     | 41.0"   | <b>414-16-2</b>     | 3931 |
| 20" x 16" | 1     | 56.625" | <b>414-16-2-18R</b> | 4588 |
| 20" x 16" | 1     | 56.625" | <b>414-16-2-18L</b> | 4588 |
| 20" x 16" | 2     | 72.25"  | <b>414-16-2-18</b>  | 4836 |
| 20" x 16" | 2     | 84.25"  | <b>414-16-2-24</b>  | 5396 |
| 24" x 18" | 0     | 45.5"   | <b>414-18-2</b>     | 4739 |
| 24" x 18" | 1     | 60.75"  | <b>414-18-2-18R</b> | 5144 |
| 24" x 18" | 1     | 60.75"  | <b>414-18-2-18L</b> | 5144 |
| 24" x 18" | 2     | 76.0"   | <b>414-18-2-18</b>  | 5403 |
| 24" x 24" | 1     | 78.75"  | <b>414-24-2-24R</b> | 5730 |
| 24" x 24" | 1     | 78.75"  | <b>414-24-2-24L</b> | 5730 |
| 24" x 24" | 2     | 100.0"  | <b>414-24-2-24</b>  | 6295 |

## Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

| bowl size | # of  | overall |                      |      |
|-----------|-------|---------|----------------------|------|
| w x l     | drbds | length  | model #              | list |
| 20" x 16" | 0     | 58.75"  | <b>414-16-3</b>      | 4841 |
| 20" x 16" | 1     | 74.375" | <b>414-16-3-18R</b>  | 5915 |
| 20" x 16" | 1     | 74.375" | <b>414-16-3-18L</b>  | 5915 |
| 20" x 16" | 2     | 90.0"   | <b>414-16-3-18</b>   | 6049 |
| 20" x 16" | 2     | 102.0"  | <b>414-16-3-24</b>   | 6770 |
| 24" x 18" | 0     | 65.5"   | <b>414-18-3*</b>     | 6045 |
| 24" x 18" | 1     | 80.75"  | <b>414-18-3-18R*</b> | 6586 |
| 24" x 18" | 1     | 80.75"  | <b>414-18-3-18L*</b> | 6586 |
| 24" x 18" | 2     | 96.0"   | <b>414-18-3-18*</b>  | 7013 |
| 24" x 18" | 1     | 86.75"  | <b>414-18-3-24R*</b> | 6717 |
| 24" x 18" | 1     | 86.75"  | <b>414-18-3-24L*</b> | 6717 |
| 24" x 18" | 2     | 108.0"  | <b>414-18-3-24*</b>  | 7902 |
| 24" x 24" | 0     | 83.5"   | <b>414-24-3*</b>     | 8380 |
| 24" x 24" | 1     | 98.75"  | <b>414-24-3-18R*</b> | 8578 |
| 24" x 24" | 1     | 98.75"  | <b>414-24-3-18L*</b> | 8578 |
| 24" x 24" | 1     | 104.75" | <b>414-24-3-24R*</b> | 9025 |
| 24" x 24" | 1     | 104.75" | <b>414-24-3-24L*</b> | 9025 |
| 24" x 24" | 2     | 114.0"  | <b>414-24-3-18*</b>  | 9500 |
| 24" x 24" | 2     | 126.0"  | <b>414-24-3-24*</b>  | 9830 |

\* Includes two sets of faucet holes.

## Four-Compartment Sink

Includes two sets of faucet holes.

| bowl size | # of  | overall |                    |      |
|-----------|-------|---------|--------------------|------|
| w x l     | drbds | length  | model #            | list |
| 20" x 16" | 2     | 107.75" | <b>414-16-4-18</b> | 9039 |

## 414 Series NSF

### Coved Corner Sinks

- Heavy gauge type 304 stainless steel bowls
- Type 430 drainboards and backsplash.
- Deep drawn seamless coved corner bowls.
- Legs crossbraced front-to-back.
- 9½" backsplash and 14" water level standard.

**All 14" deep —  
Meets ALL health codes depths!**



414-16-1-18



414-16-2-18



414-16-4-18

**SEE PAGE 14 FOR UPGRADE OPTIONS  
- Profit from the Eagle Advantage®**

### Optional Faucets

Splash mounted, with 8" center.



| description | STANDARD FAUCETS |      | T&S HEAVY DUTY FAUCETS |      |
|-------------|------------------|------|------------------------|------|
|             | model #          | list | model #                | list |
| 12" spout   | <b>300716</b>    | 341  | <b>313293</b>          | 1265 |
| 14" spout   | <b>300804</b>    | 347  | <b>313294</b>          | 1270 |

### Optional Lever Drains

| description                    | model #       | list |
|--------------------------------|---------------|------|
| with 1.5" or 2" NPS connection | <b>300720</b> | 487  |
| with 2" NPS connection         | <b>300721</b> | 487  |

## 412 Series Covered Corner Sinks

- 430 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless covered corner bowls.
- Legs crossbraced front to back.
- 9½" backsplash, 10½" water level.
- 1 set of faucet holes.



412-16-2-18



412-16-3-18L

See Page 15 for optional faucets and lever drains.

See Page 14 for additional options for Covered Corner Sinks.

## One-Compartment Sinks

| bowl size<br>w x l | # and size<br>of drainbds | overall<br>length | model #             | list |
|--------------------|---------------------------|-------------------|---------------------|------|
| 20" x 16"          | (0)                       | 23.25"            | <b>412-16-1</b>     | 2359 |
| 20" x 16"          | (1) 18", R                | 38.875"           | <b>412-16-1-18R</b> | 3430 |
| 20" x 16"          | (1) 18", L                | 38.875"           | <b>412-16-1-18L</b> | 3430 |
| 20" x 16"          | (2) 18"                   | 54.5"             | <b>412-16-1-18</b>  | 4079 |
| 20" x 16"          | (1) 24", R                | 44.875"           | <b>412-16-1-24R</b> | 3615 |
| 20" x 16"          | (1) 24", L                | 44.875"           | <b>412-16-1-24L</b> | 3615 |
| 20" x 16"          | (2) 24"                   | 66.5"             | <b>412-16-1-24</b>  | 4206 |

## Two-Compartment Sinks

| bowl size<br>w x l | # and size<br>of drainbds | overall<br>length | model #             | list |
|--------------------|---------------------------|-------------------|---------------------|------|
| 20" x 16"          | (0)                       | 41.0"             | <b>412-16-2</b>     | 3337 |
| 20" x 16"          | (1) 18", R                | 56.625"           | <b>412-16-2-18R</b> | 4032 |
| 20" x 16"          | (1) 18", L                | 56.625"           | <b>412-16-2-18L</b> | 4032 |
| 20" x 16"          | (2) 18"                   | 72.25"            | <b>412-16-2-18</b>  | 4754 |
| 20" x 16"          | (1) 24", R                | 62.875"           | <b>412-16-2-24R</b> | 4100 |
| 20" x 16"          | (1) 24", L                | 62.875"           | <b>412-16-2-24L</b> | 4100 |
| 20" x 16"          | (2) 24"                   | 84.25"            | <b>412-16-2-24</b>  | 5078 |

## Three-Compartment Sinks

| bowl size<br>w x l | # and size<br>of drainbds | overall<br>length | model #             | list |
|--------------------|---------------------------|-------------------|---------------------|------|
| 20" x 16"          | (0)                       | 58.75"            | <b>412-16-3</b>     | 4203 |
| 20" x 16"          | (1) 18", R                | 74.375"           | <b>412-16-3-18R</b> | 5087 |
| 20" x 16"          | (1) 18", L                | 74.375"           | <b>412-16-3-18L</b> | 5087 |
| 20" x 16"          | (2) 18"                   | 90.0"             | <b>412-16-3-18</b>  | 5369 |
| 20" x 16"          | (1) 24", R                | 80.375"           | <b>412-16-3-24R</b> | 5149 |
| 20" x 16"          | (1) 24", L                | 80.375"           | <b>412-16-3-24L</b> | 5149 |
| 20" x 16"          | (2) 24"                   | 102.0"            | <b>412-16-3-24</b>  | 5495 |

## Convenience Store Sinks

- Constructed of all 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn covered corner bowls, crumb cup strainer.
- 36" working height, legs crossbraced front-to-back.
- 21¼" front to back.

### 310 Series

9½" water depth, 1 set of faucet holes.

| # of<br>bowls | bowl size<br>w x l | # and size<br>of drainbds | overall<br>length | model #            | list |
|---------------|--------------------|---------------------------|-------------------|--------------------|------|
| 3             | 14" x 10"          | (2) 12"                   | 60.0"             | <b>310-10-3-12</b> | 6233 |
| 3             | 14" x 10"          | (2) 18"                   | 72.0"             | <b>310-10-3-18</b> | 6385 |

### 312 Series

12" water depth, 1 set of faucet holes.

| # of<br>bowls | bowl size<br>w x l | # and size<br>of drainbds | overall<br>length | model #            | list |
|---------------|--------------------|---------------------------|-------------------|--------------------|------|
| 3             | 12" x 20"          | (2) 12"                   | 66.0"             | <b>312-12-3-12</b> | 6621 |
| 3             | 14" x 16"          | (2) 12"                   | 72.0"             | <b>312-14-3-12</b> | 7093 |



(faucet sold separately)



## Optional Faucet

| description | model #       | list |
|-------------|---------------|------|
| 10" spout   | <b>300489</b> | 490  |

## Fabricated Sinks (NSF)

- 20" x 20" or 28" x 20" bowls, 14" deep.
- 8" high backsplash with ¾" upturn and tile edge.
- 1½" faucet holes punched on 8" centers. One set of faucet holes on all sinks except where noted\*.
- Legs: 1½" -diameter stainless steel tubing with gussets and adjustable bullet feet.



S14-20-3-18-SL



S16-20-3-24

### S14 Series

Features include 20" x 20" sink bowls (except where noted\*), 14 gauge type 304 bowls, stainless steel legs and feet, with 18 gauge stainless steel front apron.

| # of bowls | # of drbds | drainboard length | overall length | model #                 | list |
|------------|------------|-------------------|----------------|-------------------------|------|
| 1          | 0          | n/a               | 29"            | <b>S14-20-1-SL</b>      | 3225 |
| 2          | 1          | 18"               | 67½"           | <b>S14-20-2-18R-SL</b>  | 5602 |
| 2          | 1          | 18"               | 67½"           | <b>S14-20-2-18L-SL</b>  | 5602 |
| 2          | 2          | 18"               | 81"            | <b>S14-20-2-18-SL</b>   | 5898 |
| 3          | 1          | 18"               | 89½"           | <b>S14-20-3-18R-SL</b>  | 7388 |
| 3          | 1          | 18"               | 89½"           | <b>S14-20-3-18L-SL</b>  | 7388 |
| 3          | 2          | 18"               | 103"           | <b>S14-20-3-18-SL</b>   | 7778 |
| 3          | 1          | 24"               | 95½"           | <b>S14-20-3-24R-SL</b>  | 7707 |
| 3          | 1          | 24"               | 95½"           | <b>S14-20-3-24L-SL</b>  | 7707 |
| 3          | 2          | 24"               | 115"           | <b>S14-20-3-24-SL</b>   | 8110 |
| 3          | 2          | 18"               | 103"           | <b>S14-28-3-18-SL *</b> | 9098 |

### S16 Series

Features include 20" x 20" sink bowls (except where noted\*), 16 gauge type 304 bowls, galvanized legs and plastic feet.

| # of bowls | # of drbds | drainboard length | overall length | model #              | list |
|------------|------------|-------------------|----------------|----------------------|------|
| 1          | 0          | n/a               | 29"            | <b>S16-20-1</b>      | 2840 |
| 2          | 1          | 18"               | 67½"           | <b>S16-20-2-18R</b>  | 4930 |
| 2          | 1          | 18"               | 67½"           | <b>S16-20-2-18L</b>  | 4930 |
| 2          | 2          | 18"               | 81"            | <b>S16-20-2-18</b>   | 5192 |
| 3          | 1          | 18"               | 89½"           | <b>S16-20-3-18R</b>  | 6499 |
| 3          | 1          | 18"               | 89½"           | <b>S16-20-3-18L</b>  | 6499 |
| 3          | 2          | 18"               | 103"           | <b>S16-20-3-18</b>   | 6841 |
| 3          | 1          | 24"               | 95½"           | <b>S16-20-3-24R</b>  | 6784 |
| 3          | 1          | 24"               | 95½"           | <b>S16-20-3-24L</b>  | 6784 |
| 3          | 2          | 24"               | 115"           | <b>S16-20-3-24</b>   | 7139 |
| 3          | 2          | 18"               | 103"           | <b>S16-28-3-18 *</b> | 6956 |

\* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28"-wide x 20"-long sink bowls and two sets of faucet holes.

## Utility Sinks

2448-2-16/4  
(faucet sold separately)

### Optional Detachable Drainboards

- Type 430 stainless steel.

| width | model #             | list |
|-------|---------------------|------|
| 18"   | <b>18x18 RRDEDB</b> | 557  |
| 21"   | <b>21x18 RRDEDB</b> | 557  |
| 21"   | <b>21x24 RRDEDB</b> | 563  |
| 24"   | <b>24x18 RRDEDB</b> | 563  |
| 24"   | <b>24x18 RRDEDB</b> | 563  |

### Optional Faucets

With 8" center.

| description | model #       | list |
|-------------|---------------|------|
| 12" spout   | <b>300716</b> | 341  |
| 14" spout   | <b>300804</b> | 347  |

**Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!**

**3VP**

### Type 304 stainless steel

| # of bowls | bowl size W x L | overall length | model #            | list |
|------------|-----------------|----------------|--------------------|------|
| 1          | 18" x 18"       | 19½"           | <b>1818-1-16/3</b> | 2102 |
| 1          | 21" x 18"       | 19½"           | <b>2118-1-16/3</b> | 2134 |
| 1          | 21" x 24"       | 25½"           | <b>2124-1-16/3</b> | 2260 |
| 1          | 24" x 24"       | 25½"           | <b>2424-1-16/3</b> | 2423 |
| 2          | 21" x 18"       | 37½"           | <b>2136-2-16/3</b> | 2785 |
| 2          | 24" x 24"       | 49½"           | <b>2448-2-16/3</b> | 3134 |
| 3          | 21" x 12"       | 37½"           | <b>2136-3-16/3</b> | 2955 |
| 3          | 21" x 16"       | 49½"           | <b>2148-3-16/3</b> | 3113 |
| 3          | 21" x 18"       | 55½"           | <b>2154-3-16/3</b> | 3170 |
| 3          | 24" x 24"       | 73½"           | <b>2472-3-16/3</b> | 4381 |

### Type 430 stainless steel

| # of bowls | W x L     | bowl size length | overall model #    | list | Qty List 3 or more |
|------------|-----------|------------------|--------------------|------|--------------------|
| 1          | 18" x 18" | 19½"             | <b>1818-1-16/4</b> | 1550 | 1504               |
| 1          | 18" x 24" | 25½"             | <b>1824-1-16/4</b> | 2059 | 1997               |
| 1          | 21" x 18" | 19½"             | <b>2118-1-16/4</b> | 1596 | 1548               |
| 1          | 21" x 24" | 25½"             | <b>2124-1-16/4</b> | 1642 | 1593               |
| 1          | 21" x 36" | 37½"             | <b>2136-1-16/4</b> | 2268 | 2200               |
| 1          | 24" x 24" | 25½"             | <b>2424-1-16/4</b> | 1799 | 1745               |
| 1          | 24" x 36" | 37½"             | <b>2436-1-16/4</b> | 2336 | 2266               |
| 2          | 18" x 18" | 37½"             | <b>1836-2-16/4</b> | 2758 | 2675               |
| 2          | 21" x 18" | 37½"             | <b>2136-2-16/4</b> | 2170 | 2106               |
| 2          | 24" x 24" | 49½"             | <b>2448-2-16/4</b> | 2557 | 2480               |
| 3          | 18" x 18" | 37½"             | <b>2136-3-16/4</b> | 2359 | N/A                |
| 3          | 21" x 16" | 49½"             | <b>2148-3-16/4</b> | 2527 | N/A                |
| 3          | 21" x 18" | 55½"             | <b>2154-3-16/4</b> | 2738 | N/A                |
| 3          | 24" x 24" | 73½"             | <b>2472-3-16/4</b> | 3744 | N/A                |



## Mop Sinks <sup>(NSF)</sup>

- Exclusive anti-splash double-offset "V" edge reduces spillage.
- All stainless steel construction.
- Floor mount for the ultimate in sanitation.
- Deep-drawn seamless bowl.



mop sink

| bowl size<br>w x l x d | overall size<br>w x l | model #         | list |
|------------------------|-----------------------|-----------------|------|
| 20" x 28" x 8"         | 25½" x 32½"           | <b>F2820</b>    | 3525 |
| 20" x 28" x 12"        | 25½" x 32½"           | <b>F2820-12</b> | 3917 |

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**



| bowl size<br>w x l x d | overall size<br>w x l | model #         | list | Qty List<br>3 or more |
|------------------------|-----------------------|-----------------|------|-----------------------|
| 16" x 20" x 8"         | 21½" x 24½"           | <b>F1916</b>    | 2811 | 2786                  |
| 16" x 20" x 12"        | 21½" x 24½"           | <b>F1916-12</b> | 3193 | 3165                  |




## Optional 16" Splash Kits for Mop Sinks

- 16 gauge type 304 stainless steel.
- 3" radius on front of end splashes.
- Kit comes with hardware for attaching to mop sink.

| description                     | fits "F1916" mop sinks |      | fits "F2820" mop sinks |      |
|---------------------------------|------------------------|------|------------------------|------|
|                                 | model #                | list | model #                | list |
| left and rear splash kit        | <b>503095</b>          | 1143 | <b>503098</b>          | 1211 |
| right and rear splash kit       | <b>503096</b>          | 1143 | <b>503099</b>          | 1211 |
| left, right and rear splash kit | <b>503097</b>          | 1802 | <b>503100</b>          | 1977 |

## Mop Sink Accessories

| description    | model #       | list |
|----------------|---------------|------|
| service faucet | <b>312690</b> | 1107 |
| hose & bracket | <b>312689</b> | 355  |
| mop holder     | <b>312688</b> | 382  |



## Mop Sink Storage Cabinets <sup>(NSF)</sup>

- Heavy gauge type 430 stainless steel.
- Overhead shelf.
- Double-pan stainless steel hinged doors.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- 16" x 20" x 8" mop sink holds two mops.



(mops shown not included)

## Single-Width Cabinet

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**



| W x L x H         | model #           | list  | Qty List<br>3 or more |
|-------------------|-------------------|-------|-----------------------|
| 22¼" x 25" x 84¼" | <b>F1916-VSCS</b> | 11455 | 11111                 |

## Double-Width Cabinets

| W x L x H          | mop sink on | model #              | list  |
|--------------------|-------------|----------------------|-------|
| 22¼" x 47½" x 84¼" | left        | <b>F1916-VSCS-DL</b> | 12430 |
| 22¼" x 47½" x 84¼" | right       | <b>F1916-VSCS-DR</b> | 12430 |

## Utility Shelf with Mop Hangers

- 16 gauge type 304 stainless steel

| w x l    | model #            | list |
|----------|--------------------|------|
| 8" x 24" | <b>US0824-16/3</b> | 1235 |
| 8" x 36" | <b>US0836-16/3</b> | 1416 |

## Corner Mop Sinks - Space Saving Design


Drop Front Edge Mop Sink  
3" dropped edge facilitates

**Space-Saving Design!**



Flush Front Edge Mop Sink

- Five-sided corner construction saves space.
- Available with drop-front edge or flush front edge.
- Heavy gauge type 304 stainless steel bowl and skirt
- Bowl is fully welded in skirt.
- Fabricated bowl is fully welded and polished.
- Bowl is creased to improve drainage and prevent pooling.
- 2" brass no-caulk shower drain with ½" stainless steel strainer.

From our Video Library – Watch Now!  
**CORNER MOP SINK**

| W x L x H       | Drop Front Edge     |      | Flush Front Edge    |      |
|-----------------|---------------------|------|---------------------|------|
|                 | model #             | list | model               | list |
| 21" x 21" x 8"  | <b>F2121-8-CDE</b>  | 4405 | <b>F2121-8-CNR</b>  | 4391 |
| 21" x 21" x 12" | <b>F2121-12-CDE</b> | 4665 | <b>F2121-12-CNR</b> | 4705 |
| 24" x 24" x 8"  | <b>F2424-8-CDE</b>  | 4524 | <b>F2424-8-CNR</b>  | 4535 |
| 24" x 24" x 12" | <b>F2424-12-CDE</b> | 4803 | <b>F2424-12-CNR</b> | 4881 |

## Portable Hand Sinks

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Overall dimensions: 24" wide, 26" length, and 44½" height.
- Deck mount faucet with 8" spout and 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.
- Available with laminated cabinet.



### ...with Stainless Steel Cabinet

Comes with 4" swivel casters (two with brake).

| description                               | with Cold Water only |       | with Hot & Cold Water |       |
|-------------------------------------------|----------------------|-------|-----------------------|-------|
|                                           | model #              | list  | model #               | list  |
| with single stainless 14" x 10" x 5" bowl | PHS-S-C              | 11000 | PHS-S-H               | 13582 |
| with 11½" x 6½" x 5" 3-compartment bowl   | PHS-S3-C             | 11358 | PHS-S3-H              | 14297 |

## Touch-Free Portable Hand Sinks

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Furnished with 14" x 10" x 5" deep stainless steel sink bowl.
- Deck mount electronic-eye faucet, splash-mount electronic soap dispenser, electronic paper towel dispenser, 6"-diameter trash chute.
- 115-volt pump



From our Video Library - Watch Now!  
**HANDS-FREE PORTABLE SINK**

| overall size     | sink size      | with Cold Water only |       | with Hot Water only |       |
|------------------|----------------|----------------------|-------|---------------------|-------|
|                  |                | model #              | list  | model #             | list  |
| 24" x 26" x 56½" | 14" x 10" x 5" | PHS-S-C-TF           | 12933 | PHS-S-H-TF          | 13428 |

## Clean Dishtables



- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20½" opening.
- Crossbraced legs.
- Fit most leading manufacturers' dishwashers.



clean dishtable

### ...with Galvanized Legs

|        |                 | 16/430 stainless steel |      | 16/304 stainless steel |      | 16/430 stainless steel |      | 16/304 stainless steel |      |
|--------|-----------------|------------------------|------|------------------------|------|------------------------|------|------------------------|------|
|        |                 | model #                | list | model #                | list | model #                | list | model #                | list |
| length | right-hand unit |                        |      |                        |      |                        |      |                        |      |
| 24"    | left            | CDTL-24-16/4           | 1428 | CDTL-24-16/3           | 1519 | CDTL-24-16/4-SL        | 1823 | CDTL-24-16/3-SL        | 1915 |
| 24"    | right           | CDTR-24-16/4           | 1428 | CDTR-24-16/3           | 1519 | CDTR-24-16/4-SL        | 1823 | CDTR-24-16/3-SL        | 1915 |
| 30"    | left            | CDTL-30-16/4           | 1640 | CDTL-30-16/3           | 1744 | CDTL-30-16/4-SL        | 2030 | CDTL-30-16/3-SL        | 2139 |
| 30"    | right           | CDTR-30-16/4           | 1640 | CDTR-30-16/3           | 1744 | CDTR-30-16/4-SL        | 2030 | CDTR-30-16/3-SL        | 2139 |
| 36"    | left            | CDTL-36-16/4           | 1672 | CDTL-36-16/3           | 1774 | CDTL-36-16/4-SL        | 2066 | CDTL-36-16/3-SL        | 2173 |
| 36"    | right           | CDTR-36-16/4           | 1672 | CDTR-36-16/3           | 1774 | CDTR-36-16/4-SL        | 2066 | CDTR-36-16/3-SL        | 2173 |
| 48"    | left            | CDTL-48-16/4           | 1840 | CDTL-48-16/3           | 1959 | CDTL-48-16/4-SL        | 2234 | CDTL-48-16/3-SL        | 2355 |
| 48"    | right           | CDTR-48-16/4           | 1840 | CDTR-48-16/3           | 1959 | CDTR-48-16/4-SL        | 2234 | CDTR-48-16/3-SL        | 2355 |
| 60"    | left            | CDTL-60-16/4           | 2567 | CDTL-60-16/3           | 2732 | CDTL-60-16/4-SL        | 2966 | CDTL-60-16/3-SL        | 3130 |
| 60"    | right           | CDTR-60-16/4           | 2567 | CDTR-60-16/3           | 2732 | CDTR-60-16/4-SL        | 2966 | CDTR-60-16/3-SL        | 3130 |
| 72"    | left            | CDTL-72-16/4           | 2777 | CDTL-72-16/3           | 2953 | CDTL-72-16/4-SL        | 3174 | CDTL-72-16/3-SL        | 3350 |
| 72"    | right           | CDTR-72-16/4           | 2777 | CDTR-72-16/3           | 2953 | CDTR-72-16/4-SL        | 3174 | CDTR-72-16/3-SL        | 3350 |
| 96"    | left            | CDTL-96-16/4           | 3113 | CDTL-96-16/3           | 3315 | CDTL-96-16/4-SL        | 3907 | CDTL-96-16/3-SL        | 4108 |
| 96"    | right           | CDTR-96-16/4           | 3113 | CDTR-96-16/3           | 3315 | CDTR-96-16/4-SL        | 3907 | CDTR-96-16/3-SL        | 4108 |

## Soiled Dishtables

- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20" x 20" x 5" sink with 1½" basket drain.
- Scrap block included on all SDT models except 36" (L & R) and 48" (R). Faucets extra.
- Fits most leading manufacturers' dishwashers.



## Stainless Steel Legs and Components

For clean dishtables on page 19 and soiled dishtables on this page.

| includes s/s legs and...                     | add *<br>suffix # | add to<br>list price |
|----------------------------------------------|-------------------|----------------------|
| s/s gussets, for units up to 72"             | -SLG              | 516                  |
| s/s gussets, for units 84" and longer        | -SLG              | 1030                 |
| s/s gussets & feet, for units up to 72"      | -SLGF             | 593                  |
| s/s gussets & feet, for units 84" and longer | -SLGF             | 1188                 |

\* Example: SDTL-36-16/3-SLG

### ...with Galvanized Legs

| length | left-hand or<br>right-hand unit | 16/430 stainless steel |      | 16/304 stainless steel |      |
|--------|---------------------------------|------------------------|------|------------------------|------|
|        |                                 | model #                | list | model #                | list |
| 36"    | left                            | SDTL-36-16/4           | 3229 | SDTL-36-16/3           | 3437 |
| 36"    | right                           | SDTR-36-16/4           | 3229 | SDTR-36-16/3           | 3437 |
| 48"    | left                            | SDTL-48-16/4 *         | 3353 | SDTL-48-16/3 *         | 3563 |
| 48"    | right                           | SDTR-48-16/4           | 3353 | SDTR-48-16/3           | 3563 |
| 60"    | left                            | SDTL-60-16/4 *         | 3577 | SDTL-60-16/3 *         | 3807 |
| 60"    | right                           | SDTR-60-16/4 *         | 3577 | SDTR-60-16/3 *         | 3807 |
| 72"    | left                            | SDTL-72-16/4 *         | 3813 | SDTL-72-16/3 *         | 4058 |
| 72"    | right                           | SDTR-72-16/4 *         | 3813 | SDTR-72-16/3 *         | 4058 |
| 96"    | left                            | SDTL-96-16/4 *         | 4497 | SDTL-96-16/3 *         | 4785 |
| 96"    | right                           | SDTR-96-16/4 *         | 4497 | SDTR-96-16/3 *         | 4785 |

### ...with Stainless Steel Legs

| length | left-hand or<br>right-hand unit | 16/430 stainless steel |      | 16/304 stainless steel |      |
|--------|---------------------------------|------------------------|------|------------------------|------|
|        |                                 | model #                | list | model #                | list |
| 36"    | left                            | SDTL-36-16/4-SL        | 3625 | SDTL-36-16/3-SL        | 3829 |
| 36"    | right                           | SDTR-36-16/4-SL        | 3625 | SDTR-36-16/3-SL        | 3829 |
| 48"    | left                            | SDTL-48-16/4-SL *      | 3746 | SDTL-48-16/3-SL *      | 3963 |
| 48"    | right                           | SDTR-48-16/4-SL        | 3746 | SDTR-48-16/3-SL        | 3963 |
| 60"    | left                            | SDTL-60-16/4-SL *      | 3971 | SDTL-60-16/3-SL *      | 4198 |
| 60"    | right                           | SDTR-60-16/4-SL *      | 3971 | SDTR-60-16/3-SL *      | 4198 |
| 72"    | left                            | SDTL-72-16/4-SL *      | 4206 | SDTL-72-16/3-SL *      | 4448 |
| 72"    | right                           | SDTR-72-16/4-SL *      | 4206 | SDTR-72-16/3-SL *      | 4448 |
| 96"    | left                            | SDTL-96-16/4-SL *      | 5289 | SDTL-96-16/3-SL *      | 5578 |
| 96"    | right                           | SDTR-96-16/4-SL *      | 5289 | SDTR-96-16/3-SL *      | 5578 |

\* Scrap block provided with these models. To order without scrap block, deduct \$97 off list price and add suffix "-NSB" to model number. Example: SDTL-72-16/3-NSB

## Undercounter Dishtables

- Sized to accept most undercounter dishwashers.
- Type 304 stainless steel.



| description | model #     | list |
|-------------|-------------|------|
| 48", left   | UDT-4L-16/3 | 4281 |
| 48", right  | UDT-4R-16/3 | 4281 |
| 60", left   | UDT-5L-16/3 | 4644 |
| 60", right  | UDT-5R-16/3 | 4644 |

## Mobile Soak Sinks

- 14 gauge stainless steel.
- 8" deep sink bowl.



Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

**3VP**


|                 |         | Qty List<br>3 or more |      |
|-----------------|---------|-----------------------|------|
| w x l x h       | model # | list                  |      |
| 24" x 24" x 33" | MSS2020 | 6358                  | 6167 |
| 28" x 28" x 20" | MSS2424 | 6474                  | 6281 |

## Sinks with Removable Silver Chute

| w x l x h       | model #   | list |
|-----------------|-----------|------|
| 24" x 24" x 33" | MSS2020SC | 6974 |
| 28" x 28" x 20" | MSS2424SC | 7123 |

## Condensate Hoods NFPA-96

- 12" x 12" collar opening for exhaust connection.
- 20" height, 51" deep.
- 18 gauge type 304 stainless steel.
- Full perimeter gutter with drain tube.



| w x l     | model # | list |
|-----------|---------|------|
| 36" x 36" | HDC3636 | 4958 |
| 36" x 42" | HDC3642 | 5082 |
| 36" x 48" | HDC3648 | 5205 |
| 42" x 42" | HDC4242 | 5949 |
| 48" x 48" | HDC4848 | 7073 |
| 48" x 60" | HDC4860 | 7987 |

## Condensate Vents

- Fully welded, mounts to dishwasher.
- 18 gauge type 304 stainless steel.

| w x l x h      | model # | list |
|----------------|---------|------|
| 4" x 16" x 48" | DVS-48  | 2062 |
| 4" x 16" x 60" | DVS-60  | 2244 |
| 4" x 16" x 72" | DVS-72  | 2418 |



## Dishtable Package Special NSF

Dishtable package includes 48"-long 16 gauge type 304 stainless steel clean dishtable and 48"-long 16 gauge type 304 stainless steel soiled dishtable, rubber scrap block, prerinse faucet (model # 300718), prerinse basket and slide bar, and 42" KD tubular rack shelf. (Dishwasher not included.)

Best Buy!



left-to-right operation shown (#DTC-48LR-16/3)

**SPECIAL VALUE:**  
**\$9355 List!**

| description             | model #               |
|-------------------------|-----------------------|
| left-to-right operation | <b>DTC-48LR-16/3</b>  |
| right-to-left operation | <b>DTC-48RL-16/3*</b> |

\* DTC-48RL-16/3 does not come with scrap block.

## Optional Prerinse Units for Dishtables

Temperature adjustment for hot water with preset cold water adjustment for anti-scald protection.

### Standard Prerinse Components

| description                  | model #       | list |
|------------------------------|---------------|------|
| splash mounted spray unit    | <b>300719</b> | 2354 |
| deck mounted spray unit      | <b>300718</b> | 2344 |
| faucet add-on with 12" spout | <b>301189</b> | 623  |
| wall bracket                 | <b>301190</b> | 160  |

### T&S Extra Heavy Duty Prerinse Components

Top-of-the-line.

| description                               | model #       | list |
|-------------------------------------------|---------------|------|
| deck mounted spray unit with wall bracket | <b>313295</b> | 2900 |
| faucet add-on with 12" spout              | <b>313297</b> | 767  |

### Lever Drains

| description               | model #       | list |
|---------------------------|---------------|------|
| 1.5" or 2" NPS connection | <b>300720</b> | 487  |
| 2" NPS connection         | <b>300721</b> | 487  |

## Dishtable Accessories

### Tubular Rack Shelves

- Tubular, knock-down design.
- Wall mounted with brackets.



| length | model #       | list |
|--------|---------------|------|
| 21"    | <b>606296</b> | 1724 |
| 42"    | <b>606297</b> | 1921 |
| 63"    | <b>606298</b> | 2065 |
| 84"    | <b>606299</b> | 2183 |

### Solid Slanted Rack Shelves



- 16 gauge stainless steel.
- All models feature drip tube on the left or right.

| size      | dish rack capacity | WITH TUBE ON LEFT |      | WITH TUBE ON RIGHT |      |
|-----------|--------------------|-------------------|------|--------------------|------|
|           |                    | model #           | list | model #            | list |
| 21" x 21" | 1                  | <b>605380</b>     | 2238 | <b>606641</b>      | 2238 |
| 21" x 42" | 2                  | <b>605381</b>     | 2385 | <b>606642</b>      | 2385 |
| 21" x 63" | 3                  | <b>605382</b>     | 2572 | <b>606643</b>      | 2572 |
| 21" x 84" | 4                  | <b>606294</b>     | 2737 | <b>606644</b>      | 2737 |

### Dishtable Undershelves



- 24 1/8" wide.
- Provides extra space for rack storage and operation equipment.

**NOTE: Order one size smaller than dishtable.**

| length | galvanized    |      | 400 series    |      | 300 series    |      |
|--------|---------------|------|---------------|------|---------------|------|
|        | model #       | list | model #       | list | model #       | list |
| 24"    | <b>605371</b> | 1087 | <b>605374</b> | 1394 | <b>606479</b> | 1714 |
| 36"    | <b>605372</b> | 1320 | <b>605375</b> | 1550 | <b>606480</b> | 1914 |
| 48"    | <b>605373</b> | 1635 | <b>605376</b> | 1916 | <b>606481</b> | 2211 |

### Prerinse Basket with Slide Bar

- An all-in-one combination.
- Type 304 stainless steel construction.
- Prevents food waste from clogging sink drain.
- Fits standard 20" x 20" prerinse sink.



| basket depth | model #       | list |
|--------------|---------------|------|
| 3"           | <b>606434</b> | 1164 |
| 4"           | <b>383671</b> | 1182 |

## "B" Series Worktables <sup>NSF</sup>

- 16 gauge type 430 stainless steel top.
- Galvanized legs and adjustable undershelf.
- Exclusive patented uni-lok® design for superior strength.
- All worktables 60" and longer feature three hat channels.
- All tables prepunched including attachment bolts for installation of 20" x 20" drawer assemblies.

### ...with 4½" Backsplash

### ...with Flat Top

| w x l       | model # | list |
|-------------|---------|------|
| 24" x 24"   | T2424B  | 1044 |
| 24" x 30"   | T2430B  | 1075 |
| 24" x 36"   | T2436B  | 1089 |
| 24" x 48"   | T2448B  | 1155 |
| 24" x 60"   | T2460B  | 1264 |
| 24" x 72"   | T2472B  | 1368 |
| 24" x 84"   | T2484B  | 1500 |
| 24" x 96" * | T2496B  | 1957 |
| 30" x 24"   | T3024B  | 1057 |
| 30" x 30"   | T3030B  | 1089 |
| 30" x 36"   | T3036B  | 1096 |
| 30" x 84"   | T3084B  | 1760 |
| 30" x 96" * | T3096B  | 2019 |

\* NOTE: 96" tables feature 6 legs.

| w x l       | model #   | list |
|-------------|-----------|------|
| 24" x 24"   | T2424B-BS | 1184 |
| 24" x 30"   | T2430B-BS | 1253 |
| 24" x 36"   | T2436B-BS | 1292 |
| 24" x 48"   | T2448B-BS | 1444 |
| 24" x 60"   | T2460B-BS | 1564 |
| 24" x 72"   | T2472B-BS | 1706 |
| 24" x 84"   | T2484B-BS | 1928 |
| 24" x 96" * | T2496B-BS | 2207 |
| 30" x 30"   | T3030B-BS | 1320 |
| 30" x 36"   | T3036B-BS | 1361 |
| 30" x 48"   | T3048B-BS | 1523 |
| 30" x 60"   | T3060B-BS | 1699 |
| 30" x 72"   | T3072B-BS | 1882 |
| 30" x 84"   | T3084B-BS | 2209 |
| 30" x 96" * | T3096B-BS | 2405 |

\* NOTE: 96" tables feature 6 legs.



patented  
**uni-lok®**  
system  
(Patent #5,165,349)



ALL "B" SERIES WORKTABLES  
FEATURE ADJUSTABLE UNDERSHELF  
WITH WELDED GUSSET DESIGN!

"B" Series Worktables are available with a 1½" upturn at no extra charge, same sizes & prices as shown on this page). To specify, add prefix "U" to model number.

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

**3VP**

### ...with Flat Top

| w x l     | model # | list | Qty List<br>3 or more |
|-----------|---------|------|-----------------------|
| 30" x 48" | T3048B  | 1168 | 1133                  |
| 30" x 60" | T3060B  | 1287 | 1249                  |
| 30" x 72" | T3072B  | 1380 | 1339                  |

## Filler Tables <sup>NSF</sup>

- 16 gauge type 300 series stainless steel top.
- 1½" rear upturn.
- Standard flanged feet add stability.

| w x l     | model #    | list |
|-----------|------------|------|
| 24" x 15" | UT2415STEB | 1666 |
| 30" x 15" | UT3015STEB | 1802 |
| 24" x 18" | UT2418STEB | 1746 |
| 30" x 18" | UT3018STEB | 1896 |

NOTE: Filler Tables are not designed to stand alone or to hold heavy equipment loads.



## Demo Tables <sup>NSF</sup>

- Tabletop features marine counter edge.
- Standard undershelf.
- Mirror tilts and adjusts to desired position.

| table size | mirror size | model #  | list  |
|------------|-------------|----------|-------|
| 36" x 60"  | 24" x 49"   | DT3660SE | 14209 |
| 36" x 72"  | 24" x 61"   | DT3672SE | 16728 |



## Ceiling Mounted Pot Racks

- Made of ¾" x 2" flat bars bolted together.
- Furnished with chain hangers for suspension from ceiling.
- Includes two-prong hooks.



| length | ALUMINUM |      | STAINLESS STEEL |      |
|--------|----------|------|-----------------|------|
|        | model #  | list | model #         | list |
| 28"    | CM36APR  | 1448 | CM36PR          | 1847 |
| 40"    | CM48APR  | 1523 | CM48PR          | 1932 |
| 52"    | CM60APR  | 1587 | CM60PR          | 2062 |
| 64"    | CM72APR  | 1678 | CM72PR          | 2180 |
| 76"    | CM84APR  | 2078 | CM84PR          | 2654 |

## Table Casters <sup>NSF</sup>

- Swivel casters sold as sets.
- Tables 84" and shorter utilize set of four casters.
- Tables 96" and longer utilize set of six casters.



| description                             | wt. cap.<br>per caster | model # | list |
|-----------------------------------------|------------------------|---------|------|
| 4"-dia., set of 4 (2 swivel, 2 w/brake) | 115 lb.                | CA4-SB  | 828  |
| 4"-dia., set of 6 (3 swivel, 3 w/brake) | 115 lb.                | CA6-SB  | 1242 |
| 5"-dia., set of 4 (2 swivel, 2 w/brake) | 200 lb.                | CAH4-SB | 989  |
| 5"-dia., set of 6 (3 swivel, 3 w/brake) | 200 lb.                | CAH6-SB | 1478 |

**"SEB" Series Worktables** (NSF)

- 16 gauge 300 series stainless steel top with an adjustable undershelf and stainless steel legs.
- Exclusive patented uni-lok® design for superior strength.
- Worktables 60" and longer feature three hat channels.
- Tables prepunched including attachment bolts for installation of 20" x 20" drawer assemblies.

**...with Flat Top**

| w x l       | model #  | list |
|-------------|----------|------|
| 24" x 24"   | T2424SEB | 1750 |
| 24" x 30"   | T2430SEB | 1939 |
| 24" x 36"   | T2436SEB | 2198 |
| 24" x 48"   | T2448SEB | 2402 |
| 24" x 60"   | T2460SEB | 2609 |
| 24" x 72"   | T2472SEB | 2819 |
| 24" x 84"   | T2484SEB | 2936 |
| 24" x 96" * | T2496SEB | 4143 |
| 30" x 30"   | T3030SEB | 2104 |
| 30" x 36"   | T3036SEB | 2338 |
| 30" x 84"   | T3084SEB | 3219 |
| 30" x 96" * | T3096SEB | 4468 |

\* NOTE: 96" tables feature 6 legs.

**...with Flat Top**

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

**3VP**

| w x l     | model #  | list | Qty List<br>3 or more |
|-----------|----------|------|-----------------------|
| 30" x 48" | T3048SEB | 2583 | 1974                  |
| 30" x 60" | T3060SEB | 2840 | 2320                  |
| 30" x 72" | T3072SEB | 3085 | 2699                  |

**...with 4½" Backsplash**

| w x l       | model #     | list |
|-------------|-------------|------|
| 24" x 24"   | T2424SEB-BS | 2099 |
| 24" x 30"   | T2430SEB-BS | 2320 |
| 24" x 36"   | T2436SEB-BS | 2737 |
| 24" x 48"   | T2448SEB-BS | 2962 |
| 24" x 60"   | T2460SEB-BS | 3183 |
| 24" x 72"   | T2472SEB-BS | 3518 |
| 24" x 84"   | T2484SEB-BS | 3653 |
| 24" x 96" * | T2496SEB-BS | 4644 |
| 30" x 30"   | T3030SEB-BS | 2583 |
| 30" x 36"   | T3036SEB-BS | 2872 |
| 30" x 84"   | T3084SEB-BS | 3829 |
| 30" x 96" * | T3096SEB-BS | 4958 |

\* NOTE: 96" tables feature 6 legs.

Buy 3 of the Same Model –  
Get 3VP Special Qty Pricing!

| w x l     | model #     | list | Qty List<br>3 or more |
|-----------|-------------|------|-----------------------|
| 30" x 48" | T3048SEB-BS | 3123 | 2350                  |
| 30" x 60" | T3060SEB-BS | 3407 | 2647                  |
| 30" x 72" | T3072SEB-BS | 3664 | 3185                  |



#T3060SEB



#T3060SEB-BS  
**patented  
uni-lok®  
system**  
(Patent #5,165,349)

FOR ADDITIONAL ACCESSORIES,  
SEE PAGES 24 - 25.

**PATENT  
PENDING****Eagle Knockdown Welded Base Option**

— Available For Eagle Worktables with Stainless Steel Base

**Base Options**

- Marine edge stainless steel undershelf welded to lower leg sections..
- C-frame stainless steel tubular base.

**Legs**

- 16 gauge 1" diameter legs.
- Precision machined stainless steel threaded inserts pressed into leg sections for knockdown construction.



table with undershelf  
knocked down

**Easily  
assembles  
in minutes!**



table assembled

From our Video Library - Watch Now!  
**KNOCKDOWN WELDED BASE OPTION**

Add suffix: - **KDWB** to worktable model number and **\$599** to list price

**How Our Tables with Knockdown Welded Base Rate...**

|                 | Types of Construction: |                       |             |
|-----------------|------------------------|-----------------------|-------------|
|                 | Knockdown              | Knockdown Welded Base | Welded Base |
| Strength        | ★★★★★                  | ★★★★★                 | ★★★★★       |
| Stability       | ★★★★★                  | ★★★★★                 | ★★★★★       |
| Durability      | ★★★★★                  | ★★★★★                 | ★★★★★       |
| Shipping Costs  | ★★★★★                  | ★★★★★                 | ★★★★★       |
| Packaging Waste | ★★★★★                  | ★★★★★                 | ★★★★★       |
| Price           | ★★★★★                  | ★★★★★                 | ★★★★★       |

Knockdown welded base construction provides the best of both worlds: A rigid welded base for additional stability and durability, while knockdown construction reduces shipping volume and packaging waste.





#T3030SB

**patented  
uni-lok<sup>®</sup>  
system**

(Patent #5,165,349)

## “SB” Series Worktables <sup>NSF</sup>

- 16 gauge type 430 stainless steel top with an adjustable undershelf, and stainless steel legs.

### 24"-WIDE TABLES

| w x l       | model #        | list |
|-------------|----------------|------|
| 24" x 24"   | <b>T2424SB</b> | 1711 |
| 24" x 30"   | <b>T2430SB</b> | 1749 |
| 24" x 36"   | <b>T2436SB</b> | 1782 |
| 24" x 48"   | <b>T2448SB</b> | 1907 |
| 24" x 60"   | <b>T2460SB</b> | 2071 |
| 24" x 72"   | <b>T2472SB</b> | 2245 |
| 24" x 84"   | <b>T2484SB</b> | 2420 |
| 24" x 96" * | <b>T2496SB</b> | 2859 |

### 30"-WIDE TABLES

| w x l       | model #        | list |
|-------------|----------------|------|
| 30" x 30"   | <b>T3030SB</b> | 1753 |
| 30" x 36"   | <b>T3036SB</b> | 1791 |
| 30" x 48"   | <b>T3048SB</b> | 1939 |
| 30" x 60"   | <b>T3060SB</b> | 2130 |
| 30" x 72"   | <b>T3072SB</b> | 2320 |
| 30" x 84"   | <b>T3084SB</b> | 2503 |
| 30" x 96" * | <b>T3096SB</b> | 2899 |

\* NOTE: 96" tables feature 6 legs.

## Mixer Stands <sup>NSF</sup>

- Available with either galvanized legs and adjustable undershelf or galvanized tubular base.

### ...with Galvanized Legs & Undershelf

| w x l     | model #       | list |
|-----------|---------------|------|
| 24" x 24" | <b>MS2424</b> | 1596 |
| 30" x 24" | <b>MS3024</b> | 1633 |
| 30" x 30" | <b>MS3030</b> | 1685 |
| 30" x 36" | <b>MS3036</b> | 1760 |

**patented  
uni-lok<sup>®</sup>  
system**

(Patent #5,165,349)



mixer stand with undershelf



mixer stand with tubular base

### ...with Galvanized Tubular Base

| w x l     | model #        | list |
|-----------|----------------|------|
| 24" x 24" | <b>TMS2424</b> | 1596 |
| 30" x 24" | <b>TMS3024</b> | 1633 |
| 30" x 30" | <b>TMS3030</b> | 1685 |



caster



caster w/brake

## Optional Utensil Rack

- Stainless steel.
- 54" height.

| model #       | add to unit list |
|---------------|------------------|
| <b>UR-501</b> | 1417             |



## Optional Casters for Mixer Stands

| description                                        | wt. cap.<br>per caster | model #        | list<br>each |
|----------------------------------------------------|------------------------|----------------|--------------|
| 4" -dia., set of four (two swivel, two w/brake)    | 115 lbs.               | <b>CA4-SB</b>  | 828          |
| 4" -dia., set of six (three swivel, three w/brake) | 115 lbs.               | <b>CA6-SB</b>  | 1242         |
| 5" -dia., set of four (two swivel, two w/brake)    | 200 lbs.               | <b>CAH4-SB</b> | 989          |
| 5" -dia., set of six (three swivel, three w/brake) | 200 lbs.               | <b>CAH6-SB</b> | 1478         |

## Equipment Stands <sup>NSF</sup>

- 16 gauge type 304 stainless steel top.
- Galvanized legs & adjustable undershelf.
- 1¼" upturn on back and both ends.
- All equipment stands have three standard hat channels for extra support.



equipment stand with optional cutting board (shown with griddle—sold separately)

| w x l       | model #        | list |
|-------------|----------------|------|
| 24¾" x 24¾" | <b>T2424GS</b> | 1438 |
| 24¾" x 36¾" | <b>T2436GS</b> | 1459 |
| 24¾" x 48¾" | <b>T2448GS</b> | 1650 |
| 24¾" x 60¾" | <b>T2460GS</b> | 1791 |
| 24¾" x 72¾" | <b>T2472GS</b> | 1865 |
| 30¾" x 24¾" | <b>T3024GS</b> | 1521 |
| 30¾" x 36¾" | <b>T3036GS</b> | 1546 |
| 30¾" x 48¾" | <b>T3048GS</b> | 1664 |
| 30¾" x 60¾" | <b>T3060GS</b> | 1956 |
| 30¾" x 72¾" | <b>T3072GS</b> | 2154 |

## Optional Cutting Boards for Equipment Stands

- 8" wide, 1¼" thick hardwood top.
- Adjustable stainless steel tubular supports.

| length | model #       | list |
|--------|---------------|------|
| 36"    | <b>307105</b> | 990  |
| 48"    | <b>307106</b> | 1112 |
| 60"    | <b>307107</b> | 1222 |
| 72"    | <b>307108</b> | 1345 |


## Optional Plate Shelf for Equipment Stands

| length | model #     | list |
|--------|-------------|------|
| 48"    | <b>APS4</b> | 1089 |
| 60"    | <b>APS5</b> | 1210 |
| 72"    | <b>APS6</b> | 1317 |

Note: Available only in conjunction with purchase of an optional cutting board.

## Additional Galvanized or Stainless Steel Undershelves

- For 30"-wide tables with uni-lok® hat channel frame.
- Galvanized or stainless.
- Adjustable height.



### When Ordering:

Order per the size of your tabletop  
("tabletop O.A." column in the charts below).

## Galvanized Undershelves

| tabletop<br>O.A. | model #    | list |
|------------------|------------|------|
| 30" x 36"        | 3036GADJUS | 471  |
| 30" x 48"        | 3048GADJUS | 482  |
| 30" x 60"        | 3060GADJUS | 495  |
| 30" x 72"        | 3072GADJUS | 528  |
| 30" x 96"        | 3096GADJUS | 544  |

## Stainless Steel Undershelves

| tabletop<br>O.A. | stainless steel 18/4 |      | stainless steel 18/3 |      |
|------------------|----------------------|------|----------------------|------|
|                  | model #              | list | model #              | list |
| 30" x 36"        | 3036SADJUS-18/4      | 1028 | 3036SADJUS-18/3      | 1189 |
| 30" x 48"        | 3048SADJUS-18/4      | 1126 | 3048SADJUS-18/3      | 1303 |
| 30" x 60"        | 3060SADJUS-18/4      | 1287 | 3060SADJUS-18/3      | 1489 |
| 30" x 72"        | 3072SADJUS-18/4      | 1432 | 3072SADJUS-18/3      | 1660 |
| 30" x 96"        | 3096SADJUS-18/4      | 1779 | 3096SADJUS-18/3      | 2042 |

## Drawers

Type 430 stainless steel construction.

### Drawers with Pull Flange

Features include roller slides and stainless steel pan.

| side-to-side * | model # | list |
|----------------|---------|------|
| 15"            | 502941  | 440  |
| 20"            | 500772  | 510  |



with pull flange



with pull flange  
and full front



drawer assembly

NOTE: 15"- wide drawers are designed for use with 30" long tables.

### Drawer Capacity Per Table

Drawers can be centered, left or right.

Holes are predrilled for 20" x 20" drawers only.

| table<br>length | 15" x 20"                       | 20" x 20"                       |
|-----------------|---------------------------------|---------------------------------|
|                 | drawer capacity per table       | drawer capacity per table       |
| 24"             | 0                               | 0                               |
| 30"             | 1 centered                      | 0                               |
| 36"             | 1 centered                      | 1 centered                      |
| 48"             | 1 centered; or 1 left & 1 right | 1 centered                      |
| 60"             | 1 centered; or 1 left & 1 right | 1 centered; or 1 left & 1 right |
| 72"             | 3 (1 centered, 1 left, 1 right) | 1 centered; or 1 left & 1 right |
| 84"             | 4                               | 1 centered; or 1 left & 1 right |
| 96"             | 4 (2 left & 2 right)            | 2 (1 left, 1 right)             |
| 108"            | 4 (2 left & 2 right)            | 4 (2 left, 2 right)             |
| 120"            | 4 (2 left & 2 right)            | 4 (2 left, 2 right)             |
| 132"            | 6 (2 between each set of legs)  | 3 (1 between each set of legs)  |
| 144"            | 6 (2 between each set of legs)  | 3 (1 between each set of legs)  |

### Drawers with Pull Flange & Full Front

Features include hemmed safety full-length pull handle, roller slides and stainless steel pan.

| side-to-side * | model # | list |
|----------------|---------|------|
| 15"            | 502942  | 749  |
| 20"            | 501571  | 819  |

### Assembly with NSF-Approved Slides

Features housing, removable drawer pan, drawer front with full-length pull handle, glides and removable roller slides.

| side-to-side * | model # | list |
|----------------|---------|------|
| 15"            | 502947  | 1471 |
| 20"            | 502946  | 1544 |

\* Dimensions of drawer pan.

## Corner Guards

- Heavy gauge stainless steel.
- Adhesive tape backing included.

### Inside Corners

| w x l x h     | model # | list |
|---------------|---------|------|
| 2" x 2" x 36" | CG-I-36 | 224  |
| 2" x 2" x 48" | CG-I-48 | 260  |
| 2" x 2" x 60" | CG-I-60 | 296  |
| 2" x 2" x 72" | CG-I-72 | 329  |

### Outside Corners

| w x l x h     | model # | list |
|---------------|---------|------|
| 2" x 2" x 36" | CG-O-36 | 224  |
| 2" x 2" x 48" | CG-O-48 | 260  |
| 2" x 2" x 60" | CG-O-60 | 296  |
| 2" x 2" x 72" | CG-O-72 | 329  |



## Cutting Tables



- 4½" backsplash.
- ½" polymer top.
- Stainless steel legs and adjustable metal feet.

| w x l     | model #    | list |
|-----------|------------|------|
| 24" x 36" | CT2436S-BS | 2660 |
| 24" x 48" | CT2448S-BS | 2962 |
| 24" x 60" | CT2460S-BS | 3235 |
| 30" x 36" | CT3036S-BS | 2848 |
| 30" x 48" | CT3048S-BS | 3161 |
| 30" x 60" | CT3060S-BS | 3456 |

## Flex-Master® Overshelf System

The Flex-Master® Overshelf System can easily be changed or expanded as needed. Create an unlimited combination of shelves, pot racks, and utility racks using standard components – imagine the possibilities!

- Shelves are adjustable up or down in 1" increments for flexible and accurate shelf placement.
- 10" and 12" shelf widths can be intermixed on same set of posts.

### Overshelves

- 16 gauge stainless steel.

| w x l      | TYPE 430 S/S  |      | TYPE 304 S/S  |      |
|------------|---------------|------|---------------|------|
|            | model #       | list | model #       | list |
| 10" x 30"  | <b>411030</b> | 630  | <b>421030</b> | 695  |
| 10" x 36"  | <b>411036</b> | 647  | <b>421036</b> | 720  |
| 10" x 48"  | <b>411048</b> | 696  | <b>421048</b> | 789  |
| 10" x 60"  | <b>411060</b> | 760  | <b>421060</b> | 888  |
| 10" x 72"  | <b>411072</b> | 859  | <b>421072</b> | 995  |
| 10" x 84"  | <b>411084</b> | 960  | <b>421084</b> | 1092 |
| 10" x 96"  | <b>411096</b> | 1055 | <b>421096</b> | 1236 |
| 10" x 120" | <b>411012</b> | 1239 | <b>421012</b> | 1316 |
| 12" x 30"  | <b>411230</b> | 647  | <b>421230</b> | 720  |
| 12" x 36"  | <b>411236</b> | 672  | <b>421236</b> | 800  |
| 12" x 48"  | <b>411248</b> | 727  | <b>421248</b> | 838  |
| 12" x 60"  | <b>411260</b> | 788  | <b>421260</b> | 932  |
| 12" x 72"  | <b>411272</b> | 897  | <b>421272</b> | 1049 |
| 12" x 84"  | <b>411284</b> | 1006 | <b>421284</b> | 1182 |
| 12" x 96"  | <b>411296</b> | 1092 | <b>421296</b> | 1322 |
| 12" x 120" | <b>411212</b> | 1349 | <b>421212</b> | 1523 |

OUR  
BEST


### Posts

- Sold in pairs.
- 30"–72" shelves require 2 pairs.
- 84"–120" shelves require 3 pairs.

| height | CHROME        |      | STAINLESS STEEL |      |
|--------|---------------|------|-----------------|------|
|        | model #       | list | model #         | list |
| 18"    | <b>418202</b> | 280  | <b>418002</b>   | 319  |
| 30"    | <b>430202</b> | 299  | <b>430002</b>   | 408  |
| 48"    | <b>448202</b> | 369  | <b>448002</b>   | 548  |

### Pot Hook

| description                | model #       | list |
|----------------------------|---------------|------|
| two-prong, stainless steel | <b>300696</b> | 49   |



### Pot/Ladle Racks

- Chrome plated.

| length | model #           | list |
|--------|-------------------|------|
| 30"    | <b>PRT30-C</b>    | 152  |
| 36"    | <b>PRT36-C</b>    | 176  |
| 48"    | <b>PRT48-C</b>    | 194  |
| 60"    | <b>PRT60-C</b>    | 226  |
| 72"    | <b>PRT72-C</b>    | 266  |
| 84"    | <b>PRT84-C *</b>  | 307  |
| 96"    | <b>PRT96-C *</b>  | 358  |
| 120"   | <b>PRT120-C *</b> | 376  |

\* These racks come in two pieces.

## Worktables with Flex-Master® Overshelf Kits

- Worktables and Flex-Master® Overshelf System packaged in convenient kits.
- Table tops predrilled for rear mounting of posts and shelves.
- **"FM" Style** includes four 30" stainless steel posts, and two 12" stainless steel overshelves.
- **"FM-PL" Style** includes two 30" stainless steel posts, two 48" stainless steel posts, two 12" stainless steel overshelves, and two pot racks.

### "B" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Galvanized legs and undershelf, plastic feet.

| w x l     | "FM" STYLE       |      | "FM-PL" STYLE                    |      |
|-----------|------------------|------|----------------------------------|------|
|           | model #          | list | model #                          | list |
| 30" x 48" | <b>T3048B-FM</b> | 3438 | <b>T3048B-FM-PL Empty Field!</b> |      |
| 30" x 60" | <b>T3060B-FM</b> | 3679 | <b>T3060B-FM-PL</b>              | 4271 |
| 30" x 72" | <b>T3072B-FM</b> | 3990 | <b>T3072B-FM-PL</b>              | 4662 |

### "SB" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Stainless steel legs and undershelf, plastic feet.

| w x l     | "FM" STYLE        |      | "FM-PL" STYLE        |      |
|-----------|-------------------|------|----------------------|------|
|           | model #           | list | model #              | list |
| 30" x 48" | <b>T3048SB-FM</b> | 4209 | <b>T3048SB-FM-PL</b> | 4737 |
| 30" x 60" | <b>T3060SB-FM</b> | 4522 | <b>T3060SB-FM-PL</b> | 5114 |
| 30" x 72" | <b>T3072SB-FM</b> | 4930 | <b>T3072SB-FM-PL</b> | 5602 |



"FM" Style



"FM-PL" Style

### Spec-Master® "SE" Series

- 14 gauge type 304 stainless steel top.
- Stainless steel legs, undershelf and feet.
- 16 gauge 300 series stainless steel overshelves.

| w x l     | "FM" STYLE        |      | "FM-PL" STYLE        |      |
|-----------|-------------------|------|----------------------|------|
|           | model #           | list | model #              | list |
| 30" x 48" | <b>T3048SE-FM</b> | 5614 | <b>T3048SE-FM-PL</b> | 6142 |
| 30" x 60" | <b>T3060SE-FM</b> | 6111 | <b>T3060SE-FM-PL</b> | 6703 |
| 30" x 72" | <b>T3072SE-FM</b> | 6672 | <b>T3072SE-FM-PL</b> | 7344 |

OUR  
BEST



## Spec-Master® Plate Counters NSF

- Used in modular design of chef's counters and cook lines.
- 14 gauge stainless steel top.
- Heavy gauge stainless steel wraparound.
- Standard stainless steel center shelf.
- 15" or 18" front-to-back.



Buy 3 of the Same Model – Get  
3VP Special Qty Pricing!

**3VP**

| WITH OPEN BASE |             |              |       |                       |
|----------------|-------------|--------------|-------|-----------------------|
| w x l          | no. of legs | model #      | list  | Qty List<br>3 or more |
| 15" x 48"      | 4           | PC1548SE-CS  | 5243  | 4560                  |
| 15" x 60"      | 4           | PC1560SE-CS  | 5598  | 4878                  |
| 15" x 72"      | 4           | PC1572SE-CS  | 6223  | 5422                  |
| 15" x 84"      | 6           | PC1584SE-CS  | 6490  | 5651                  |
| 15" x 96"      | 6           | PC1596SE-CS  | 7042  | 6156                  |
| 15" x 120"     | 6           | PC15120SE-CS | 8561  | N/A                   |
| 15" x 144"     | 6           | PC15144SE-CS | 10505 | N/A                   |
| 18" x 48"      | 4           | PC1848SE-CS  | 5594  | 4310                  |
| 18" x 60"      | 4           | PC1860SE-CS  | 6049  | 460                   |
| 18" x 72"      | 4           | PC1872SE-CS  | 7412  | 5632                  |
| 18" x 84"      | 6           | PC1884SE-CS  | 7996  | 6086                  |
| 18" x 96"      | 6           | PC1896SE-CS  | 8561  | 6538                  |
| 18" x 120"     | 6           | PC18120SE-CS | 9725  | N/A                   |
| 18" x 144"     | 6           | PC18144SE-CS | 11669 | N/A                   |

| w x l      | no. of legs | WITH SLIDING DOORS |       | WITH HINGED DOORS |       |
|------------|-------------|--------------------|-------|-------------------|-------|
|            |             | model #            | list  | model #           | list  |
| 15" x 48"  | 4           | PCS1548SE-CS       | 6959  | PCH1548SE-CS      | 7033  |
| 15" x 60"  | 4           | PCS1560SE-CS       | 7312  | PCH1560SE-CS      | 7389  |
| 15" x 72"  | 4           | PCS1572SE-CS       | 7935  | PCH1572SE-CS      | 8016  |
| 15" x 84"  | 6           | PCS1584SE-CS       | 8209  | PCH1584SE-CS      | 8308  |
| 15" x 96"  | 6           | PCS1596SE-CS       | 8750  | PCH1596SE-CS      | 8827  |
| 15" x 120" | 6           | PCS15120SE-CS      | 10269 | PCH15120SE-CS     | 10345 |
| 15" x 144" | 6           | PCS15144SE-CS      | 12212 | PCH15144SE-CS     | 12296 |
| 18" x 48"  | 4           | PCS1848SE-CS       | 7305  | PCH1848SE-CS      | 7380  |
| 18" x 60"  | 4           | PCS1860SE-CS       | 7762  | PCH1860SE-CS      | 7840  |
| 18" x 72"  | 4           | PCS1872SE-CS       | 9121  | PCH1872SE-CS      | 9199  |
| 18" x 84"  | 6           | PCS1884SE-CS       | 9708  | PCH1884SE-CS      | 9781  |
| 18" x 96"  | 6           | PCS1896SE-CS       | 10269 | PCH1896SE-CS      | 10345 |
| 18" x 120" | 6           | PCS18120SE-CS      | 11439 | PCH18120SE-CS     | 11519 |
| 18" x 144" | 6           | PCS18144SE-CS      | 13386 | PCH18144SE-CS     | 13458 |

## Worktables with Sink NSF

- 16" x 20" x 14" sink bowl with faucet and basket drain.
- Tables prepunched including attachment bolts for installation of drawer assemblies.



T3048SEB-BS-E23L

patented  
**uni-lok®**  
system

(Patent #5,165,349)

| w x l     | model #          | list |
|-----------|------------------|------|
| 30" x 48" | T3048SEB-BS-E23L | 5965 |
| 30" x 48" | T3048SEB-BS-E23R | 5965 |
| 30" x 60" | T3060SEB-BS-E23L | 6271 |
| 30" x 60" | T3060SEB-BS-E23R | 6271 |
| 30" x 72" | T3072SEB-BS-E23L | 6561 |
| 30" x 72" | T3072SEB-BS-E23R | 6561 |
| 30" x 96" | T3096SEB-BS-E23L | 7427 |
| 30" x 96" | T3096SEB-BS-E23R | 7427 |

NOTE: The suffix L or R denotes the placement of the sink bowl - right or left side.

## Wall Mounted Bottle Filler Stations

- Compact space-saving design.
- Fully enclosed skirt with access panel.
- All 300 series stainless steel construction.
- T&S electric-eye faucets with battery backup for hands-free operation.
- Anti-splash cover available.

From our Video Library – Watch Now!  
**BOTTLE FILLER STATION**



#BF-1-12  
single unit

| description                                                                     | T&S faucet<br>part # | Single-Faucet Units |      | Double-Faucet Units |       |
|---------------------------------------------------------------------------------|----------------------|---------------------|------|---------------------|-------|
|                                                                                 |                      | model #             | list | model #             | list  |
| Includes electric-eye faucet(s) w/8" clearance                                  | EC-1210-08           | BF-1-08             | 3763 | BF-2-08             | 6620  |
| Includes electric-eye faucet(s) w/10" clearance                                 | EC-1210-10           | BF-1-10             | 3787 | BF-2-10             | 6665  |
| Includes electric-eye faucet(s) w/12" clearance                                 | EC-1210-12           | BF-1-12             | 3812 | BF-2-12             | 6716  |
| Includes electric-eye faucet(s) w/8" clearance & water filter EC-1210-08-WFK    |                      | BF-1-08-F           | 6778 | BF-2-08-F           | 12662 |
| Includes electric-eye faucet(s) w/10" clearance & water filter EC-1210-10-WFK   |                      | BF-1-10-F           | 6797 | BF-2-10-F           | 12699 |
| Includes electric-eye faucet(s) w/12" clearance and water filter EC-1210-12-WFK |                      | BF-1-12-F           | 6769 | BF-2-12-F           | 12710 |

## Mobile Ice Caddies

- Top and body are heavy gauge stainless steel.
- Ice storage bin is type 304 stainless steel, fully insulated, isolated from exterior with thermoplastic plastic breaker strips.
- 19" front-to-back and 18" deep, with pan sloped to a 1" NPS drain connection with ball valve, lift-off sliding cover.
- 5"-diameter casters—two with brakes.

Ideal for any place which serves ice cold beverages, from restaurants and bars to indoor and outdoor venues in which portability is a must, Eagle's NEW Mobile Ice Caddies will meet your needs! Stainless steel construction is durable as well as attractive. The 29" height allows for these caddies to easily fit underneath a standard-height bar or countertop.



#MIC1425

| model # | dimensions<br>w x l | weight   | list |
|---------|---------------------|----------|------|
| MIC1425 | 25 1/4" x 14 1/4"   | 180 lbs. | 4472 |
| MIC2825 | 25 1/4" x 28 1/4"   | 215 lbs. | 5368 |



**IMPORTANT: PORTABLE BARS ARE  
FOR INDOOR USE ONLY.**



## Portable Bars

- 37" working height, 47 3/4" overall height.
- 25 1/8" x 61" cabinet, with 14" x 63" formica top.
- 15 3/8" x 19 3/4" x 8" ice bin.
- Standard models come with towel ring and two speed rails; Deluxe models feature locking cabinet(s). Models "-5L," "-5R," and "-5LR" feature removable single speed rail mounted on left and/or right cabinet door(s).



| description                                           | black exterior * |       | white exterior * |       | "Vintage" exterior * |       |
|-------------------------------------------------------|------------------|-------|------------------|-------|----------------------|-------|
|                                                       | model #          | list  | model #          | list  | model #              | list  |
| standard portable bar                                 | -                | -     | PB-5-W           | 9643  | PB-5-V               | 10101 |
| Deluxe, with center locking cabinet **                | DPB-5            | 11401 | DPB-5-W          | 11971 | DPB-5-V              | 12539 |
| Deluxe, with locking cabinets at center and left      | DPB-5L           | 11446 | DPB-5L-W         | 12016 | DPB-5L-V             | 12590 |
| Deluxe, with locking cabinets at center and right     | DPB-5R           | 11446 | DPB-5R-W         | 12016 | DPB-5R-V             | 12590 |
| Deluxe, with locking cabinets at center, left & right | DPB-5LR          | 11860 | DPB-5LR-W        | 12454 | DPB-5LR-V            | 13049 |

\* Melamine cabinet and matching formica top; \*\* Comes with double-tier speed rail.

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

| description           | black exterior |      | Qty List<br>3 or more |
|-----------------------|----------------|------|-----------------------|
|                       | model #        | list |                       |
| standard portable bar | PB-5           | 9181 | 7589                  |

**3VP**



Spec-Bar® portable bar

## Spec-Bar® Portable Bars

- Welded 1-1/2" type 300 stainless steel square tubular base construction.
- Stainless steel top with marine edge.
- Available in three standard configurations to match your serving needs..



| description                               | L x W x H       | model #    | list  |
|-------------------------------------------|-----------------|------------|-------|
| Spec-Bar® standard portable bar           | 80" x 33" x 48" | SBPB-CCS-6 | 29323 |
| Spec-Bar® portable bar w/ double ice bins | 80" x 32" x 48" | SBPB-DBL-6 | 30183 |
| Spec-Bar® portable bar w/ workboard       | 80" x 32" x 48" | SBPB-CWS-6 | 22759 |


Spec-Bar® portable bar with  
double ice bins

Spec-Bar® portable bar  
with workboard

The design combines Eagle Group's most popular back bar equipment with a rugged stainless steel tubular frame to create a compact and capable mobile

From our Video Library – Watch Now!  
**SPEC-BAR® PORTABLE BAR**

**Spec-Bar® Glass Rinsers** (NSF)


- Type 300 series stainless steel construction.
- 4½" -diameter actuation disk.
- ½" FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover



| W x L    | model # | list |
|----------|---------|------|
| 6" x 11" | UBGR    | 1110 |
| 6" x 6"  | BTGR    | 712  |

**Spec-Bar® Drop-In Glass Rinser Troughs** (NSF)

- Type 300 series stainless steel construction.
- 4½" -diameter actuation disk.
- ½" FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover.
- Lengths available range from 6" to 24".




| W x L      | model #  | list |
|------------|----------|------|
| 6¼" x 6¼"  | DIGRT-6  | 836  |
| 6¼" x 12¼" | DIGRT-12 | 851  |
| 6¼" x 18¼" | DIGRT-18 | 938  |
| 6¼" x 24¼" | DIGRT-24 | 1010 |

**Spec-Bar® Dump Sinks with Glass Rinsers** (NSF)

- Type 300 series stainless steel construction.
- T&S splash-mounted faucet
- 1½" stainless steel IPS threaded drain with nut and washer
- Glass rinser spray head features multi-outlet nozzle to ensure complete rinsing.
- 4½" -diameter actuation disk
- Inline preset pressure regulator
- Removable perforated drainboard
- Stainless steel adjustable bullet feet

| W x L x H       | model #    | list |
|-----------------|------------|------|
| 24" x 12" x 37" | DSGR-12-24 | 4486 |
| 24" x 18" x 37" | DSGR-18-24 | 5544 |




From our Video Library - Watch Now!  
**SPEC-BAR® UNDERBAR SERIES**

**Spec-Bar® Soda Gun Holders** (NSF)

- Type 300 series stainless steel construction.
- Attaches to side of adjacent equipment (by others in field).
- Designed for Wunder-Bar® or Schroeder America™ 8-14 soda gun manifolds
- Built-in drip pan with 3/8" drain
- 20' clear vinyl tubing included
- Removable top and side panels

| W x L x H      | model # | list |
|----------------|---------|------|
| 6" x 19" x 21" | SGH-19  | 1589 |
| 6" x 24" x 21" | SGH-24  | 1612 |

**Spec-Bar® Combination Cocktail Stations**

- Back, backsplash, sides, bottom, front panel, liquor steps, ice chests and bowls are 20 gauge stainless steel.
- Blender shelf is 18 gauge stainless steel.
- Blender shelf sides, speed rail sides, and liquor display sides are 14 gauge stainless steel.
- Blender station, wet waste sink, double speed rail, condiment dispenser, and combination ice chest are standard.

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**



| comes with                  | model #  | W x L     | list  | Qty List<br>3 or more |
|-----------------------------|----------|-----------|-------|-----------------------|
| 12"-long liquor display     | CCS-60-1 | 29" x 60" | 16625 | 15461                 |
| 12"-long recessed workboard | CCS-60-2 | 29" x 60" | 15547 | 14459                 |

**3VP**



## Underbar Sinks

All stainless steel top, front and ends. 1800 series measures 20" front to back. 2200 series measures 24" front to back. Faucets included. 4½" backsplash and 1½" drain. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B5C-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

| description                  | 1800 Series |      |                    | 2200 Series |      |                    |
|------------------------------|-------------|------|--------------------|-------------|------|--------------------|
|                              | model #     | list | Qty List 3 or more | model #     | list | Qty List 3 or more |
| 5'-long; 3 bowls; 12½" dbs.  | B5C-18      | 4431 | 3379               | B5C-22      | 4768 | 3618               |
| 6'-long; 3 bowls; 18½" dbs.  | B6C-18      | 4678 | 3563               | B6C-22      | 5022 | 3818               |
| 4'-long; 3 bowls; 12½" R db. | B4R-18      | 4324 | N/A                | B4R-22      | 4569 | N/A                |
| 4'-long; 3 bowls; 12½" L db. | B4L-18      | 4324 | N/A                | B4L-22      | 4569 | N/A                |
| 6'-long; 4 bowls; 12½" dbs.  | B6C-4-18    | 5545 | 4209               | B6C-4-22    | 5912 | 4483               |
| 7'-long; 4 bowls; 18½" dbs.  | B7C-4-18    | 5899 | N/A                | B7C-4-22    | 6316 | N/A                |

3VP



B5C-18

## Cocktail Units

Type 304 stainless steel ice chest. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B2CT-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

| description                                  | 1800 Series |      |                    | 2200 Series |      |                    |
|----------------------------------------------|-------------|------|--------------------|-------------|------|--------------------|
|                                              | model #     | list | Qty List 3 or more | model #     | list | Qty List 3 or more |
| 2' cocktail ice chest                        | B2CT-18     | 2374 | 2128               | B2CT-22     | 2494 | 2131               |
| 3' cocktail ice chest with s/s sliding cover | B3CT-18     | 3024 | N/A                | B3CT-22     | 3084 | N/A                |
| 2' cocktail ice chest w/7-circuit cold plate | B2CT-18-7   | 6298 | N/A                | B2CT-22-7   | 6298 | N/A                |
| 3' cocktail ice chest w/7-circuit cold plate | B3CT-18-7   | 7036 | N/A                | B3CT-22-7   | 7036 | N/A                |


3VP



B2CT-18

## Speed Rails

- Made for liter-size bottles.
- Heavy gauge 300 series stainless steel construction.
- Single-tier are 4⅞"-wide.
- Double-tier are 7⅞"-wide.
- All speed rails feature keyholes.



single-tier speed rail



double-tier speed rail

## Ice Chests

Fiberglass insulation & sliding door. Optional stainless steel leg assembly (two sets per unit) add \$350 to list price and suffix "-SL" to model number. Example: B2IC-18-SL

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

| w x l     | 1800 Series |      |                    | 2200 Series |      |                    |
|-----------|-------------|------|--------------------|-------------|------|--------------------|
|           | model #     | list | Qty List 3 or more | model #     | list | Qty List 3 or more |
| 18" x 24" | B2IC-18     | 2866 | 2098               | B2IC-22     | 3175 | 2140               |
| 18" x 30" | B30IC-18    | 3052 | N/A                | B30IC-22    | 3314 | N/A                |
| 18" x 36" | B36IC-18    | 3724 | N/A                | B36IC-22    | 3747 | N/A                |

3VP



B2IC-18

## Single-Tier Speed Rails

| length | number of keyholes | model # | list |
|--------|--------------------|---------|------|
| 22"    | 2                  | 500778  | 270  |
| 34"    | 3                  | 500779  | 346  |
| 46"    | 3                  | 500780  | 442  |
| 58"    | 3                  | 502956  | 528  |
| 70"    | 3                  | 501045  | 624  |

## Double-Tier Speed Rails

| length | number of keyholes | model # | list |
|--------|--------------------|---------|------|
| 22"    | 2                  | 501883  | 514  |
| 34"    | 3                  | 501884  | 684  |
| 46"    | 3                  | 501885  | 901  |
| 58"    | 3                  | 502957  | 1125 |
| 70"    | 3                  | 501886  | 1355 |

## Side-To-Side Modular Add-Ons

- Predrilled mounting holes.
- Standard faucets, basket drain and galvanized tubular legs.
- Units come with knock-down gusset/channel and galvanized leg assembly.
- 120V-15A duplex receptacle and waterproof cover plate on MA7 models.



MA2-18



MA7-18

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

| description             | 1800 Series |      |                    | 2200 Series |      |                    |
|-------------------------|-------------|------|--------------------|-------------|------|--------------------|
|                         | model #     | list | Qty List 3 or more | model #     | list | Qty List 3 or more |
| 12" hand sink unit      | MA2-18      | 1839 | 1656               | MA2-22      | 1974 | 1723               |
| 18" sink step-down unit | MA7-18      | 2461 | 1924               | MA7-22      | 2529 | 2011               |

3VP

Optional stainless steel leg assembly available. Two sets per unit. Add \$350 to list price and suffix "-SL" to model number. Example: MA2-18-SL

## Sealed Well Hot Food Tables

- All stainless steel unit with stainless steel legs, gussets, undershelf, dish shelf, bullet feet and a poly cutting board.
- Sealed wells with individual controls, drains, drain manifold and drain valve.

| description                                     | model #                 | list  |
|-------------------------------------------------|-------------------------|-------|
| 120V dry hot or full wet – 2 well, sealed wells | <b>SHT2-120</b>         | 6571  |
| 240V dry hot or full wet – 2 well, sealed wells | <b>SHT2-240 or -208</b> | 6571  |
| 120V dry hot or full wet – 3 well, sealed wells | <b>SHT3-120</b>         | 8699  |
| 240V dry hot or full wet – 3 well, sealed wells | <b>SHT3-240 or -208</b> | 8699  |
| 120V dry hot or full wet – 4 well, sealed wells | <b>SHT4-120</b>         | 10673 |
| 240V dry hot or full wet – 4 well, sealed wells | <b>SHT4-240 or -208</b> | 10673 |
| 240V dry hot or full wet – 5 well, sealed wells | <b>SHT5-240 or -208</b> | 13093 |

**NOTE:** Models listed above are available with optional AutoFill® Water System.

## Hot Food Tables with Open Base

- Stainless steel top and stainless steel wrapper with galvanized legs and undershelf.
- Standard ½" poly cutting board located on control side of table.
- Recessed control panel.
- Designed to accommodate our exclusive Flex-Master® Overshelf System including optional heat lamp feature.
- AWT models come standard with a removable stainless steel dish shelf.
- Hardwood cutting board available as an option.



SHT3-120



DHT3-120

**Buy 3 of the Same Model – Get 3VP Special Qty Pricing!**

**3VP**

| description            | model #                      | list  | Qty List<br>3 or more |
|------------------------|------------------------------|-------|-----------------------|
| gas, full wet – 2 well | <b>AWT2-NG or LP*</b>        | 4702  | 4562                  |
| gas, full wet – 3 well | <b>AWT3-NG or LP*</b>        | 5249  | 5104                  |
| gas, full wet – 4 well | <b>AWT4-NG or LP*</b>        | 6310  | 5994                  |
| gas, full wet – 5 well | <b>AWT5-NG or LP*</b>        | 7855  | 7706                  |
| gas, dry hot – 2 well  | <b>HT2-NG or LP</b>          | 37051 | 3630                  |
| gas, dry hot – 3 well  | <b>HT3-NG or LP</b>          | 4442  | 4308                  |
| gas, dry hot – 4 well  | <b>HT4-NG or LP</b>          | 5434  | 5272                  |
| gas, dry hot – 5 well  | <b>HT5-NG or LP</b>          | 6537  | N/A                   |
| 120v. dry hot – 2 well | <b>DHT2-120 -208 or -240</b> | 3656  | 3547                  |
| 120v. dry hot – 3 well | <b>DHT3-120 -208 or -240</b> | 4116  | 3974                  |
| 240v. dry hot – 4 well | <b>DHT4-120 -208 or -240</b> | 5450  | 5270                  |
| 240v. dry hot – 5 well | <b>DHT5-240 or -208</b>      | 7037  | N/A                   |



DHT5-240

Optional bolted undershelf available - Add suffix "B" to model number and add 20% to list price.  
Example: DHT3-120B.

**NOTE:** models with \* are available with optional AutoFill® Water System.

## Optional AutoFill® Water System with Built-In Back Flow Preventer

Automatically supplies and maintains proper water level in hot food wells with drains. No additional holes or drains in well. Independent system with its own On/Off switch with LED indicator. Reliable level sensing (even in conditions of mineral deposit build-up). Maintains less than a ¼" difference in high and low water levels. Available on wet hot food tables (an \* indicates units applicable in the charts).

**To order:** Add "A" in front of first dash in model number. Example: AWT4**A**-LP-1 and add \$3115 to list price of Hot Food Table.



HT40B-NG

## Spec-Master® Enclosed Base



- All stainless construction.
- Recessed control panels with infinite controls for gas and thermostatic controls for electric units.
- 8" wide, 1/2" poly cutting board.
- Adaptable for wet application using optional spillage pans.

| description              | model #   | list  |
|--------------------------|-----------|-------|
| 3-well, gas, open front  | HT30B-NG  | 10485 |
| 4-well, gas, open front  | HT40B-NG  | 12312 |
| 3-well, 120V, open front | HT30B-120 | 10409 |
| 4-well, 240V, open front | HT40B-240 | 12282 |

## Hot Food Tables with Flex-Master® Overshelves



- Each unit includes one hot food table per model designation.
- Two 10"-wide 16 gauge type 304 stainless steel overshelves adjustable on 1" increments for flexibility.
- Four 30" stainless steel posts.

### 3-Well Units

| description            | model #     | list  |
|------------------------|-------------|-------|
| gas, water bath        | AWT3-NG-FM  | 8057  |
| electric, dry hot      | DHT3-120-FM | 6924  |
| gas, dry hot           | HT3-NG-FM   | 7250  |
| electric, sealed wells | SHT3-120-FM | 11507 |

### 4-Well Units

| description            | model #     | list  |
|------------------------|-------------|-------|
| gas, water bath        | AWT4-NG-FM  | 9220  |
| electric, dry hot      | DHT4-240-FM | 8360  |
| gas, dry hot           | HT4-NG-FM   | 8344  |
| electric, sealed wells | SHT4-240-FM | 13583 |

## Deluxe Service Mates



- Clear carbonite sneeze guard.
- 4" swivel casters, two with brake.
- Stainless steel top with black plated steel wrapper and black plated steel base.



BPDHT3-120

| description                                     | model #    | list |
|-------------------------------------------------|------------|------|
| 120V dry buffet hot food unit, portable, 3-well | BPDHT3-120 | 8688 |
| buffet cold pan unit, portable, 48"-long        | BPCP-3     | 7849 |
| buffet cold pan unit, portable, 63 1/2"-long    | BPCP-4     | 8340 |

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

| description                                     | model #    | list | Qty List<br>3 or more |
|-------------------------------------------------|------------|------|-----------------------|
| 120V dry buffet hot food unit, portable, 4-well | BPDHT4-120 | 9116 | 8974                  |
| 240V dry buffet hot food unit, portable, 4-well | BPDHT4-240 | 9116 | 8974                  |

## Service Mate Accessories

### FLUORESCENT LIGHTS WITH PLASTIC SHIELDS

| model # | list |
|---------|------|
| FL-2    | 2464 |
| FL-3    | 3536 |
| FL-4    | 3626 |

### INFRARED BULLET LAMPS

| model # | list |
|---------|------|
| IL-2    | 3276 |
| IL-3    | 3771 |
| IL-4    | 4112 |





## Accessories - Hot Food Tables

## Deluxe Serving Shelves

- 14½"-wide stainless steel top panel.
- ¼"-thick clear Acrylite® front and end panels.

| length | model #  | list |
|--------|----------|------|
| 33"    | DSSP-HT2 | 2476 |
| 48"    | DSSP-HT3 | 2574 |
| 63½"   | DSSP-HT4 | 2839 |
| 79"    | DSSP-HT5 | 3630 |



DSSP-HT3

## Rolltop Cover

- 18 gauge stainless steel.
- Front section telescopes into back section.

| description         | model # | list |
|---------------------|---------|------|
| fits over heat well | 501585  | 845  |



rolltop cover

## Spillage Pans — 6-pack

- Deep-drawn, fully coved, 6½" deep.

| description             | model # | list |
|-------------------------|---------|------|
| aluminum, 6 pack        | 502809  | 1354 |
| stainless steel, 6 pack | 502808  | 2215 |



spillage pan

## Cold Storage Bottle Holders

Patent #7,003,969

- For cold pan units.
- Type 300 series stainless steel.
- 2⅞" diameter holes for condiment bottle dispensers.

| description                                 | model #   | list  |
|---------------------------------------------|-----------|-------|
| holds 4 bottles<br>7" x 6½" x 5½" opening   | SBH-1/6   | 185 * |
| holds 8 bottles<br>7½" x 12½" x 5½" opening | SBH-1/3 * | 206   |

\*Fits traditional 1/3- or 1/6-size food pan applications.



SBH-1/3

## Accessories - Hot Food Tables and Food Warmers (see page 35 for Food Warmers)

## Round Insets

- Food pans and insets are heavy gauge stainless steel.
- Adapter bars are heavy gauge stainless steel and allow for different size food pans to be organized in one well.



| description                     | model # | list |
|---------------------------------|---------|------|
| 4-quart inset for 6½" opening   | 304020  | 153  |
| 7-quart inset for 8½" opening   | 304021  | 226  |
| 11-quart inset for 10½" opening | 304060  | 240  |
| Lid for 4-quart inset           | 304018  | 40   |
| Lid for 7-quart inset           | 304019  | 87   |
| Lid for 11-quart inset          | 304049  | 87   |

## Adapter Tops for Round Insets

- Heavy gauge stainless steel.
- Two or three openings available.

| description                                                                    | model # | list |
|--------------------------------------------------------------------------------|---------|------|
| two 8½" diameter inserts, each for 7 qts.                                      | 501600  | 239  |
| one 8½" diameter insert for 7 qts,<br>and one 10½" diameter insert for 11 qts. | 501912  | 239  |
| one 6½" diameter insert for 4 qts,<br>and one 10½" diameter insert for 11 qts. | 501913  | 239  |
| one 6½" diameter insert for 4 qts,<br>and one 8½" diameter insert for 7 qts    | 501915  | 239  |
| three 6½" diameter inserts, each for 4 qts                                     | 501914  | 239  |



## Food Pans/Adapter Bars

| description                           | model # | list |
|---------------------------------------|---------|------|
| full size pan, 20¼" x 12¾" x 2½"      | 301669  | 148  |
| full size pan, 20¼" x 12¾" x 4"       | 303775  | 196  |
| half size pan, 10¼" x 12¾" x 2½"      | 304050  | 95   |
| half size pan, 10¼" x 12¾" x 4"       | 304051  | 118  |
| one-third size pan, 6⅞" x 12¾" x 2½"  | 304052  | 69   |
| one-third size pan, 6⅞" x 12¾" x 4"   | 304053  | 103  |
| one-fourth size pan, 6⅞" x 10⅞" x 2½" | 304054  | 74   |
| one-fourth size pan, 6⅞" x 10⅞" x 4"  | 304055  | 92   |
| 10" adapter bar                       | 301792  | 62   |
| 12" adapter bar                       | 301791  | 65   |

## Lids for Food Pans

| description                      | model # | list |
|----------------------------------|---------|------|
| full size lid, with handle       | 304056  | 156  |
| half size lid, with handle       | 304057  | 86   |
| one-third size lid, with handle  | 304058  | 60   |
| one-fourth size lid, with handle | 304059  | 75   |

## RedHots® Heated Drawers NSF cULus

- Heavy duty stainless steel construction with 1½" fiberglass insulation.
- All drawer liners are 12" front-to-back x 20" side-to-side x 6½" deep.
- Individual recessed thermostat control and indicator lamp for each drawer.


1-drawer  
built-in model

2-drawer  
built-in model

3-drawer  
freestanding model


### 1-Drawer Units — All models: \$7648 list price.

| electrical data   | NARROW WIDTH UNITS                          |             | WIDE WIDTH UNITS                              |              |
|-------------------|---------------------------------------------|-------------|-----------------------------------------------|--------------|
|                   | FREESTANDING*                               | BUILT-IN**  | FREESTANDING***                               | BUILT-IN**** |
|                   | model #                                     | model #     | model #                                       | model #      |
| 120V, 3.75A, 450W | DWN-1-120                                   | DWN-1BI-120 | DWW-1-120                                     | DWW-1BI-120  |
| 240V, 1.88A, 450W | DWN-1-240                                   | DWN-1BI-240 | DWW-1-240                                     | DWW-1BI-240  |
|                   | * 21"W x 27"D x 16"H overall dimensions     |             | *** 29"W x 23"D x 16"H overall dimensions     |              |
|                   | ** 21"W x 26"D x 10 1/2"H cutout dimensions |             | **** 29"W x 23"D x 10 1/2"H cutout dimensions |              |

### 2-Drawer Units — All models: \$12478 list price.

| electrical data   | NARROW WIDTH UNITS                          |             | WIDE WIDTH UNITS                              |              |
|-------------------|---------------------------------------------|-------------|-----------------------------------------------|--------------|
|                   | FREESTANDING*                               | BUILT-IN**  | FREESTANDING***                               | BUILT-IN**** |
|                   | model #                                     | model #     | model #                                       | model #      |
| 120V, 7.5A, 900W  | DWN-2-120                                   | DWN-2BI-120 | DWW-2-120                                     | DWW-2BI-120  |
| 240V, 3.75A, 900W | DWN-2-240                                   | DWN-2BI-240 | DWW-2-240                                     | DWW-2BI-240  |
|                   | * 21"W x 27"D x 26"H overall dimensions     |             | *** 29"W x 23"D x 26"H overall dimensions     |              |
|                   | ** 21"W x 26"D x 21 1/2"H cutout dimensions |             | **** 29"W x 23"D x 21 1/2"H cutout dimensions |              |

### 3-Drawer Units — All models: \$16925 list price.

| electrical data     | NARROW WIDTH UNITS                          |             | WIDE WIDTH UNITS                              |              |
|---------------------|---------------------------------------------|-------------|-----------------------------------------------|--------------|
|                     | FREESTANDING*                               | BUILT-IN**  | FREESTANDING***                               | BUILT-IN**** |
|                     | model #                                     | model #     | model #                                       | model #      |
| 120V, 11.25A, 1350W | DWN-3-120                                   | DWN-3BI-120 | DWW-3-120                                     | DWW-3BI-120  |
| 240V, 5.63A, 1350W  | DWN-3-240                                   | DWN-3BI-240 | DWW-3-240                                     | DWW-3BI-240  |
|                     | * 21"W x 27"D x 37"H overall dimensions     |             | *** 29"W x 23"D x 37"H overall dimensions     |              |
|                     | ** 21"W x 26"D x 32 1/2"H cutout dimensions |             | **** 29"W x 23"D x 32 1/2"H cutout dimensions |              |

## RedHots® Heat Lamps NSF cULus

- Standard and high-watt units offered.
- Each element controlled individually.
- Interior with aluminized reflector plate to focus heat.
- Each heating element controlled individually via toggle switch with indicator light.
- Heat lamps can be attached with stainless steel brackets or hung from the ceiling using hanging tabs.
- Also available with incandescent lights with dedicated switch.

### Without Incandescent Light (120V)

| length | STANDARD WATT UNITS |      | HIGH WATT UNITS |      |
|--------|---------------------|------|-----------------|------|
|        | model #             | list | model #         | list |
| 30"    | RHHL-30-120         | 862  | RHHL-30-120-H   | 892  |
| 36"    | RHHL-36-120         | 921  | RHHL-36-120-H   | 944  |
| 42"    | RHHL-42-120         | 960  | RHHL-42-120-H   | 996  |
| 48"    | RHHL-48-120         | 1020 | RHHL-48-120-H   | 1040 |
| 54"    | RHHL-54-120         | 1069 | RHHL-54-120-H   | 1090 |
| 60"    | RHHL-60-120         | 1177 | RHHL-60-120-H   | 1196 |

## RedHots® Display Lights

- Feature shatterproof Teflon coating.
- Designed for field wiring, features lighted rocker switch.
- Can be chain-mounted from ceiling or mounted under a shelf.



| length | Built-In switch |      | Remote Switch |      |
|--------|-----------------|------|---------------|------|
|        | model #         | list | model #       | list |
| 36"    | RHDL-36-I       | 1235 | RHDL-36-I-R   | 1268 |
| 42"    | RHDL-42-I       | 1277 | RHDL-42-I-R   | 1329 |
| 48"    | RHDL-48-I       | 1438 | RHDL-48-I-R   | 1486 |

## RedHots® Gas Fryers

These compact, easy-to-operate countertop fryers answer the needs of modern, busy catering establishments for reliable, well-built equipment that offer flexibility, performance, style and value for money. 40 to 50 lbs. of frozen french fries cooked per hour. Designed with safety, ease of operation and performance as paramount, these fryers have a stylish and robust modular design, constructed of high-quality brushed stainless steel, large "cool to touch" dial, large heavy duty adjustable feet and easy to clean and remove accessories.



- Stainless steel construction with stainless steel fry pot.
- Four stainless steel open burners at 13,250 BTU per burner (53,000 total BTU per hour).
- Furnished with thermostatic control, push-button ignition and pilot light.
- Stainless steel hinged front door for access to thermostatic control and ignitor.
- Stainless steel tube style tank.
- Two 5-lb. capacity iron mesh nickel-plated fry baskets.
- Hi-limit safety shutoff.
- Burner safety valves.
- Attachable drain connection to facilitate draining down.
- Heavy duty adjustable feet.
- Unit supplied with gas regulator.

**NEW LOW PRICE**


| end-to-end | front-to-back* | height** | NATURAL GAS *** |      | PROPANE GAS *** |      |
|------------|----------------|----------|-----------------|------|-----------------|------|
|            |                |          | model #         | list | model #         | list |
| 17 1/4"    | 29"            | 25"      | CLGF30-NG       | 4529 | CLGF30-LP       | 4529 |

\* Add 4" front-to-back to allow for regulator.

\*\* Add 5" height to allow for removable baffle.

\*\*\* Must specify NG or LP at time of order. Unit is NOT convertible.

### Optional Night Cover



## RedHots® Bulb Warmers



- Adjustable frame of heavy-gauge steel with chrome finish.
- Polished aluminum light shields.
- Two 250-watt infrared white bulbs.
- Chrome-plated bottom plate and 6'-long three-conductor cord.

| description                        | model #   | list |
|------------------------------------|-----------|------|
| 500W, 120V                         | BW-2-120  | 763  |
| 500W, 120V, w/drain insert and pan | BW-2-120I | 1174 |




BW-2-120I





## RedHots® Chef's Line® Charbroilers

- 40,000 BTU burner every 12" on radiant units; 32,000 BTU burner every 12" on lava rock units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½"-wide front trough with chute, located at the left end, accommodates standard sized spatula.
- 4" heavy duty adjustable appliance legs with flanged feet.
- Heavy duty cast iron cooking grates can be individually positioned flat or angled.
- 13" working height adjustable to 14".
- 4" sides and rear splash sloped front-to-back.
- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- ¾" N.P.T. gas connection.



full size, polished stainless steel grease drawer complete with baffles

## Lava Rock Charbroilers



- Each "U" shaped burner is combined with heavy duty stainless steel radiant to allow even heat distribution.
- Lava rocks supplied—one 4-lb. bag per burner.

| width | BTU rating | model #       | list  |
|-------|------------|---------------|-------|
| 24"   | 64,000     | CLCHRBL-24-NG | 5633  |
| 36"   | 96,000     | CLCHRBL-36-NG | 7793  |
| 48"   | 128,000    | CLCHRBL-48-NG | 11005 |


## Radiant Charbroilers



- Cast-iron burners with stainless steel removable shields.

| width | BTU rating | model #      | list  |
|-------|------------|--------------|-------|
| 24"   | 80,000     | CLCHRB-24-NG | 7778  |
| 36"   | 120,000    | CLCHRB-36-NG | 10731 |
| 48"   | 160,000    |              |       |

160,000



3½"-wide front trough with chute



## RedHots® Chef's Line® Griddles - Now Extra-Deep!


- 30,000 BTU burner per every 12" on gas units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½"-wide front trough with chute, located at the left edge, accommodates standard sized spatula.
- 4" heavy duty adjustable appliance legs with flanged feet.
- ¾"-thick smooth polished steel griddle plate fully welded to top assembly.
- 13" working height adjustable to 14".
- 4" sides and rear splash sloped front-to-back.
- 7½-quart polished stainless steel grease drawer.



- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- 31,250 BTU burner every 12" for even heat distribution.
- Front-to-back dimension, including flue riser, is 28⅝".
- ½" N.P.T. gas connection.

| BTU   |         | with THERMOSTATIC CONTROLS |       | with MANUAL CONTROLS |      |
|-------|---------|----------------------------|-------|----------------------|------|
| width | rating  | model #                    | list  | model #              | list |
| 15"   | 31,250  | CLAGGDT-15-NG              | 6253  | CLAGGD-15-NG         | 4680 |
| 24"   | 62,500  | CLAGGDT-24-NG              | 8330  | CLAGGD-24-NG         | 5226 |
| 36"   | 94,000  | CLAGGDT-36-NG              | 10514 | CLAGGD-36-NG         | 6686 |
| 48"   | 125,000 | CLAGGDT-48-NG              | 13619 | CLAGGD-48-NG         | 9013 |

## Electric Griddles



- Thermostatic controls, adjustable from 100° to 450°F.
- 4000-watt tubular heating elements are secured to underside of griddle plate to provide uniform distribution of heat over entire griddle surface.
- Internal wiring terminated in a junction box at rear for field wiring.
- Front-to-back dimension, including junction box, is 29⅜".

| width | electrical data                       | model #      | list  |
|-------|---------------------------------------|--------------|-------|
| 24"   | 208V/240V, 28.9A/33.3A, 6000W/8000W   | CLEGD-24-240 | 6972  |
| 36"   | 208V/240V, 43.3A/50.0A, 9000W/12000W  | CLEGD-36-240 | 8807  |
| 48"   | 208V/240V, 57.8A/66.7A, 12000W/16000W | CLEGD-48-240 | 12262 |

## RedHots® Chef's Line® Electric Fryers

- Thermostat – snap action complete with indicator light provides for accurate temperature control.
- Fry tank – 10" x 14" all-stainless steel deep-drawn one-piece construction, removable for easy cleaning or filtering of fat.
- Hi limit safety control – provides total system shutdown in case of malfunction – complete with reset button and indicator light.
- Heating elements – self-cleaning Incoloy® sheath for long life and high performance.
- Fry baskets – each 4" x 11" heavy plated mesh construction. Single tank – two provided. Double tank – four provided; optional double fry baskets available.
- Heavy duty cast metal legs with flanged feet adjustable from 4" to 5".
- Line cord and plug furnished on single-tank fryers.

### Single Tank—15-lb. capacity

| description                      | model #    | list |
|----------------------------------|------------|------|
| 120V, 1800W, 15A                 | CLEF10-120 | 4731 |
| 208/240V, 4125/5500W, 19.8/22.9A | CLEF10-240 | 5633 |

### Double Tank—30-lb. capacity

| description                       | model #     | list |
|-----------------------------------|-------------|------|
| 208/240V, 8250/11000W, 39.6/45.8A | CLEF102-240 | 9663 |



EF10-120

## RedHots® Electric Fryers

| description                 | model #   | list |
|-----------------------------|-----------|------|
| 120V/1800W, 15 lb. capacity | EF10-120  | 3351 |
| 208/240V, 15 lb. capacity   | EF10-240  | 3991 |
| 208/240V, 30 lb. capacity   | EF102-240 | 9467 |



## RedHots® Chef's Line® Hot Plates

- New bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 13" working height adjustable to 14".
- 4" heavy adjustable appliance legs, flanged feet.
- Top and front are constructed of highly polished stainless steel.



gas hot plate (flat top)



electric hot plate

### Gas Hot Plates

Features include standing pilot for safe and easy operation and heavy duty cast iron grates. Available in two styles: flat top and step-up. All units are for natural gas (NG), complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP). Full size polished stainless steel crumb tray included.

| w x d             | BTU rating | FLAT TOP UNITS |      | STEP-UP UNITS |      |
|-------------------|------------|----------------|------|---------------|------|
|                   |            | model #        | list | model #       | list |
| 12 3/4" x 24 3/4" | 50,000     | CLHP-2-NG      | 3314 | CLUHP-2-NG    | 4496 |
| 24 3/4" x 24 3/4" | 100,000    | CLHP-4-NG      | 5329 | CLUHP-4-NG    | 6420 |
| 36 3/4" x 24 3/4" | 150,000    | CLHP-6-NG      | 7678 | CLUHP-6-NG    | 9318 |

### Electric Hot Plates

Featured are swing-up elements with individual drip pans, removable for easy cleaning. Infinite controls provide accurate heat setting and are equipped with an Off-On light. All units are 60 cycle single phase. Models #CLC-240-2 and CLC-208-2 are field-wired. #CLCW-120-2 comes complete with cord and 120-volt 15-amp NEMA 5-15 plug.

| description        | model #    | list |
|--------------------|------------|------|
| 120V, 1625W, 13.5A | CLCW-120-2 | 3782 |
| 208V, 3150W, 15.1A | CLC-208-2  | 3782 |
| 240V, 4200W, 17.5A | CLC-240-2  | 3782 |



## RedHots® Food Warmers & Cooker/Warmers

### Food Warmers

- Infinite controls.
- Highly polished stainless steel exterior.

| description    | model #     | list |
|----------------|-------------|------|
| economy, 750W  | 1220FWE-120 | 1221 |
| deluxe, 1200W  | 1220FWD-120 | 1278 |
| double, 1800W  | 1220FW2-120 | 3347 |
| 7-quart, 550W  | 7QFW-120    | 929  |
| 11-quart, 550W | 11QFW-120   | 1312 |



1220FWD-120

### Cooker/Warmers

- Thermostatically controlled, offering range setting from 100° to 450°, in 50° increments.
- Wet or dry operation.



110CW-120

| description          | model #     | list |
|----------------------|-------------|------|
| 12" x 20", 1200W     | 1220CWD-120 | 1854 |
| 11 quart round, 750W | 110CW-120   | 1815 |

## Aluminum Bun Pans

- Rust-resistant wire bead for extended use.
- Available in solid, glazed and perforated.
- All pans packed 12 per box.
- Made from industry's best H-24 3003 aluminum alloy, proven harder and more durable.



### NSF Bun Pans

*The Last Baking Pan You'll Ever Need!*

- Solid 12 gauge aluminum construction.
- Available in full size only - 17 $\frac{3}{4}$ " x 25 $\frac{3}{4}$ ".

| description           | size                                    | model #   | list each pan |
|-----------------------|-----------------------------------------|-----------|---------------|
| solid, half size      | 17 $\frac{3}{4}$ " x 12 $\frac{1}{2}$ " | SP1813-18 | 39            |
| solid, full size      | 17 $\frac{3}{4}$ " x 25 $\frac{3}{4}$ " | SP1826-18 | 52            |
| perforated, half size | 17 $\frac{3}{4}$ " x 12 $\frac{1}{2}$ " | PP1813-18 | 67            |
| perforated, full size | 17 $\frac{3}{4}$ " x 25 $\frac{3}{4}$ " | PP1826-18 | 75            |
| glazed, full size     | 17 $\frac{3}{4}$ " x 25 $\frac{3}{4}$ " | SP1826-G  | 87            |

| description         | model #    | list each pan |
|---------------------|------------|---------------|
| NSF solid           | SP1826-N   | 153           |
| anodized NSF, solid | SP1826-NCA | 182           |

## 16 Gauge Bun Pans

- Solid 16 gauge aluminum construction.
- Rust-resistant bead wire bead for extended use.
- Available in full size only - 17 $\frac{3}{4}$ " x 25 $\frac{3}{4}$ ".



pans shown  
with drip racks

| description     | model #   | list each pan |
|-----------------|-----------|---------------|
| 16 gauge, solid | SP1826-16 | 65            |

## Drip & Cooling Racks

- Designed to fit inside half- and full-size Panco® pans.
- Chrome finish.

| description    | w x l x d                                                 | model #   | list |
|----------------|-----------------------------------------------------------|-----------|------|
| half size rack | 11 $\frac{1}{2}$ " x 16 $\frac{1}{8}$ " x $\frac{3}{4}$ " | DPRK1216C | 67   |
| full size rack | 16 $\frac{3}{4}$ " x 24 $\frac{3}{4}$ " x 1"              | DPRK1725C | 118  |

NOTE: Packed 12 to a box.

## 18 Series Deluxe Bun Pan Racks

- Constructed of high strength extruded aluminum sections.
- Rack slides are designed to fit most popular tray sizes and are configured to accommodate a variety of products.
- Features 5" casters.

| dimensions<br>w x d x h                       | sliding<br>space  | 18" x 26" tray<br>capacity | model #    | list |
|-----------------------------------------------|-------------------|----------------------------|------------|------|
| 21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ " | 5"                | 11                         | OUR-1811-5 | 1026 |
| 21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ " | 3"                | 18                         | OUR-1818-3 | 1054 |
| 21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ " | 3"                | 20                         | OUR-1820-3 | 1074 |
| 21" x 26 $\frac{1}{2}$ " x 64 $\frac{1}{4}$ " | 2 $\frac{1}{4}$ " | 24                         | OUR-1824-2 | 1546 |



## Pan Rack and Cover Combo

Includes:

- (1) #OUR1818-3 pan rack
- (1) #P2RC-3 clear cover
- (12) #SP1826-18 full size bun pans

MODEL #: **OUR-1818-3RC**

LIST: \$2204



## All-Welded Pan Racks

- Heavy duty all-welded aluminum construction.
- Rack slides designed to fit popular tray sizes.
- Square tubing and side-to-side crossbracing.
- Features 5" swivel stem casters.
- Units available in front and side load models.



## 18 Series Front Load All-Welded Racks

| dimensions<br>w x d x h        | sliding<br>space | 18" x 26"<br>tray capacity | model #      | list |
|--------------------------------|------------------|----------------------------|--------------|------|
| 20 $\frac{1}{2}$ " x 26" x 69" | 3"               | 20                         | OUR-1820-3/W | 1587 |
| 20 $\frac{1}{2}$ " x 26" x 69" | 2"               | 30                         | OUR-1830-2/W | 2082 |

## 26 Series Side Load All-Welded Racks

| dimensions<br>w x d x h        | sliding<br>space | 18" x 26"<br>tray capacity | model #      | list |
|--------------------------------|------------------|----------------------------|--------------|------|
| 28 $\frac{1}{2}$ " x 19" x 69" | 3"               | 20                         | OUR-2620-3/W | 1705 |
| 28 $\frac{1}{2}$ " x 19" x 69" | 2"               | 30                         | OUR-2630-2/W | 2197 |





**Panco® “Z” Type Nesting Rack** (NSF)

- Racks accommodate 18" x 26" sheet pans.
- Heavy duty all-welded aluminum construction.
- Units available with pan capacity of 20 or 30.
- 5" -diameter heavy duty plate casters.

| w x d x h         | slide spacing | pan capacity | model #             | list |
|-------------------|---------------|--------------|---------------------|------|
| 20½" x 26" x 69½" | 3"            | 20           | <b>OUR-1820-3-N</b> | 2596 |
| 20½" x 26" x 69½" | 2"            | 30           | <b>OUR-1830-2-N</b> | 2630 |

"Z"-shaped horizontal supports and base allow these racks to take up less square footage than standard racks - racks "nest" inside each other when not in use.



#OUR-1820-3-N  
(pans sold separately)

**Pizza Pan Racks**

- Adjustable pan opening. (NSF)
- Features 5" casters.
- Can hold round and square pans.

| All-Welded Rack |                    |                      |                   |           | Adjustable Rack      |                    |           |
|-----------------|--------------------|----------------------|-------------------|-----------|----------------------|--------------------|-----------|
| sliding space   | pizza pan capacity | dimensions w x d x h | model #           | list each | dimensions w x d x h | model #            | list each |
| 2"              | 12                 | 22" x 20" x 33¾"     | <b>OUR-PZ-12A</b> | 1989      | adj. x 13¾" x 34¾"   | <b>OUR-PZA-12A</b> | 1891      |



adjustable pizza pan rack

**LIFETIME Series Enclosed Pan Racks** (NSF)

- Constructed of heavy duty extruded aluminum alloy.
- Fully welded construction includes top bracing, interior bracing, and bottom frame.
- Side panels welded to uprights, top bracing, and bottom frame.
- Heavy duty base includes 6" x 2" non-marking swivel plate casters.
- 3¼" wide aluminum angle slides are welded to frame.
- Designed for 18" x 26" pans or 13" x 18" pans.

| dimensions w x d x h | sliding space | 18" x 26" pan capacity | type of 6" caster | model #         | list |
|----------------------|---------------|------------------------|-------------------|-----------------|------|
| 20½" x 27½" x 69"    | 1½"           | 38                     | polyolefin        | <b>1290PP *</b> | 6400 |
| 20½" x 27½" x 69"    | 1½"           | 38                     | K-urethane        | <b>1290WDW</b>  | 8348 |
| 20½" x 27½" x 69"    | 1½"           | 38                     | polyolefin        | <b>1292</b>     | 6447 |

\* #1290PP "Prison Package" includes (4) aluminum welded hinges, (4) 6" casters, (2) padlock holes in door, extra interior bracing, and tamper proof screws and bolts.

**LIFETIME  
GUARANTEE**  
against rust and  
corrosion, and against  
material defects and  
workmanship.



enclosed pan rack  
(pans sold separately)

**LIFETIME Series Universal Roll-In Racks** (NSF)

- Designed for 12" x 20" steam table pans, 18" x 26", 13" x 18" or 14" x 18" pans.
- Constructed of heavy duty aluminum alloy.
- Fully welded frame features 1½" x 1¼" "D"-shaped tubing.
- Crossbracing consists of 1" square tubing.
- Heavy duty base includes 5" x 1½" non-marking recessed swivel plate casters.
- 3¼" wide aluminum angle slides are welded to frame.

| dimensions w x d x h | sliding space | pan/tray capacity |           |           |           | model #     | list |
|----------------------|---------------|-------------------|-----------|-----------|-----------|-------------|------|
|                      |               | 12" x 20"         | 18" x 26" | 13" x 18" | 14" x 18" |             |      |
| 21½" x 26" x 64"     | 5"            | 10                | 11        | 22        | 22        | <b>4337</b> | 4559 |
| 21½" x 26" x 64"     | 3"            | 17                | 18        | 36        | 36        | <b>4338</b> | 5440 |



universal roll-in rack  
(pans sold separately)

## Working Height Racks (NSF)

- Top pan guides and out-rigger pan mount.
- Features 5" swivel casters.
- Optional tops available in maple, poly or stainless steel.



working height rack  
with optional maple  
top and pans

|                 | dimensions       | slide   | pan      | weight | list          |      |
|-----------------|------------------|---------|----------|--------|---------------|------|
| description     | w x d x h        | spacing | capacity | lbs.   | model #       | each |
| aluminum *      | 22" x 28¾" x 35" | 3"      | 9**      | 29     | OUR-1807-3    | 2125 |
| stainless steel | 22" x 28¾" x 35" | 3"      | 9**      | 78     | OUR-1807-3-SR | 4010 |

\* Factory assembly available for aluminum models - contact factory.

\*\* Total pan capacity is 9 when outrigger pan mounts are in use.

## Can Racks (NSF)

- All welded aluminum construction.
- Mobile unit features 4" heavy duty plate casters.
- Aluminum top.
- Full and half can rack models available.



OCR-10-4A



FCR-10-9A

|                                | dimensions       | capacity |     |                   | list |
|--------------------------------|------------------|----------|-----|-------------------|------|
| description                    | l x w x h        | #10      | #5  | model #           | each |
| stationary full size           | 25" x 35" x 71"  | 162      | 216 | <b>FCR-10-9A</b>  | 2814 |
| mobile full size               | 25" x 35" x 78¼" | 162      | 216 | <b>OCR-10-9A</b>  | 3289 |
| mobile half size, aluminum top | 25" x 35" x 41"  | 72       | 96  | <b>OCR-10-4A</b>  | 3054 |
| mobile half size, poly top     | 25" x 35" x 41"  | 72       | 96  | <b>OCR-10-4AP</b> | 3357 |

## Keg Racks (NSF)

- Racks feature three shelves - two heavy duty for kegs and the third (usually on top) for general storage.
- Aluminum cooler shelving for 1/4 or 1/2 kegs.
- Compatible with any wet or dry storage environment.
- 18" shelves are adjustable in 2" increments.



| w x l x h       | key capacity | model # | list |
|-----------------|--------------|---------|------|
|                 |              |         |      |
| 18" x 42" x 76" | 4            | KR1842A | 1564 |
| 18" x 60" x 76" | 6            | KR1860A | 2104 |
| 18" x 80" x 76" | 8            | KR1880A | 2420 |
| 18" x 93" x 76" | 10           | KR1893A | 2882 |

**Resists  
corrosion  
and rust.**

## Glass Rack & Bun Pan Dollies (NSF)

- Features 5" plate casters.
- Heavy duty welded, all-aluminum construction.

| description      | dimensions                 | weight    |            | list |
|------------------|----------------------------|-----------|------------|------|
|                  | w x d x h                  | capacity  | model#     | each |
| Glass Rack Dolly | 20 5/8" x 22 5/8" x 9 1/4" | 1200 lbs. | GRD-2020-A | 852  |
| Bun Pan Dolly    | 18 1/8" x 27" x 7"         | 800 lbs.  | BPD-1826-A | 775  |



glass rack dolly  
holds 20" x 20" racks



bun pan dolly  
holds 75 pans



## Pan Truck (NSF)

- For use with 18" x 26" bun pans.
- Aluminum construction.
- Features 5" casters and rear pan strap.



| dimensions       | pan      | list      |      |
|------------------|----------|-----------|------|
| w x d x h        | capacity | model #   | each |
| 21" x 27" x 33½" | 75       | PT-1826-A | 1000 |

## Bus Box Cart (NSF)

- Holds 3 bus boxes.
- All welded aluminum construction.
- Features 5" heavy duty casters.
- 10" slide spacing.



| dimensions       | box      | list          |      |
|------------------|----------|---------------|------|
| w x d x h        | capacity | model #       | each |
| 18½" x 26" x 36" | 3        | <b>OBC-3A</b> | 940  |

## Mobile Platform Trucks (NSF)

- Heavy-duty all-aluminum construction.
- 1 1/2" x 2 3/4" square tubing.
- Features 5" casters—two swivel with brake and two rigid.



| overall dimensions     | deck size | weight    | model # | list |
|------------------------|-----------|-----------|---------|------|
| w x d x h*             |           | capacity  |         |      |
| 20" x 37 1/4" x 8 1/4" | 20" x 36" | 1200 lbs. | 1202    | 1104 |
| 20" x 49 1/4" x 8 1/4" | 20" x 48" | 1200 lbs. | 1203    | 1194 |
| 20" x 61 1/4" x 8 1/4" | 20" x 60" | 1200 lbs. | 1212    | 1248 |

\* 42" overall height with handle installed.

# PANCO® TRANSPORT HOLDING CABINETS

## Eagle Panco® Transport Holding Cabinets

Features on all units include aluminum construction on exterior and interior, bottom-mounted heating system removable for cleaning or servicing, adjustable thermostatic temperature control with digital temperature indicator, full 270° open swing door, heavy duty 5" swivel casters - two with brake (extended undercounter cabinets feature 3" casters), magnetic door latch, full perimeter bumper, 8' cord and 20A plug. All units standard in 39½" half size, 76½" full size and 30½" extended undercounter heights. Extended cabinets hold two 12" x 20" food pans per shelf.

### Heated Holding Cabinets... — 120-volt 20-amp.

#### ...Full Size

| model #            | quick-order # | description: full-size narrow unit with...                               | list ea |
|--------------------|---------------|--------------------------------------------------------------------------|---------|
| HCFNSSN-RA2.25-120 | <b>FSHC-A</b> | ...solid single door, non-insulated, wire slides spaced 2.25"            | 12999   |
| HCFNLSN-RA2.25-120 | <b>FSHC-B</b> | ...single door with poly window, non-insulated, wire slides spaced 2.25" | 14895   |

#### ...Half Size

| model #            | quick-order # | description: half-size narrow unit with...                               | list ea |
|--------------------|---------------|--------------------------------------------------------------------------|---------|
| HCHNSSN-RA2.25-120 | <b>HSHC-A</b> | ...solid single door, non-insulated, wire slides spaced 2.25"            | 11680   |
| HCHNLSN-RA2.25-120 | <b>HSHC-B</b> | ...single door with poly window, non-insulated, wire slides spaced 2.25" | 13460   |

#### ...Extended Undercounter — Units hold two 12" x 20" food pans per shelf.

| model #            | quick-order # | description: extended undercounter unit with...                       | list ea |
|--------------------|---------------|-----------------------------------------------------------------------|---------|
| HCUSSN-RA3.00-120  | <b>EUHC-A</b> | solid single door, non-insulated, wire slides spaced 3.00"            | 12975   |
| HCUELSN-RA3.00-120 | <b>EUHC-B</b> | single door with poly window, non-insulated, wire slides spaced 3.00" | 14748   |

### Heated/Proofing Holding Cabinets — 120-volt 20-amp.

#### ...Full Size

| model #            | quick-order #  | description: full-size narrow unit with...                               | list ea |
|--------------------|----------------|--------------------------------------------------------------------------|---------|
| HPFNSSN-RA2.25-120 | <b>FSHPC-A</b> | ...solid single door, non-insulated, wire slides spaced 2.25"            | 13140   |
| HPFNLSN-RA2.25-120 | <b>FSHPC-B</b> | ...single door with poly window, non-insulated, wire slides spaced 2.25" | 15031   |

#### ...Half Size

| model #            | quick-order #  | description: half-size narrow unit with...                               | list ea |
|--------------------|----------------|--------------------------------------------------------------------------|---------|
| HPHNSSN-RA2.25-120 | <b>HSHPC-A</b> | ...solid single door, non-insulated, wire slides spaced 2.25"            | 11911   |
| HPHNLSN-RA2.25-120 | <b>HSHPC-B</b> | ...single door with poly window, non-insulated, wire slides spaced 2.25" | 13688   |

#### ...Extended Undercounter — Units hold two 12" x 20" food pans per shelf.

| model #             | quick-order #  | description: full-size narrow unit with...                               | list ea |
|---------------------|----------------|--------------------------------------------------------------------------|---------|
| HPUESSN-RA3.00-120  | <b>EUHPC-A</b> | ...solid single door, non-insulated, wire slides spaced 3.00"            | 12278   |
| HPUELNSN-RA3.00-120 | <b>EUHPC-B</b> | ...single door with poly window, non-insulated, wire slides spaced 3.00" | 13933   |

NOTE: Full size cabinets standard with 12 pairs of wire slides. Half size and extended undercounter cabinets standard with 8 pairs of slides.



full size  
transport cabinet



EG6200 Rev. 09/26

100 Industrial Blvd. Clayton DE, 19938  
Toll Free: 1-800-441-8440 • Fax: 302-653-2065  
[www.eaglegrp.com](http://www.eaglegrp.com)

© 2026 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.  
Due to an ongoing product improvement program, specifications, dimensions and pricing are subject to change without notice.