3VP

EAGLE PLUS

SEPTEMBER 2026

SPECIAL SAVINGS INSIDE!



Special Quantity Pricing – Save on our most popular sizes!

EAGLE GROUP®

Profit from the Eagle Advantage®

3VP

Look for the 3VP coin for special quantity break pricing on some of our most popular items! Buy Three or More of the same model to receive special 3VP quantity pricing!



TABLE OF CONTENTS

SHELVING	3-7
WALL SHELVES	8-9
SINKS	10-18
DISHTABLES	18-20
TABLES	21-26
UNDERBAR	26-29
HOT FOOD TABLES	30-32
REDHOTS® COOKING/WARMING	32-36
PANCO®	37-40



Quad-Truss® Wire Shelving (NSF)

- Super strong patented Quad-Truss® design makes shelves up to 25% stronger and provides a retaining ledge for increased storage stability.
- EAGLEbrite® shelves feature MasterSeal® coating for improved rust protection.

Shelves:
24″ - 48″ are packed 4 to a box
60″ - 72″ are packed 2 to a box
Plastic split sleeves included with each shelf.

PATENTED
Patent #5,390,803

QuadTruss® design



Shelves

w x l	EAGLEbrite® zinc finish model #	list	Valu-Gard® green epoxy model #	list	VALU-MASTER® gray epoxy finish model #	list	EAGLEgard® green epoxy finish model #	list
18″ x 24″	**1824Z**	107	**1824VG**	113	**1824V**	113	**1824E**	135
18″ x 36″	**1836Z**	114	**1836VG**	114	**1836V**	114	**1836E**	142
18″ x 48″	**1848Z**	129	**1848VG**	146	**1848V**	146	**1848E**	169
18″ x 60″	**1860Z**	154	**1860VG**	187	**1860V**	187	**1860E**	201
18″ x 72″	**1872Z**	179	**1872VG**	212	**1872V**	212	**1872E**	232
24″ x 24″	**2424Z**	128	**2424VG**	134	**2424V**	134	**2424E**	167
24″ x 36″	**2436Z**	131	**2436VG**	149	**2436V**	149	**2436E**	172
24″ x 48″	**2448Z**	158	**2448VG**	189	**2448V**	189	**2448E**	209
24″ x 60″	**2460Z**	194	**2460VG**	218	**2460V**	218	**2460E**	247
24″ x 72″	**2472Z**	221	**2472VG**	255	**2472V**	255	**2472E**	292

Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.



post height	EAGLEbrite® zinc model #	list	Valu-Gard® green epoxy model #	list	VALU-MASTER® gray epoxy model #	list	EAGLEgard® green epoxy model #	list
54″	**P54-Z**	39	**P54-VG**	41	**P54-V**	41	**P54-E**	47
63″	**P63-Z**	42	**P63-VG**	44	**P63-V**	44	**P63-E**	55
74″	**P74-Z**	51	**P74-VG**	48	**P74-V**	48	**P74-E**	59
86″	**P86-Z**	64	**P86-VG**	63	**P86-V**	63	**P86-E**	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z

Starter Units

- Convenient, easy to order starter unit kits.
- Each starter unit consists of four shelves and four 74" posts.

w x l	EAGLEbrite® zinc finish model #	list	Valu-Gard® green epoxy model #	list	VALU-MASTER® gray epoxy finish model #	list	EAGLEgard® green epoxy finish model #	list
18″ x 36″	**S4-74-1836Z**	660	**S4-74-1836VG**	648	**S4-74-1836V**	648	**S4-74-1836E**	804
18″ x 48″	**S4-74-1848Z**	720	**S4-74-1848VG**	776	**S4-74-1848V**	776	**S4-74-1848E**	912
18″ x 60″	**S4-74-1860Z**	820	**S4-74-1860VG**	940	**S4-74-1860V**	940	**S4-74-1860E**	1040
18″ x 72″	**S4-74-1872Z**	920	**S4-74-1872VG**	1040	**S4-74-1872V**	1040	**S4-74-1872E**	1164
24″ x 36″	**S4-74-2436Z**	728	**S4-74-2436VG**	788	**S4-74-2436V**	788	**S4-74-2436E**	924
24″ x 48″	**S4-74-2448Z**	836	**S4-74-2448VG**	948	**S4-74-2448V**	948	**S4-74-2448E**	1072
24″ x 60″	**S4-74-2460Z**	980	**S4-74-2460VG**	1064	**S4-74-2460V**	1064	**S4-74-2460E**	1224
24″ x 72″	**S4-74-2472Z**	1088	**S4-74-2472VG**	1212	**S4-74-2472V**	1212	**S4-74-2472E**	1404

"S" Hooks


Used to join shelving units in a number of configurations.



model #	list ea.
A200012	7

Label Holders

3¼″-long. Plastic.



color	model #	list
gray	**A204331**	7
black	**A206216**	7
clear	**A208746**	7

Stem Casters



- Resilient 5″-diameter* swivel casters.
- 300 lb weight capacity per caster.

*** Additional sizes available consult factory.**

description	model #	list
stem/swivel	**CSS5-300**	82
stem/brake	**CSB5-300**	94

Stationary Wall Mount Brackets



- End unit consists of one single shelf support and mounting plate.
- Mid unit consists of one double shelf support and mounting plate.
- Designed for fixed application where vertical adjustment is not required.

length	End Units * model #	list	Mid Units model #	list
14″	**WB14-C**	86	**DWB14-C**	132
18″	**WB18-C**	87	**DWB18-C**	133
21″	**WB21-C**	92	**DWB21-C**	134
24″	**WB24-C**	93	**DWB24-C**	136

*** Priced per piece**

QUADPLUS® POLYMER SHELF MATS AND TRUSS FRAMES


QuadPLUS® Polymer Shelf Mats



shelves and posts sold separately

- Removable green polymer shelf mats with choice of epoxy-coated standard wire truss frames or Quad-Adjust® truss frames.
- Mats lay securely on top of truss frame.
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection.
- 800-lb. weight capacity for shelves up to 48″, 600-lb. 54″ through 72″ long - evenly distributed static load.
- Louvered and solid mats available.
- Easy assembly - no tools required.
- Easy cleaning and dishwasher-safe.
- Truss frames coated with Valu-Gard® green epoxy finish or EAGLEgard® hybrid epoxy with MICROGARD® (other finishes available, consult factory).
- Both style of truss frames can be fitted onto the same shelf unit.

Quad PLUS® ANTIMICROBIAL



QuadPLUS® shown with standard wire truss frame

QuadPLUS® with Standard Wire Truss Frames



w x l	…with Valu-Gard® epoxy finish				…with EAGLEgard® epoxy finish			
	with louvered mats		with solid mats		with louvered mats		with solid mats	
in.	model #	list	model #	list	model #	list	model #	list
18″ x 36″	QPF-1836VG-GL	204	QPF-1836VG-GS	214	QPF-1836E-GL	223	QPF-1836E-GS	238
18″ x 48″	QPF-1848VG-GL	243	QPF-1848VG-GS	256	QPF-1848E-GL	270	QPF-1848E-GS	285
18″ x 54″	QPF-1854VG-GL	289	QPF-1854VG-GS	304	QPF-1854E-GL	325	QPF-1854E-GS	340
18″ x 60″	QPF-1860VG-GL	289	QPF-1860VG-GS	304	QPF-1860E-GL	325	QPF-1860E-GS	340
18″ x 72″	QPF-1872VG-GL	330	QPF-1872VG-GS	344	QPF-1872E-GL	366	QPF-1872E-GS	386
24″ x 36″	QPF-2436VG-GL	244	QPF-2436VG-GS	258	QPF-2436E-GL	272	QPF-2436E-GS	287
24″ x 48″	QPF-2448VG-GL	300	QPF-2448VG-GS	312	QPF-2448E-GL	334	QPF-2448E-GS	350
24″ x 54″	QPF-2454VG-GL	354	QPF-2454VG-GS	372	QPF-2454E-GL	394	QPF-2454E-GS	417
24″ x 60″	QPF-2460VG-GL	354	QPF-2460VG-GS	372	QPF-2460E-GL	394	QPF-2460E-GS	417
24″ x 72″	QPF-2472VG-GL	417	QPF-2472VG-GS	437	QPF-2472E-GL	462	QPF-2472E-GS	486

QuadPLUS® with Quad-Adjust® Truss Frames

- Add or remove a shelf without having to disassemble the entire shelf unit.



w x l	…with Valu-Gard® epoxy finish				…with EAGLEgard® epoxy finish			
	with louvered mats		with solid mats		with louvered mats		with solid mats	
in.	model #	list	model #	list	model #	list	model #	list
18″ x 36″	QPF-QA1836VG-GL	239	QPF-QA1836VG-GS	248	QPF-QA1836E-GL	265	QPF-QA1836E-GS	276
18″ x 48″	QPF-QA1848VG-GL	285	QPF-QA1848VG-GS	303	QPF-QA1848E-GL	319	QPF-QA1848E-GS	337
18″ x 54″	QPF-QA1854VG-GL	342	QPF-QA1854VG-GS	356	QPF-QA1854E-GL	376	QPF-QA1854E-GS	396
18″ x 60″	QPF-QA1860VG-GL	342	QPF-QA1860VG-GS	356	QPF-QA1860E-GL	376	QPF-QA1860E-GS	396
18″ x 72″	QPF-QA1872VG-GL	283	QPF-QA1872VG-GS	295	QPF-QA1872E-GL	313	QPF-QA1872E-GS	328
24″ x 36″	QPF-QA2436VG-GL	287	QPF-QA2436VG-GS	304	QPF-QA2436E-GL	322	QPF-QA2436E-GS	338
24″ x 48″	QPF-QA2448VG-GL	353	QPF-QA2448VG-GS	369	QPF-QA2448E-GL	393	QPF-QA2448E-GS	408
24″ x 54″	QPF-QA2454VG-GL	418	QPF-QA2454VG-GS	438	QPF-QA2454E-GL	463	QPF-QA2454E-GS	487
24″ x 60″	QPF-QA2460VG-GL	418	QPF-QA2460VG-GS	438	QPF-QA2460E-GL	463	QPF-QA2460E-GS	487
24″ x 72″	QPF-QA2472VG-GL	487	QPF-QA2472VG-GS	514	QPF-QA2472E-GL	542	QPF-QA2472E-GS	567

Posts for use with QuadPLUS®

- Numbered posts for easy assembly. Standard adjustable leveling feet.

EAGLEgard® post




post height	Valu-Gard® green epoxy model #	list	EAGLEgard® green epoxy model #	list	post height	Valu-Gard® green epoxy model #	list	EAGLEgard® green epoxy model #	list
54″	P54-VG	41	P54-E	47	74″	P74-VG	48	P74-E	59
63″	P63-VG	44	P63-E	55	86″	P86-VG	63	P86-E	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z

Quad-Adjust® Adjustable Wire Shelving

- Shelves feature special interlocking corners that fit in slots of collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire unit.
- 800-lb. weight capacity for shelves up to 48″ long, evenly distributed static load, 600-lb. weight capacity for shelves 54″ through 72″.
- Accommodates all standard wire accessories.
- Packaging: 24″-48″ four to a box, 54″-72″ two per box.




channel of shelf corner fits into slot of collar attached to split sleeve

PATENTED
Patent #7,992,731

Quad-Adjust® Shelves

w x l	EAGLEbrite® zinc finish model #	list	Valu-Gard® green epoxy model #	list	VALU-MASTER® gray epoxy finish model #	list	EAGLEgard® green epoxy finish model #	list
18″ x 36″	QA1836Z	210	QA1836VG	210	QA1836V	210	QA1836E	218
18″ x 48″	QA1848Z	234	QA1848VG	234	QA1848V	234	QA1848E	248
18″ x 60″	QA1860Z	265	QA1860VG	265	QA1860V	265	QA1860E	280
18″ x 72″	QA1872Z	299	QA1872VG	299	QA1872V	299	QA1872E	319
24″ x 36″	QA2436Z	238	QA2436VG	238	QA2436V	238	QA2436E	248
24″ x 48″	QA2448Z	269	QA2448VG	269	QA2448V	269	QA2448E	287
24″ x 60″	QA2460Z	309	QA2460VG	309	QA2460V	309	QA2460E	334
24″ x 72″	QA2472Z	353	QA2472VG	353	QA2472V	353	QA2472E	388

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelves.



Quad-Adjust® shelves can also be ordered single-packaged for applications where only one shelf is required to add to an existing wire shelving unit. Call for pricing.

Quad-Adjust® Posts

- Numbered posts for easy assembly with standard adjustable leveling feet.

post height	EAGLEbrite® zinc finish model #	list	Valu-Gard® green epoxy model #	list	VALU-MASTER® gray epoxy model #	list	EAGLEgard® green epoxy model #	list
54″	P54-Z	39	P54-VG	41	P54-V	41	P54-E	47
63″	P63-Z	42	P63-VG	44	P63-V	44	P63-E	55
74″	P74-Z	51	P74-VG	48	P74-V	48	P74-E	59
86″	P86-Z	64	P86-VG	63	P86-V	63	P86-E	68

Note: Caster posts also available - add prefix "C" to model #. Example: CP74-Z

Simple as one, two, three!



1) Snap the split sleeves onto a post over the number of your choice.
2) Attach the Quad-Adjust® slotted collar onto the split sleeves.
3) Slide shelf into slotted collar to complete.

Quad-Adjust® Starter Units

- Each starter unit consists of two standard Quad-Truss® shelves, two Quad-Adjust® shelves, and four 74" posts.

w x l	EAGLEbrite® zinc finish model #	list	VALU-MASTER® gray epoxy model #	list	EAGLEgard® green epoxy model #	list
18″ x 36″	F2QA2-74-1836Z	852	F2QA2-74-1836V	840	F2QA2-74-1836E	956
18″ x 48″	F2QA2-74-1848Z	930	F2QA2-74-1848V	952	F2QA2-74-1848E	1070
18″ x 60″	F2QA2-74-1860Z	1042	F2QA2-74-1860V	1096	F2QA2-74-1860E	1198
18″ x 72″	F2QA2-74-1872Z	1160	F2QA2-74-1872V	1214	F2QA2-74-1872E	1338
24″ x 36″	F2QA2-74-2436Z	942	F2QA2-74-2436V	896	F2QA2-74-2436E	1076
24″ x 48″	F2QA2-74-2448Z	1058	F2QA2-74-2448V	1222	F2QA2-74-2448E	1228
24″ x 60″	F2QA2-74-2460Z	1210	F2QA2-74-2460V	1184	F2QA2-74-2460E	1398
24″ x 72″	F2QA2-74-2472Z	1352	F2QA2-74-2472V	1322	F2QA2-74-2472E	1596






ADD
SUBTRACT
ADJUST
IT'S THAT
EASY

Dunnage Racks (NSF)

Panco® Aluminum Dunnage Racks



- Features 1½″ square tubing and plastic feet.
- 12″ height.

w x l	weight capacity	# of lats	model #	list
20″ x 36″	2000	4	**WDR203612-A**	426
20″ x 48″	2000	4	**WDR204812-A**	473
20″ x 60″	1500	4	**WDR206012-A**	553
24″ x 36″	2000	5	**WDR243612-A**	522
24″ x 48″	2000	5	**WDR244812-A**	573
24″ x 60″	1500	5	**WDR246012-A**	641

NOTE: Models available with 8″ height. To order, replace "12" in model number with "08". Example WDR203608-A

Panco® Nesting Aluminum Dunnage Racks



- Racks are stackable, saving space when not in use.
- 12″ height.

w x l	weight capacity	# of lats	model #	list each
20″ x 36″	3200	4	**NDR203612-A**	489
20″ x 48″	2700	4	**NDR204812-A**	551
24″ x 36″	3200	5	**NDR243612-A**	609
24″ x 48″	2700	5	**NDR244812-A**	694

Polymer Dunnage Racks



- 12″ height, durable polyethylene construction prevents corrosion, rust and will not chip.

w x l	weight capacity	model #	list
22″ x 36″	2000	**PD3622**	560
22″ x 48″	3000	**PD4822**	677
22″ x 60″	3000	**PD6022**	770

Wire Platform Dunnage Racks



- 14″ height.

w x l	chrome model #	chrome list	EAGLEgard® model #	EAGLEgard® list
18″ x 24″	**PF1824-C**	273	**PF1824-E**	273
18″ x 30″	**PF1830-C**	283	**PF1830-E**	283
18″ x 36″	**PF1836-C**	287	**PF1836-E**	287
24″ x 24″	**PF2424-C**	307	**PF2424-E**	307
24″ x 30″	**PF2430-C**	309	**PF2430-E**	309
24″ x 36″	**PF2436-C**	322	**PF2436-E**	322

Utility Carts - Wire (NSF)

- Zinc finish.
- 18″-wide carts have 4″ casters, 24″-wide carts have 5″ casters.

# shelves	w x l	model #	list
2	18″ x 36″	**EU2-1836Z**	647
2	24″ x 36″	**EU2-2436Z**	749
3	18″ x 36″	**EU3-1836Z**	792
3	24″ x 36″	**EU3-2436Z**	929




2-shelf utility cart

Wire Basket Utility Cart (NSF)

- Chrome finish.
- One basket shelf, one standard shelf.
- Set of 4″ swivel casters.

# shelves	w x l	model #	list
2	18″ x 36″	**WBC1836C-1B1W**	782



Cart features 4¼″-deep wire basket shelf

Security Modules

- Includes end panels, rear panel, and door(s).
- Fits in between two wire shelves* spaced 20″ apart.
- More than one module can be added, depending on unit's overall height.
- Available for 18″, 21″, and 24″ -wide shelving units.

Note:
Shelves and Posts Sold Separately
– see page 3



unit with flip-up door—shown assembled to wire shelf unit

…with Flip-Up Door

	EAGLEbrite® zinc		chrome		Valugard®		EAGLEgard®		stainless steel	
size	model #	list	model #	list	model #	list	model #	list	model #	list
18″ x 36″	**SECM1836FZ**	944	**SECM1836FC**	1120	**SECM1836FVG**	1205	**SECM1836FE**	1180	**SECM1836FS**	2988
18″ x 48″	**SECM1848FZ**	987	**SECM1848FC**	1177	**SECM1848FVG**	1263	**SECM1848FE**	1243	**SECM1848FS**	3134
18″ x 60″	**SECM1860FZ**	998	**SECM1860FC**	1272	**SECM1860FVG**	1366	**SECM1860FE**	1343	**SECM1860FS**	3154
24″ x 36″	**SECM2436FZ**	978	**SECM2436FC**	1194	**SECM2436FVG**	1284	**SECM2436FE**	1255	**SECM2436FS**	3094
24″ x 48″	**SECM2448FZ**	1025	**SECM2448FC**	1308	**SECM2448FVG**	1405	**SECM2448FE**	1376	**SECM2448FS**	3244
24″ x 60″	**SECM2460FZ**	1069	**SECM2460FC**	1426	**SECM2460FVG**	1536	**SECM2460FE**	1503	**SECM2460FS**	3399

…with Hinged Door

	EAGLEbrite® zinc		chrome		Valugard®		EAGLEgard®		stainless steel	
size	model #	list	model #	list	model #	list	model #	list	model #	list
18″ x 36″	**SECM1836Z**	809	**SECM1836C**	1053	**SECM1836VG**	1130	**SECM1836E**	1110	**SECM1836S**	2572
18″ x 48″	**SECM1848Z**	860	**SECM1848C**	1116	**SECM1848VG**	1197	**SECM1848E**	1173	**SECM1848S**	2753
18″ x 60″	**SECM1860Z**	870	**SECM1860C**	1250	**SECM1860VG**	1344	**SECM1860E**	1315	**SECM1860S**	2762
24″ x 36″	**SECM2436Z**	849	**SECM2436C**	1140	**SECM2436VG**	1222	**SECM2436E**	1203	**SECM2436S**	2697
24″ x 48″	**SECM2448Z**	905	**SECM2448C**	1292	**SECM2448VG**	1389	**SECM2448E**	1356	**SECM2448S**	2880
24″ x 60″	**SECM2460Z**	959	**SECM2460C**	1444	**SECM2460VG**	1549	**SECM2460E**	1518	**SECM2460S**	3065



unit with hinged doors—shown assembled to wire shelf unit

Full Size Security Units

- Shipped knocked-down for easy assembly and reduced shipping costs.
- Mobile units feature four 5″ swivel poly casters, two with brake.
- Units provided with 63″ posts.

		chrome		EAGLEgard®	
description	w x l x h	model #	list	model #	list
stationary	27¼″ x 39¼″ x 67″	**SC2436**	2548	**SC2436E**	3108
stationary	27¼″ x 51¼″ x 67″	**SC2448**	3167	**SC2448E**	3860
mobile	27¼″ x 39¼″ x 69″	**CSC2436**	3010	**CSC2436E**	3674
mobile	27¼″ x 51¼″ x 69″	**CSC2448**	3627	**CSC2448E**	4423



chrome mobile security unit with optional center shelf

Mini Security Units

- Stationary units only.
- Chrome finish for durability.
- Units shipped knocked-down for easy assembly and reduced shipping costs.



mini security unit

w x l x h	model #	list
16″ x 38″ x 40″	**MSC1436**	2410
16″ x 50″ x 40″	**MSC1448**	3026
26″ x 38″ x 40″	**MSC2436**	2489
26″ x 50″ x 40″	**MSC2448**	3134

Optional Shelves for Security Units

Chrome finish.

		Standard Shelves		Quad-Adjust Shelves	
w x l	description	model #	list	model #	list
14″ x 36″	chrome, mini	**1436C**	139	**QA1436C**	204
14″ x 48″	chrome, mini	**1448C**	162	**QA1448C**	226
24″ x 36″	chrome, full size	**2436C**	185	**QA2436C**	248
24″ x 48″	chrome, full size	**2448C**	220	**QA2448C**	287
24″ x 36″	Eaglegard® epoxy, full size	**2436E**	185	**QA2436E**	248
24″ x 48″	Eaglegard® epoxy, full size	**2448E**	220	**QA2448E**	287

WalStor® Modular Wall System

WalStor® allows you to maximize space, utilizing previously unused wall area for storage, prep work, almost anything – all the while, keeping everything within easy reach, without taking up valuable floor space. WalStor® is designed so that your shelves can be positioned anywhere on a wall, regardless of stud position.

Please note: WalStor® must be mounted to a solid surface or studs in a wall. User must determine installation materials and methods suitable to hold and support the WalStor® system.




WalStor® Double Shelf Kit with accessories



Single Shelf Kits

(1) EAGLEbrite® shelf
(1) 18″-tall full-length wall mat
(1) pair of 30″ vertical wall uprights
(1) pair of 18″ wire shelf brackets

shelf w x l	model #	list
18″ x 36″	**WAL-1-1836**	659
18″ x 48″	**WAL-1-1848**	759




Double Shelf Kits

(2) EAGLEbrite® shelves
(2) 18″-tall full-length wall mats
(1) pair of 45″ vertical wall uprights
(2) pair of 18″ wire shelf brackets

shelf w x l	model #	list
18″ x 36″	**WAL-2-1836**	1030
18″ x 48″	**WAL-2-1848**	1174

Adjustable Post Wall Mount Kits

- Sold as prepackaged units.
- Adjustable design.
- Chrome finish.



end units shown

End Units

Consists of two posts, single shelf brackets and post supports.

shelf width	post height	for	model #	list
14″	14″	1 shelf	**PWE14-1C**	370
14″	33″	2 shelves	**PWE14-2C**	598
18″	14″	1 shelf	**PWE18-1C**	375
18″	33″	2 shelves	**PWE18-2C**	598

Note: Shelves and accessories sold separately.

Mid Units

Consists of one post, double shelf brackets and post supports.

shelf width	post height	for	model #	list
14″	14″	1 shelf	**PWM14-1C**	240
14″	33″	2 shelves	**PWM14-2C**	406
18″	14″	1 shelf	**PWM18-1C**	243
18″	33″	2 shelves	**PWM18-2C**	407

Note: Shelves and accessories sold separately.

Cradle Wine Shelves

- Each bottle is "cradled" by heavy gauge wire to avoid movement.


Not recommended for mobile application.



w x l	capacity (750ml bottles)	chrome model #	chrome list	black epoxy model #	black epoxy list
14″ x 36″	9	**W1436C**	265	**W1436BL**	269
14″ x 48″	12	**W1448C**	303	**W1448BL**	308

Pot Racks

- Supplied with stainless steel brackets.
- One two-prong sliding hook per foot.



for table length	aluminum model #	aluminum list	stainless steel model #	stainless steel list
4′	**WM48APR**	564	**WM48PR**	752
5′	**WM60APR**	645	**WM60PR**	800
6′	**WM72APR**	823	**WM72PR**	1019

Snap-N-Slide® Wall Shelves - Solid Stainless Steel



- 1½″ upturn on rear and ends of shelf.
- Available in 12″ or 15″ widths with rolled front edge.

	16 gauge type 430		16 gauge type 304		14 gauge type 304	
w x l	model #	list	model #	list	model #	list
12″ x 24″	SWS1224-16/4	495	SWS1224-16/3	594	SWS1224-14/3	628
12″ x 36″	SWS1236-16/4	533	SWS1236-16/3	747	SWS1236-14/3	800
12″ x 48″	SWS1248-16/4	656	SWS1248-16/3	827	SWS1248-14/3	892
12″ x 60″	SWS1260-16/4	697	SWS1260-16/3	906	SWS1260-14/3	964
12″ x 72″	SWS1272-16/4	862	SWS1272-16/3	1116	SWS1272-14/3	1219
15″ x 24″	SWS1524-16/4	533	SWS1524-16/3	646	SWS1524-14/3	707
15″ x 36″	SWS1536-16/4	550	SWS1536-16/3	772	SWS1536-14/3	870
15″ x 48	SWS1548-16/4	663	SWS1548-16/3	938	SWS1548-14/3	1058
15″ x 60″	SWS1560-16/4	715	SWS1560-16/3	1029	SWS1560-14/3	1088
15″ x 72″	SWS1572-16/4	876	SWS1572-16/3	1281	SWS1572-14/3	1447

Snap-N-Slide® Wall Shelves - Wire Construction



- Wire design allows for free air circulation.
- No tools required to attach shelf to wall brackets

	Chrome		Valu-Master®		EAGLEgard®	
w x l	model #	list	model #	list	model #	list
12″ x 24″	SNSW1224C	220	SNSW1224V	234	SNSW1224E	258
12″ x 36″	SNSW1236C	293	SNSW1236V	308	SNSW1236E	337
12″ x 48″	SNSW1248C	366	SNSW1248V	384	SNSW1248E	407
12″ x 60″	SNSW1260C	395	SNSW1260V	417	SNSW1260E	448
12″ x 72″	SNSW1272C	506	SNSW1272V	532	SNSW1272E	559

Snap-N-Slide® Wall Shelves - with Ticket Rail

- Features flat front and "tape-on" ticket rails - (ticket rails are provided with tape and are to be attached in the field).
- Standard checks are held with ease by a floating ball mechanism.



w x l	model #	list
12″ x 36″	SWS1236TR-16/4	552
12″ x 48″	SWS1248TR-16/4	697
12″ x 60″	SWS1260TR-16/4	768
12″ x 72″	SWS1272TR-16/4	942
12″ x 96″	SWS1296TR-16/4	1211

All Snap-N-Slide® Wall Shelves -
No tools required to attach shelf to wall brackets. Brackets can be mounted to studs – no wall backing required.

Wall Shelves



- Die-formed stainless steel mounting brackets are stud-welded to shelf.
- 1½″ roll on front and 1½″ upturn on rear and ends.

16 GAUGE - TYPE 430 STAINLESS		
w x l	model #	list
10″ x 24″	WS1024-16/4	562
10″ x 36″	WS1036-16/4	594
10″ x 48″	WS1048-16/4	635
10″ x 60″	WS1060-16/4	737

16 GAUGE - TYPE 430 STAINLESS			16 GAUGE - TYPE 300 STAINLESS		
w x l	model #	list	w x l	model #	list
12″ x 24″	WS1224-16/4	578	12″ x 24″	WS1224-16/3	674
12″ x 36″	WS1236-16/4	659	12″ x 36″	WS1236-16/3	761
12″ x 48″	WS1248-16/4	745	12″ x 48″	WS1248-16/3	762
12″ x 60″	WS1260-16/4	822	12″ x 48″	WS1260-16/3	889
12″ x 72″	WS1272-16/4	877	12″ x 72″	WS1272-16/3	1011

Microwave Shelves

- Heavy gauge type 430 stainless steel.
- Front marine counter edge.



w x l	model #	list
18″ x 24″	MWS1824	958
24″ x 24″	MWS2424	1100

Shelf with Removable Hooks

- 16 gauge type 430 shelf, type 304 rack.
- 1½″ roll on front, 1½″ upturn on rear/ends.



w x l	model #	list
12″ x 48″	WSP1248	1829
12″ x 60″	WSP1260	1914
12″ x 72″	WSP1272	1985

Tab-Lock Shelves



- 16 gauge type 430 stainless steel.
- Tab lock for easy assembly.
- 1½″ roll on front and 1½″ upturn on rear and ends.

w x l	model #	list	w x l	model #	list
10″ x 24″	WS1024TL	412	12″ x 24″	WS1224TL	439
10″ x 36″	WS1036TL	438	12″ x 36″	WS1236TL	475
10″ x 48″	WS1048TL	498	12″ x 48″	WS1248TL	533
10″ x 60″	WS1060TL	565	12″ x 60″	WS1260TL	594

Eagle Hand Sinks

Eagle hand sinks are the most specified in the industry. A variety of models are offered, including basic units, units with towel dispensers and all-electronic units. All models are wall mounted. Many available with MICROGARD® antimicrobial protection, see below.

MICROGARD® Antimicrobial Protection

An antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface of bowl that cause stains, odors and degradation. MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may. Available only on the sink bowl. An* indicates units applicable.

HOW TO ORDER MICROGARD® ON HAND SINKS:
Add suffix "**-MG**" to model number (example: HSA-10-FE-B**-MG**) and $254 to list price of hand sink.



HSA-10-F

splash mount faucet with basket drain



HSAE-10-FA

economy model with deck mount faucet and wall brackets

Basic Units (NSF)

3VP

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

description	model #	list	Qty List 3 or more
4″ centerline faucet holes, w/basket drain	**HSA-10***	792	753
with faucet and basket drain	**HSA-10-F***	896	855
with faucet, P-trap and tailpiece	**HSA-10-FA**	1300	1236
faucet w/wrist handles, p -trap, tail piece, basket drain	**HSA-10-FAW**	1735	1657



HSA-10-F-LRS

splash mount faucet with basket drain and left and right end splashes



HSA-10-FTWS

splash mount faucet with basket drain and tubular wall brackets



HSA-10-FW

splash mount faucet with wrist handles and basket drain

description	model #	list
with faucet w/wrist handles and basket drain	**HSA-10-FW***	1007
12″ from side to side, w/faucet and basket drain	**HSAN-10-F***	1432
economy model, w/faucet, wall brackets	**HSAE-10-FA***	965
with faucet and polymer lever drain	**HSA-10-FL**	1203
with faucet, polymer lever drain w/overflow	**HSA-10-FO**	1463
with faucet, basket drain, tubular wall brackets	**HSA-10-FTWS***	1899
with faucet, basket drain, left and right end splashes	**HSA-10-F-LRS**	1757

***Sink bowl available with optional MICROGARD® antimicrobial protection.**

Electronic Hand Sinks - AC Power (NSF)

description	model #	list
w/electric eye on basic sink	**HSA-10-FE***	3649
w/electric eye on sink, towel & soap dispenser	**HSA-10-FDPE***	4860
w/electric eye on sink, and polymer lever drain w/overflow	**HSA-10-FOE**	4715

*** Sink bowl available with optional MICROGARD® antimicrobial protection.**



HSA-10-FE

basic sink with electronic eye faucet



HSA-10-FDPE

electronic eye faucet with towel & soap dispenser

Electronic Hand Sinks - Battery Power (NSF)



HSA-10-FE-B



HSAN-10-FE-B-DS

Only 12″ side-to-side for maximum space efficiency.

description	model #	list
w/battery powered electric eye on basic sink	**HSA-10-FE-B***	4373
w/battery powered electric eye, deck mount soap dispenser and basket drain	**HSA-10-FE-B-DS***	5563
narrow bowl w/battery powered electric eye, deck mount soap dispenser and basket drain	**HSAN-10-FE-B-DS**	6233
w/battery powered electric eye on sink, towel & soap dispenser	**HSA-10-FDPE-B***	5587

*** Sink bowl available with MICROGARD® antimicrobial protection.**

Hand Sinks with Knee or Foot Valve

description	model #	list
*w/spout, knee pedals, skirt and basket drain	**HSA-10-FK**	2724
*w/spout, single knee pedal, skirt and basket drain	**HSA-10-1FK**	2724
*w/spout, foot pedal valves, P-trap, tail piece and basket drain	**HSA-10-FA-P**	2777
*w/spout, single foot pedal valves, P-trap, tail piece and basket drain	**HSA-10-FA-1P**	2777

***Sink bowl available with optional MICROGARD® antimicrobial protection.**





HSA-10-FK



HSA-10-1FK



PATENT PROTECTED

HSA-10-FDP-T



HSA-10-FWLDP-LRS



HSA-10-FLDP

EAGLE HAND SINKS MEET ALL THE LATEST HEALTH CODE REQUIREMENTS!

Hand Sinks with Towel Dispenser

description	model #	list
*w/towel dispenser and soap dispenser	**HSA-10-FDP**	2506
*w/towel dispenser, soap dispenser, waste skirt & receptacle	**HSA-10-FDP-T**	3374
w/towel dispenser, soap dispenser, and lever drain	**HSA-10-FLDP**	2682
includes faucet with wrist handles, towel and soap dispenser, factory installed side splashes, lever drain, P-trap, and basket drain	**HSA-10-FWLDP-LRS**	4172

***Sink bowl available with optional MICROGARD® antimicrobial protection.**

Physically Challenged Hand Sinks

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

3VP

ADA compliant hand sinks for maximum accessibility.

description	model #	list	Qty List 3 or more
w/deck mounted gooseneck faucet w/wrist handles, basket drain, and wall brackets	**HSAP-14-FW**	3615	3435
w/6-volt electronic-eye faucet, soap dispenser, basket drain, skirt assembly, and paper towel dispenser	**HSAP-14-ADA-FE-B**	10027	N/A
splash mount faucet w/wrist handles, mixer valve, C-fold towel dispenser, deck-mount soap dispenser, and skirt	**HSAP-14-ADA-FW**	8146	7698



HSAP-14-FW

Standard Faucets

With 4″ center, except #313075.



splash mounted



deck mounted



deck mounted with 8″ spout



drinking bubbler

description	model #	list
splash mounted, gooseneck spout	**303987**	352
wrist handles	**307120**	219
splash mounted with wrist handles, gooseneck spout	**306495**	724
deck mounted, gooseneck spout, 1/4-turn handles	**302004**	385
deck mounted, 8″ spout, 1/4-turn handles	**301248**	347
drinking bubbler	**318495**	1221
splash mounted, gooseneck spout, 8″ center	**313075**	341

Soap Dispensers

description	model #	list
conventional	**300602**	68
wall mounted w/electronic eye	**377456**	550
deck mount (16oz)	**324074**	254



300602



377456

Towel Dispensers

description	model #	list
wall mounted, C-fold towels	**318496**	602
wall mounted w/conventional soap dispenser	**DP-10***	1722
wall mounted w/electronic eye soap dispenser	**DP-20***	3577



DP-20

***Fits all HSA hand sinks except Space Saver models.**

Drains

description	maximum flow rate gallons per minute	maximum flow rate gallons per hour	model #	list
polymer lever drain fits 3½″ diameter holes	11	660	**319931**	166
overflow assembly for lever drain #319931 (above)	-	-	**319932**	78



Side Splash

Self-adhesive splash can be used for right or left application. (For field installation.)

description	model #	list
6½″ high stainless steel splash (1ea)	**HSA-SSK**	295



Seamless Welded-In Sinks (NSF)

- Deep-drawn seamless construction.
- Large radius bowl construction.
- Type 304 stainless steel all-welded construction.

3VP

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

w x l	# of bowls	model #	list	Qty List 3 or more
16″ x 12″	1	**FDI-10-14-5-1**	691	657
16″ x 12″	1	**FDI-10-14-9.5-1**	767	744
16″ x 24″	2	**FDI-10-14-9.5-2**	1473	1430
16″ x 36″	3	**FDI-10-14-9.5-3**	2197	2132

Hand Sinks with Factory-Installed Side Splashes (NSF)

description	model #	list
faucet, basket drain and side splashes	**HSA-10-F-LRS**	1757
12″ from side to side, with faucet, basket drain and side splashes	**HSAN-10-F-LRS**	2221
w/faucet, basket drain, tubular wall brackets and side splashes	**HSA-10-FTWS-LRS**	2159
w/battery powered electric eye on sink, towel & soap dispenser and side splashes	**HSA-10-FDPE-LRS**	5169



HSA-10-FDPE-LRS



FDI-10-14-9.5-2



HSA-10-FTWS-LRS

Deep-Drawn Countertop Drop-In Sinks (NSF)

3VP

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

description	# of bowls	bowl depth	model #	list	Qty List 3 or more
w/gooseneck faucet and basket drain, 12¾″ overall length	1	5″	**SR10-14-5-1**	802	786
w/gooseneck faucet and basket drain, 12¾″ overall length	1	9½″	**SR10-14-9.5-1**	1066	1046
w/gooseneck faucet and basket drain, 16¾″ overall length	1	5″	**SR14-10-5-1**	1048	1028
w/gooseneck faucet and basket drain, 16¾″ overall length	1	9½″	**SR14-10-9.5-1**	1498	1469
w/faucet and basket drain, 24¾″ overall length	2	9½″	**SR10-14-9.5-2**	2427	2330
w/12″ spout and basket drains, 36¾″ overall length	3	9½″	**SR10-14-9.5-3**	3021	2962



SR10-14-5-1

Replacement Faucets for Drop-Ins

description	model #	list
Deck Mounted, w/gooseneck, for Single Bowls	**302004**	385
Deck Mounted, w/8″ spout, for Single Bowls	**301248**	347
Deck Mounted, w/12″ spout, for Triple Bowls	**300490**	368

Bottom Mount Kit

One kit per one-compartment sinks, three kits required for three-compartment sink.

description	model #	list
8 clips per kit	**362188**	56

Floor Troughs and Drains

- 14 gauge type 304 stainless steel construction.
- Built-in pitch towards waste designed for assurance of complete drainage.
- Troughs and drains feature coved corners and accommodate up to 4″ diameter waste pipe.

Floor Troughs

w x l	With Yellow Fiberglass Subway-Style Grating model #	list	With Stainless Steel Subway-Style Grating model #	list
12″ x 24″	**FT-1224-FG**	4079	**FT-1224-SG**	5271
12″ x 36″	**FT-1236-FG**	5144	**FT-1236-SG**	6392
15″ x 36″	**FT-1536-FG**	5188	**FT-1536-SG**	7441
15″ x 48″	**FT-1548-FG**	5973	**FT-1548-SG**	9056
18″ x 24″	**FT-1824-FG**	4899	**FT-1824-SG**	6764
18″ x 36″	**FT-1836-FG**	5796	**FT-1836-SG**	7518
24″ x 36″	**FT-2436-FG**	6372	**FT-2436-SG**	9722
24″ x 48″	**FT-2448-FG**	7482	**FT-2448-SG**	11258

Anti-Splash Floor Troughs

Patented (#D519,618 S) "anti-splash" design assures complete drainage while preventing waste from splashing back onto floor.



floor trough with fliberglass grating

w x l	With Yellow Fiberglass Subway-Style Grating model #	list	With Stainless Steel Subway-Style Grating model #	list
12″ x 24″	**ASFT-1224-FG**	4580	**ASFT-1224-SG**	5884
15″ x 24″	**ASFT-1524-FG**	5129	**ASFT-1524-SG**	6243
18″ x 24″	**ASFT-1824-FG**	5020	**ASFT-1824-SG**	6568
24″ x 36″	**ASFT-2436-FG**	7163	**ASFT-2436-SG**	10379
24″ x 48″	**ASFT-2448-FG**	8409	**ASFT-2448-SG**	12136

Floor Drains

Waste cup can be inverted to double as a bee hive strainer.

w x l	With Yellow Fiberglass Subway-Style Grating model #	list	With Stainless Steel Subway-Style Grating model #	list
12″ x 12″	**FD-FG**	3028	**FD-SG**	4031

Note: Floor opening = 11½″ x 11½″



#FD-SG floor drain

314 Series (NSF)
Coved Corner Sinks

See Page 15 for optional faucets and lever drains.

- Heavy gauge type 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless coved corner bowls, 14″ bowl depth.
- Legs crossbraced front-to-back.
- 9½″ backsplash.

ALL 304 stainless steel!

All 14″ deep — Meets all health codes.

Upgrade Sink Packages

For 412, 414 and 314 Sinks. Easy-To-Add Kits for legs, faucets and drains.

Kit A

Includes stainless steel crossbraced legs, gussets, feet, and faucet (313293).

To order: Add suffix **-CLF** to sink model #.
Add to list price for sinks:

1 faucet 2602
2 faucets..... 3900

Kit B

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain.

To order: Add suffix **-CLFD** to sink model #.
Add to list price for sinks:

1 faucet 2602
2 faucets..... 3900
Per lever drain..... 506

Kit C

Includes stainless steel crossbraced legs, gussets, feet, faucet (313293) and lever drain with overflow.

To order: Add suffix **-CLFDO** to sink model #.
Add to list price for sinks:

1 faucet 2602
2 faucets..... 3900
Per lever drain w/overflow 1030

Stainless Steel Legs

Optional stainless steel legs with front-to-back crossbracing available. To order, add $756 to list price and suffix "**-SL**" to model number.
Example: 414-16-1-**SL**

One-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	2	54.5″	**314-16-1-18**	4810
24″ x 18″	0	25.5″	**314-18-1**	2971
24″ x 18″	1	40.75″	**314-18-1-18R**	4096
24″ x 18″	1	40.75″	**314-18-1-18L**	4096
24″ x 24″	0	31.5	**314-24-1**	3373

Two-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
24″ x 18″	0	45.5″	**314-18-2**	5273
24″ x 18″	1	60.75″	**314-18-2-18R**	5735
24″ x 18″	1	60.75″	**314-18-2-18L**	5735
24″ x 18″	2	76.0″	**314-18-2-18**	6016
24″ x 24″	1	78.75″	**314-24-2-24R**	6370
24″ x 24″	1	78.75″	**314-24-2-24L**	6370
24″ x 24″	2	100.0″	**314-24-2-24**	6655

Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	2	102.0″	**314-16-3-24**	7530
24″ x 18″	0	65.5″	**314-18-3***	6722
24″ x 18″	1	80.75″	**314-18-3-18R***	7331
24″ x 18″	1	80.75″	**314-18-3-18L***	7331
24″ x 18″	2	96.0″	**314-18-3-18***	7808
24″ x 18″	1	86.75″	**314-18-3-24R***	7473
24″ x 18″	1	86.75″	**314-18-3-24L***	7473
24″ x 18″	2	108.0″	**314-18-3-24***	8797
24″ x 24″	0	83.5″	**314-24-3***	9328
24″ x 24″	1	104.75″	**314-24-3-24R***	10566
24″ x 24″	1	104.75″	**314-24-3-24L***	10566
24″ x 24″	2	126.0″	**314-24-3-24***	10941

*** Includes two sets of faucet holes.**

Four-Compartment Sink

Includes two sets of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	2	107.75″	**314-16-4-18**	10586

Buy 3 of the Same Model –Get 3VP Special Qty Pricing!

3VP

# of bowls	bowl size w x l	# of drbds	overall length	model #	list	Qty List 3 or more
1	20″ x 16″	0	23.25″	**314-16-1**	2695	2614
1	20″ x 16″	1	38.875″	**314-16-1-18R**	3978	3779
1	20″ x 16″	1	38.875″	**314-16-1-18L**	3978	3779
1	20″ x 16″	2	54.5″	**314-16-1-18**	4810	4569
2	20″ x 16″	0	41.0″	**314-16-2**	4384	4165
2	20″ x 16″	1	56.625″	**314-16-2-18R**	5117	4964
2	20″ x 16″	1	56.625″	**314-16-2-18L**	5117	4964
2	20″ x 16″	2	72.25″	**314-16-2-18**	5378	5216
3	20″ x 16″	0	58.75″	**314-16-3**	5378	5216
3	20″ x 16″	1	74.375″	**314-16-3-18R**	6586	6346
3	20″ x 16″	1	74.375″	**314-16-3-18L**	6586	6346
3	20″ x 16″	2	90.0″	**314-16-3-18**	6725	6657



314-16-1

One-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	0	23.25″	**414-16-1**	2425
20″ x 16″	1	38.875″	**414-16-1-18R**	3593
20″ x 16″	1	38.875″	**414-16-1-18L**	3593
20″ x 16″	2	54.5″	**414-16-1-18**	4260
24″ x 18″	0	25.5″	**414-18-1**	2670
24″ x 18″	1	40.75″	**414-18-1-18R**	3628
24″ x 18″	1	40.75″	**414-18-1-18L**	3628
24″ x 24″	0	31.5	**414-24-1**	3034

Two-Compartment Sinks

Includes one set of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	0	41.0″	**414-16-2**	3931
20″ x 16″	1	56.625″	**414-16-2-18R**	4588
20″ x 16″	1	56.625″	**414-16-2-18L**	4588
20″ x 16″	2	72.25″	**414-16-2-18**	4836
20″ x 16″	2	84.25″	**414-16-2-24**	5396
24″ x 18″	0	45.5″	**414-18-2**	4739
24″ x 18″	1	60.75″	**414-18-2-18R**	5144
24″ x 18″	1	60.75″	**414-18-2-18L**	5144
24″ x 18″	2	76.0″	**414-18-2-18**	5403
24″ x 24″	1	78.75″	**414-24-2-24R**	5730
24″ x 24″	1	78.75″	**414-24-2-24L**	5730
24″ x 24″	2	100.0″	**414-24-2-24**	6295

Three-Compartment Sinks

Includes one set of faucet holes (except where indicated).

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	0	58.75″	**414-16-3**	4841
20″ x 16″	1	74.375″	**414-16-3-18R**	5915
20″ x 16″	1	74.375″	**414-16-3-18L**	5915
20″ x 16″	2	90.0″	**414-16-3-18**	6049
20″ x 16″	2	102.0″	**414-16-3-24**	6770
24″ x 18″	0	65.5″	**414-18-3***	6045
24″ x 18″	1	80.75″	**414-18-3-18R***	6586
24″ x 18″	1	80.75″	**414-18-3-18L***	6586
24″ x 18″	2	96.0″	**414-18-3-18***	7013
24″ x 18″	1	86.75″	**414-18-3-24R***	6717
24″ x 18″	1	86.75″	**414-18-3-24L***	6717
24″ x 18″	2	108.0″	**414-18-3-24***	7902
24″ x 24″	0	83.5″	**414-24-3***	8380
24″ x 24″	1	98.75″	**414-24-3-18R***	8578
24″ x 24″	1	98.75″	**414-24-3-18L***	8578
24″ x 24″	1	104.75″	**414-24-3-24R***	9025
24″ x 24″	1	104.75″	**414-24-3-24L***	9025
24″ x 24″	2	114.0″	**414-24-3-18***	9500
24″ x 24″	2	126.0″	**414-24-3-24***	9830

*** Includes two sets of faucet holes.**

Four-Compartment Sink

Includes two sets of faucet holes.

bowl size w x l	# of drbds	overall length	model #	list
20″ x 16″	2	107.75″	**414-16-4-18**	9039

414 Series (NSF)

Coved Corner Sinks

- Heavy gauge type 304 stainless steel bowls
- Type 430 drainboards and backsplash.
- Deep drawn seamless coved corner bowls.
- Legs crossbraced front-to-back.
- 9½″ backsplash and 14″ water level standard.

All 14″ deep — Meets ALL health codes depths!



414-16-1-18



414-16-2-18





414-16-4-18

SEE PAGE 14 FOR UPGRADE OPTIONS - Profit from the Eagle Advantage®

Optional Faucets

Splash mounted, with 8″ center.

description	STANDARD FAUCETS model #	list	T&S HEAVY DUTY FAUCETS model #	list
12″ spout	**300716**	341	**313293**	1265
14″ spout	**300804**	347	**313294**	1270

Optional Lever Drains

description	model #	list
with 1.5″ or 2″ NPS connection	**300720**	487
with 2″ NPS connection	**300721**	487

412 Series Coved Corner Sinks (NSF)

- 430 stainless steel bowls, drainboards and backsplash.
- Deep drawn seamless coved corner bowls.
- Legs crossbraced front to back.
- 9½″ backsplash, 10½″ water level.
- 1 set of faucet holes.



412-16-2-18



412-16-3-18L

See Page 15 for optional faucets and lever drains.
See Page 14 for additional options for Coved Corner Sinks.

One-Compartment Sinks

bowl size w x l	# and size of drainbds	overall length	model #	list
20″ x 16″	(0)	23.25″	**412-16-1**	2359
20″ x 16″	(1) 18″, R	38.875″	**412-16-1-18R**	3430
20″ x 16″	(1) 18″, L	38.875″	**412-16-1-18L**	3430
20″ x 16″	(2) 18″	54.5″	**412-16-1-18**	4079
20″ x 16″	(1) 24″, R	44.875″	**412-16-1-24R**	3615
20″ x 16″	(1) 24″, L	44.875″	**412-16-1-24L**	3615
20″ x 16″	(2) 24″	66.5″	**412-16-1-24**	4206

Two-Compartment Sinks

bowl size w x l	# and size of drainbds	overall length	model #	list
20″ x 16″	(0)	41.0″	**412-16-2**	3337
20″ x 16″	(1) 18″, R	56.625″	**412-16-2-18R**	4032
20″ x 16″	(1) 18″, L	56.625″	**412-16-2-18L**	4032
20″ x 16″	(2) 18″	72.25″	**412-16-2-18**	4754
20″ x 16″	(1) 24″, R	62.875″	**412-16-2-24R**	4100
20″ x 16″	(1) 24″, L	62.875″	**412-16-2-24L**	4100
20″ x 16″	(2) 24″	84.25″	**412-16-2-24**	5078

Three-Compartment Sinks

bowl size w x l	# and size of drainbds	overall length	model #	list
20″ x 16″	(0)	58.75″	**412-16-3**	4203
20″ x 16″	(1) 18″, R	74.375″	**412-16-3-18R**	5087
20″ x 16″	(1) 18″, L	74.375″	**412-16-3-18L**	5087
20″ x 16″	(2) 18″	90.0″	**412-16-3-18**	5369
20″ x 16″	(1) 24″, R	80.375″	**412-16-3-24R**	5149
20″ x 16″	(1) 24″, L	80.375″	**412-16-3-24L**	5149
20″ x 16″	(2) 24″	102.0″	**412-16-3-24**	5495

Convenience Store Sinks (NSF)

- Constructed of all 304 stainless steel bowls, drainboards and backsplash.
- Deep drawn coved corner bowls, crumb cup strainer.
- 36″ working height, legs crossbraced front-to-back.
- 21¾″ front to back.



(faucet sold separately)

310 Series

9½″ water depth, 1 set of faucet holes.

# of bowls	bowl size w x l	# and size of drainbds	overall length	model #	list
3	14″ x 10″	(2) 12″	60.0″	**310-10-3-12**	6233
3	14″ x 10″	(2) 18″	72.0″	**310-10-3-18**	6385

312 Series

12″ water depth, 1 set of faucet holes.

# of bowls	bowl size w x l	# and size of drainbds	overall length	model #	list
3	12″ x 20″	(2) 12″	66.0″	**312-12-3-12**	6621
3	14″ x 16″	(2) 12″	72.0″	**312-14-3-12**	7093



Optional Faucet

description	model #	list
10″ spout	**300489**	490

Fabricated Sinks

- 20″ x 20″ or 28″ x 20″ bowls, 14″ deep.
- 8″ high backsplash with ¾″ upturn and tile edge.
- 1⅛″ faucet holes punched on 8″ centers. One set of faucet holes on all sinks except where noted*.
- Legs: 1⅝″ -diameter stainless steel tubing with gussets and adjustable bullet feet.



S14-20-3-18-SL



S16-20-3-24

S14 Series

Features include 20″ x 20″ sink bowls (except where noted*), 14 gauge type 304 bowls, stainless steel legs and feet, with 18 gauge stainless steel front apron.

# of bowls	# of drbds	drainboard length	overall length	model #	list
1	0	n/a	29″	**S14-20-1-SL**	3225
2	1	18″	67½″	**S14-20-2-18R-SL**	5602
2	1	18″	67½″	**S14-20-2-18L-SL**	5602
2	2	18″	81″	**S14-20-2-18-SL**	5898
3	1	18″	89½″	**S14-20-3-18R-SL**	7388
3	1	18″	89½″	**S14-20-3-18L-SL**	7388
3	2	18″	103″	**S14-20-3-18-SL**	7778
3	1	24″	95½″	**S14-20-3-24R-SL**	7707
3	1	24″	95½″	**S14-20-3-24L-SL**	7707
3	2	24″	115″	**S14-20-3-24-SL**	8110
3	2	18″	103″	**S14-28-3-18-SL***	9098

S16 Series

Features include 20″ x 20″ sink bowls (except where noted*), 16 gauge type 304 bowls, galvanized legs and plastic feet.

# of bowls	# of drbds	drainboard length	overall length	model #	list
1	0	n/a	29″	**S16-20-1**	2840
2	1	18″	67½″	**S16-20-2-18R**	4930
2	1	18″	67½″	**S16-20-2-18L**	4930
2	2	18″	81″	**S16-20-2-18**	5192
3	1	18″	89½″	**S16-20-3-18R**	6499
3	1	18″	89½″	**S16-20-3-18L**	6499
3	2	18″	103″	**S16-20-3-18**	6841
3	1	24″	95½″	**S16-20-3-24R**	6784
3	1	24″	95½″	**S16-20-3-24L**	6784
3	2	24″	115″	**S16-20-3-24**	7139
3	2	18″	103″	**S16-28-3-18 ***	6956

*** #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28″-wide x 20″-long sink bowls and two sets of faucet holes.**

Utility Sinks



2448-2-16/4
(faucet sold separately)

Optional Detachable Drainboards

– Type 430 stainless steel.

width	model #	list
18″	**18x18 RRDEDB**	557
21″	**21x18 RRDEDB**	557
21″	**21x24 RRDEDB**	563
24″	**24x18 RRDEDB**	563
24″	**24x18 RRDEDB**	563

Optional Faucets

With 8″ center.

description	model #	list
12″ spout	**300716**	341
14″ spout	**300804**	347

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

Type 304 stainless steel

# of bowls	bowl size W x L	overall length	model #	list
1	18″ x 18″	19⅜″	**1818-1-16/3**	2102
1	21″ x 18″	19⅜″	**2118-1-16/3**	2134
1	21″ x 24″	25⅜″	**2124-1-16/3**	2260
1	24″ x 24″	25⅜″	**2424-1-16/3**	2423
2	21″ x 18″	37⅞″	**2136-2-16/3**	2785
2	24″ x 24″	49⅜″	**2448-2-16/3**	3134
3	21″ x 12″	37⅞″	**2136-3-16/3**	2955
3	21″ x 16″	49⅜″	**2148-3-16/3**	3113
3	21″ x 18″	55⅞″	**2154-3-16/3**	3170
3	24″ x 24″	73⅜″	**2472-3-16/3**	4381

Type 430 stainless steel

# of bowls	W x L	bowl size length	overall model #	list	Qty List 3 or more
1	18″ x 18″	19⅜″	**1818-1-16/4**	1550	1504
1	18″ x 24″	25⅜″	**1824-1-16/4**	2059	1997
1	21″ x 18″	19⅜″	**2118-1-16/4**	1596	1548
1	21″ x 24″	25⅜″	**2124-1-16/4**	1642	1593
1	21″ x 36″	37⅞″	**2136-1-16/4**	2268	2200
1	24″ x 24″	25⅜″	**2424-1-16/4**	1799	1745
1	24″ x 36″	37⅞″	**2436-1-16/4**	2336	2266
2	18″ x 18″	37⅞″	**1836-2-16/4**	2758	2675
2	21″ x 18″	37⅞″	**2136-2-16/4**	2170	2106
2	24″ x 24″	49⅜″	**2448-2-16/4**	2557	2480
3	18″ x 18″	37⅞″	**2136-3-16/4**	2359	N/A
3	21″ x 16″	49⅜″	**2148-3-16/4**	2527	N/A
3	21″ x 18″	55⅞″	**2154-3-16/4**	2738	N/A
3	24″ x 24″	73⅜″	**2472-3-16/4**	3744	N/A

Mop Sinks (NSF)

- Exclusive anti-splash double-offset "V" edge reduces spillage.
- All stainless steel construction.
- Floor mount for the ultimate in sanitation.
- Deep-drawn seamless bowl.


mop sink

bowl size w x l x d	overall size w x l	model #	list
20″ x 28″ x 8″	25½″ x 32⅝″	**F2820**	3525
20″ x 28″ x 12″	25½″ x 32⅝″	**F2820-12**	3917

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

bowl size w x l x d	overall size w x l	model #	list	Qty List 3 or more
16″ x 20″ x 8″	21½″ x 24⅝″	**F1916**	2811	2786
16″ x 20″ x 12 ″	21½″ x 24⅝″	**F1916-12**	3193	3165



Optional 16" Splash Kits for Mop Sinks


- 16 gauge type 304 stainless steel.
- 3" radius on front of end splashes.
- Kit comes with hardware for attaching to mop sink.

description	fits "F1916" mop sinks model #	list	fits "F2820" mop sinks model #	list
left and rear splash kit	**503095**	1143	**503098**	1211
right and rear splash kit	**503096**	1143	**503099**	1211
left, right and rear splash kit	**503097**	1802	**503100**	1977

Mop Sink Accessories

description	model #	list
service faucet	**312690**	1107
hose & bracket	**312689**	355
mop holder	**312688**	382


hose & bracket


service faucet

mop holder

Mop Sink Storage Cabinets

- Heavy gauge type 430 stainless steel. (NSF)
- Overhead shelf.
- Double-pan stainless steel hinged doors.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- 16″ x 20″ x 8″ mop sink holds two mops.





(mops shown not included)

Single-Width Cabinet

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

W x L x H	model #	list	Qty List 3 or more
22¼″ x 25″ x 84¼″	**F1916-VSCS**	11455	11111

Double-Width Cabinets

W x L x H	mop sink on	model #	list
22¼″ x 47½″ x 84¼″	left	**F1916-VSCS-DL**	12430
22¼″ x 47½″ x 84¼″	right	**F1916-VSCS-DR**	12430

Utility Shelf with Mop Hangers

- 16 gauge type 304 stainless steel



w x l	model #	list
8″ x 24″	**US0824-16/3**	1235
8″ x 36″	**US0836-16/3**	1416

Corner Mop Sinks - Space Saving Design


Drop Front Edge Mop Sink
3″ dropped edge facilitates

Space-Saving Design!

- Five-sided corner construction saves space.
- Available with drop-front edge or flush front edge.
- Heavy gauge type 304 stainless steel bowl and skirt
- Bowl is fully welded in skirt.
- Fabricated bowl is fully welded and polished.
- Bowl is creased to improve drainage and prevent pooling.
- 2″ brass no-caulk shower drain with 4½″ stainless steel strainer.

From our Video Library – Watch Now!
CORNER MOP SINK


Flush Front Edge Mop Sink

W x L x H	Drop Front Edge model #	list	Flush Front Edge model	list
21″ x 21″ x 8″	**F2121-8-CDE**	4405	**F2121-8-CNR**	4391
21″ x 21″ x 12″	**F2121-12-CDE**	4665	**F2121-12-CNR**	4705
24″ x 24″ x 8″	**F2424-8-CDE**	4524	**F2424-8-CNR**	4535
24″ x 24″ x 12″	**F2424-12-CDE**	4803	**F2424-12-CNR**	4881

Portable Hand Sinks

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Overall dimensions: 24″ wide, 26″ length, and 44½″ height.
- Deck mount faucet with 8″ spout and 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.
- Available with laminated cabinet.



…with Stainless Steel Cabinet

Comes with 4″ swivel casters (two with brake).

description	with Cold Water only model #	list	with Hot & Cold Water model #	list
with single stainless 14″ x 10″ x 5″ bowl	**PHS-S-C**	11000	**PHS-S-H**	13582
with 11⅝″ x 6⅛″ x 5″ 3-compartment bowl	**PHS-S3-C**	11358	**PHS-S3-H**	14297

Touch-Free Portable Hand Sinks

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- 5-gallon fresh water tank, 7-gallon soiled water tank.
- Furnished with 14″ x 10″ x 5″ deep stainless steel sink bowl.
- Deck mount electronic-eye faucet, splash-mount electronic soap dispenser, electronic paper towel dispenser, 6″-diameter trash chute.
- 115-volt pump



From our Video Library – Watch Now!
HANDS-FREE PORTABLE SINK

overall size	sink size	with Cold Water only model #	list	with Hot Water only model #	list
24″ x 26″ x 56¾″	14″ x 10″ x 5″	**PHS-S-C-TF**	12933	**PHS-S-H-TF**	13428

Clean Dishtables

- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20½″ opening.
- Crossbraced legs.
- Fit most leading manufacturers' dishwashers.




clean dishtable

length	left-hand or right-hand unit	…with Galvanized Legs 16/430 stainless steel model #	list	16/304 stainless steel model #	list	…with Stainless Steel Legs 16/430 stainless steel model #	list	16/304 stainless steel model #	list
24″	left	**CDTL-24-16/4**	1428	**CDTL-24-16/3**	1519	**CDTL-24-16/4-SL**	1823	**CDTL-24-16/3-SL**	1915
24″	right	**CDTR-24-16/4**	1428	**CDTR-24-16/3**	1519	**CDTR-24-16/4-SL**	1823	**CDTR-24-16/3-SL**	1915
30″	left	**CDTL-30-16/4**	1640	**CDTL-30-16/3**	1744	**CDTL-30-16/4-SL**	2030	**CDTL-30-16/3-SL**	2139
30″	right	**CDTR-30-16/4**	1640	**CDTR-30-16/3**	1744	**CDTR-30-16/4-SL**	2030	**CDTR-30-16/3-SL**	2139
36″	left	**CDTL-36-16/4**	1672	**CDTL-36-16/3**	1774	**CDTL-36-16/4-SL**	2066	**CDTL-36-16/3-SL**	2173
36″	right	**CDTR-36-16/4**	1672	**CDTR-36-16/3**	1774	**CDTR-36-16/4-SL**	2066	**CDTR-36-16/3-SL**	2173
48″	left	**CDTL-48-16/4**	1840	**CDTL-48-16/3**	1959	**CDTL-48-16/4-SL**	2234	**CDTL-48-16/3-SL**	2355
48″	right	**CDTR-48-16/4**	1840	**CDTR-48-16/3**	1959	**CDTR-48-16/4-SL**	2234	**CDTR-48-16/3-SL**	2355
60″	left	**CDTL-60-16/4**	2567	**CDTL-60-16/3**	2732	**CDTL-60-16/4-SL**	2966	**CDTL-60-16/3-SL**	3130
60″	right	**CDTR-60-16/4**	2567	**CDTR-60-16/3**	2732	**CDTR-60-16/4-SL**	2966	**CDTR-60-16/3-SL**	3130
72″	left	**CDTL-72-16/4**	2777	**CDTL-72-16/3**	2953	**CDTL-72-16/4-SL**	3174	**CDTL-72-16/3-SL**	3350
72″	right	**CDTR-72-16/4**	2777	**CDTR-72-16/3**	2953	**CDTR-72-16/4-SL**	3174	**CDTR-72-16/3-SL**	3350
96″	left	**CDTL-96-16/4**	3113	**CDTL-96-16/3**	3315	**CDTL-96-16/4-SL**	3907	**CDTL-96-16/3-SL**	4108
96″	right	**CDTR-96-16/4**	3113	**CDTR-96-16/3**	3315	**CDTR-96-16/4-SL**	3907	**CDTR-96-16/3-SL**	4108

Soiled Dishtables (NSF)

- Offered in a choice of 16 gauge type 430 or 16 gauge type 304 stainless steel.
- 20″ x 20″ x 5″ sink with 1½″ basket drain.
- Scrap block included on all SDT models except 36″ (L & R) and 48″ (R). Faucets extra.
- Fits most leading manufacturers' dishwashers.



soiled dishtable #SDTL-48

Stainless Steel Legs and Components

For clean dishtables on page 19 and soiled dishtables on this page.

includes s/s legs and…	add * suffix #	add to list price
s/s gussets, for units up to 72″	-SLG	516
s/s gussets, for units 84″ and longer	-SLG	1030
s/s gussets & feet, for units up to 72″	-SLGF	593
s/s gussets & feet, for units 84″ and longer	-SLGF	1188

*** Example: SDTL-36-16/3-SLG**

		…with Galvanized Legs				…with Stainless Steel Legs			
		16/430 stainless steel		16/304 stainless steel		16/430 stainless steel		16/304 stainless steel	
length	left-hand or right-hand unit	model #	list	model #	list	model #	list	model #	list
36″	left	SDTL-36-16/4	3229	SDTL-36-16/3	3437	SDTL-36-16/4-SL	3625	SDTL-36-16/3-SL	3829
36″	right	SDTR-36-16/4	3229	SDTR-36-16/3	3437	SDTR-36-16/4-SL	3625	SDTR-36-16/3-SL	3829
48″	left	SDTL-48-16/4 *	3353	SDTL-48-16/3 *	3563	SDTL-48-16/4-SL*	3746	SDTL-48-16/3-SL*	3963
48″	right	SDTR-48-16/4	3353	SDTR-48-16/3	3563	SDTR-48-16/4-SL	3746	SDTR-48-16/3-SL	3963
60″	left	SDTL-60-16/4 *	3577	SDTL-60-16/3 *	3807	SDTL-60-16/4-SL*	3971	SDTL-60-16/3-SL*	4198
60″	right	SDTR-60-16/4 *	3577	SDTR-60-16/3 *	3807	SDTR-60-16/4-SL*	3971	SDTR-60-16/3-SL*	4198
72″	left	SDTL-72-16/4 *	3813	SDTL-72-16/3 *	4058	SDTL-72-16/4-SL*	4206	SDTL-72-16/3-SL*	4448
72″	right	SDTR-72-16/4 *	3813	SDTR-72-16/3 *	4058	SDTR-72-16/4-SL*	4206	SDTR-72-16/3-SL*	4448
96″	left	SDTL-96-16/4 *	4497	SDTL-96-16/3 *	4785	SDTL-96-16/4-SL*	5289	SDTL-96-16/3-SL*	5578
96″	right	SDTR-96-16/4 *	4497	SDTR-96-16/3 *	4785	SDTR-96-16/4-SL*	5289	SDTR-96-16/3-SL*	5578

*** Scrap block provided with these models. To order without scrap block, deduct $97 off list price and add suffix "-NSB" to model number. Example: SDTL-72-16/3-NSB**

Undercounter Dishtables (NSF)

- Sized to accept most undercounter dishwashers.
- Type 304 stainless steel.



description	model #	list
48″, left	UDT-4L-16/3	4281
48″, right	UDT-4R-16/3	4281
60″, left	UDT-5L-16/3	4644
60″, right	UDT-5R-16/3	4644

Mobile Soak Sinks

- 14 gauge stainless steel.
- 8″ deep sink bowl.



Buy 3 of the Same Model – Get 3VP Special Qty Pricing! 3VP


w x l x h	model #	list	Qty List 3 or more
24″ x 24″ x 33″	MSS2020	6358	6167
28″ x 28″ x 20″	MSS2424	6474	6281

Sinks with Removable Silver Chute

w x l x h	model #	list
24″ x 24″ x 33″	MSS2020SC	6974
28″ x 28″ x 20″	MSS2424SC	7123

Condensate Hoods (NSF) NFPA-96

- 12″ x 12″ collar opening for exhaust connection.
- 20″ height, 51″ deep.
- 18 gauge type 304 stainless steel.
- Full perimeter gutter with drain tube.



w x l	model #	list
36″ x 36″	HDC3636	4958
36″ x 42″	HDC3642	5082
36″ x 48″	HDC3648	5205
42″ x 42″	HDC4242	5949
48″ x 48″	HDC4848	7073
48″ x 60″	HDC4860	7987

Condensate Vents (NSF)

- Fully welded, mounts to dishwasher.
- 18 gauge type 304 stainless steel.



w x l x h	model #	list
4″ x 16″ x 48″	DVS-48	2062
4″ x 16″ x 60″	DVS-60	2244
4″ x 16″ x 72″	DVS-72	2418

Dishtable Package Special

Dishtable package includes 48″-long 16 gauge type 304 stainless steel clean dishtable and 48″-long 16 gauge type 304 stainless steel soiled dishtable, rubber scrap block, prerinse faucet (model # 300718), prerinse basket and slide bar, and 42″ KD tubular rack shelf. (Dishwasher not included.)



left-to-right operation shown (#DTC-48LR-16/3)

SPECIAL VALUE: $9355 List!

description	model #
left-to-right operation	**DTC-48LR-16/3**
right-to-left operation	**DTC-48RL-16/3***

* **DTC-48RL-16/3 does not come with scrap block.**

Optional Prerinse Units for Dishtables

Temperature adjustment for hot water with preset cold water adjustment for anti-scald protection.

Standard Prerinse Components

description	model #	list
splash mounted spray unit	**300719**	2354
deck mounted spray unit	**300718**	2344
faucet add-on with 12″ spout	**301189**	623
wall bracket	**301190**	160




T&S Extra Heavy Duty Prerinse Components

Top-of-the-line.

description	model #	list
deck mounted spray unit with wall bracket	**313295**	2900
faucet add-on with 12″ spout	**313297**	767

Lever Drains



description	model #	list
1.5″ or 2″ NPS connection	**300720**	487
2″ NPS connection	**300721**	487

Dishtable Accessories

Tubular Rack Shelves

- Tubular, knock-down design.
- Wall mounted with brackets.



length	model #	list
21″	**606296**	1724
42″	**606297**	1921
63″	**606298**	2065
84″	**606299**	2183

Solid Slanted Rack Shelves



- 16 gauge stainless steel.
- All models feature drip tube on the left or right.

size	dish rack capacity	WITH TUBE ON LEFT model #	list	WITH TUBE ON RIGHT model #	list
21″ x 21″	1	**605380**	2238	**606641**	2238
21″ x 42″	2	**605381**	2385	**606642**	2385
21″ x 63″	3	**605382**	2572	**606643**	2572
21″ x 84″	4	**606294**	2737	**606644**	2737

Dishtable Undershelves



- 24⅛″ wide.
- Provides extra space for rack storage and operation equipment.

NOTE: Order one size smaller than dishtable.

length	galvanized model #	list	400 series model #	list	300 series model #	list
24″	**605371**	1087	**605374**	1394	**606479**	1714
36″	**605372**	1320	**605375**	1550	**606480**	1914
48″	**605373**	1635	**605376**	1916	**606481**	2211

Prerinse Basket with Slide Bar

- An all-in-one combination.
- Type 304 stainless steel construction.
- Prevents food waste from clogging sink drain.
- Fits standard 20″ x 20″ prerinse sink.



383671

606434

basket depth	model #	list
3″	**606434**	1164
4″	**383671**	1182

"B" Series Worktables

- 16 gauge type 430 stainless steel top.
- Galvanized legs and adjustable undershelf.
- Exclusive patented uni-lok® design for superior strength.
- All worktables 60″ and longer feature three hat channels.
- All tables prepunched including attachment bolts for installation of 20″ x 20″drawer assemblies.



patented uni-lok® system
(Patent #5,165,349)

#T3048B

ALL "B" SERIES WORKTABLES FEATURE ADJUSTABLE UNDERSHELF WITH WELDED GUSSET DESIGN!

…with Flat Top

w x l	model #	list
24″ x 24″	T2424B	1044
24″ x 30″	T2430B	1075
24″ x 36″	T2436B	1089
24″ x 48″	T2448B	1155
24″ x 60″	T2460B	1264
24″ x 72″	T2472B	1368
24″ x 84″	T2484B	1500
24″ x 96″ *	T2496B	1957
30″ x 24″	T3024B	1057
30″ x 30″	T3030B	1089
30″ x 36″	T3036B	1096
30″ x 84″	T3084B	1760
30″ x 96″ *	T3096B	2019

*** NOTE: 96″ tables feature 6 legs.**

…with 4½″ Backsplash

w x l	model #	list
24″ x 24″	T2424B-BS	1184
24″ x 30″	T2430B-BS	1253
24″ x 36″	T2436B-BS	1292
24″ x 48″	T2448B-BS	1444
24″ x 60″	T2460B-BS	1564
24″ x 72″	T2472B-BS	1706
24″ x 84″	T2484B-BS	1928
24″ x 96″ *	T2496B-BS	2207
30″ x 30″	T3030B-BS	1320
30″ x 36″	T3036B-BS	1361
30″ x 48″	T3048B-BS	1523
30″ x 60″	T3060B-BS	1699
30″ x 72″	T3072B-BS	1882
30″ x 84″	T3084B-BS	2209
30″ x 96″ *	T3096B-BS	2405

*** NOTE: 96″ tables feature 6 legs.**

"B" Series Worktables are available with a 1½″ upturn at no extra charge, same sizes & prices as shown on this page). To specify, add prefix "U" to model number.

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

…with Flat Top w x l	model #	list	Qty List 3 or more
30″ x 48″	T3048B	1168	1133
30″ x 60″	T3060B	1287	1249
30″ x 72″	T3072B	1380	1339

Filler Tables

- 16 gauge type 300 series stainless steel top.
- 1½″ rear upturn.
- Standard flanged feet add stability.



w x l	model #	list
24″ x 15″	UT2415STEB	1666
30″ x 15″	UT3015STEB	1802
24″ x 18″	UT2418STEB	1746
30″ x 18″	UT3018STEB	1896

NOTE: Filler Tables are not designed to stand alone or to hold heavy equipment loads.

Demo Tables

- Tabletop features marine counter edge.
- Standard undershelf.
- Mirror tilts and adjusts to desired position.



table size w x l	mirror size w x l	model #	list
36″ x 60″	24¼″ x 49½″	DT3660SE	14209
36″ x 72″	24¼″ x 61½″	DT3672SE	16728

Ceiling Mounted Pot Racks

- Made of 3/16″ x 2″ flat bars bolted together.
- Furnished with chain hangers for suspension from ceiling.
- Includes two-prong hooks.



length	ALUMINUM model #	list	STAINLESS STEEL model #	list
28″	CM36APR	1448	CM36PR	1847
40″	CM48APR	1523	CM48PR	1932
52″	CM60APR	1587	CM60PR	2062
64″	CM72APR	1678	CM72PR	2180
76″	CM84APR	2078	CM84PR	2654

Table Casters

- Swivel casters sold as sets.
- Tables 84″ and shorter utilize set of four casters.
- Tables 96″ and longer utilize set of six casters.



description	wt. cap. per caster	model #	list
4″-dia., set of 4 (2 swivel, 2 w/brake)	115 lb.	CA4-SB	828
4″-dia., set of 6 (3 swivel, 3 w/brake)	115 lb.	CA6-SB	1242
5″-dia., set of 4 (2 swivel, 2 w/brake)	200 lb.	CAH4-SB	989
5″-dia., set of 6 (3 swivel, 3 w/brake)	200 lb.	CAH6-SB	1478

"SEB" Series Worktables

- 16 gauge 300 series stainless steel top with an adjustable undershelf and stainless steel legs.
- Exclusive patented uni-lok® design for superior strength.
- Worktables 60″ and longer feature three hat channels.
- Tables prepunched including attachment bolts for installation of 20″ x 20″ drawer assemblies.

16 Gauge Stainless Steel - Sturdier than the Competition!

…with Flat Top

w x l	model #	list
24″ x 24″	T2424SEB	1750
24″ x 30″	T2430SEB	1939
24″ x 36″	T2436SEB	2198
24″ x 48″	T2448SEB	2402
24″ x 60″	T2460SEB	2609
24″ x 72″	T2472SEB	2819
24″ x 84″	T2484SEB	2936
24″ x 96″ *	T2496SEB	4143
30″ x 30″	T3030SEB	2104
30″ x 36″	T3036SEB	2338
30″ x 84″	T3084SEB	3219
30″ x 96″ *	T3096SEB	4468

* NOTE: 96″ tables feature 6 legs.

…with 4½″ Backsplash

w x l	model #	list
24″ x 24″	T2424SEB-BS	2099
24″ x 30″	T2430SEB-BS	2320
24″ x 36″	T2436SEB-BS	2737
24″ x 48″	T2448SEB-BS	2962
24″ x 60″	T2460SEB-BS	3183
24″ x 72″	T2472SEB-BS	3518
24″ x 84″	T2484SEB-BS	3653
24″ x 96″ *	T2496SEB-BS	4644
30″ x 30″	T3030SEB-BS	2583
30″ x 36″	T3036SEB-BS	2872
30″ x 84″	T3084SEB-BS	3829
30″ x 96″ *	T3096SEB-BS	4958

* NOTE: 96″ tables feature 6 legs.



#T3060SEB



#T3060SEB-BS

patented uni-lok® system (Patent #5,165,349)

…with Flat Top

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

w x l	model #	list	Qty List 3 or more
30″ x 48″	T3048SEB	2583	1974
30″ x 60″	T3060SEB	2840	2320
30″ x 72″	T3072SEB	3085	2699

…with 4½″ Backsplash

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

w x l	model #	list	Qty List 3 or more
30″ x 48″	T3048SEB-BS	3123	2350
30″ x 60″	T3060SEB-BS	3407	2647
30″ x 72″	T3072SEB-BS	3664	3185

FOR ADDITIONAL ACCESSORIES, SEE PAGES 24 - 25.

PATENT PENDING

Eagle Knockdown Welded Base Option

— Available For Eagle Worktables with Stainless Steel Base



table with undershelf knocked down

Easily assembles in minutes!

Base Options

- Marine edge stainless steel undershelf welded to lower leg sections..
- C-frame stainless steel tubular base.

Legs

- 16 gauge 1" diameter legs.
- Precision machined stainless steel threaded inserts pressed into leg sections for knockdown construction.

From our Video Library – Watch Now!
KNOCKDOWN WELDED BASE OPTION

Add suffix: **- KDWB** to worktable model number and **$599** to list price



table assembled

How Our Tables with Knockdown Welded Base Rate…

	Types of Construction: Knockdown	Knockdown Welded Base	Welded Base
Strength	★★★★☆	★★★★★	★★★★★
Stability	★★★★☆	★★★★★	★★★★★
Durability	★★★☆☆	★★★★★	★★★★★
Shipping Costs	★★★★★	★★★★★	★★★☆☆
Packaging Waste	★★★★★	★★★★★	★★☆☆☆
Price	★★★★★	★★★★★	★★★★☆

Knockdown welded base construction provides the best of both worlds: A rigid welded base for additional stability and durability, while knockdown construction reduces shipping volume and packaging waste.



#T3030SB

patented uni-lok® system

(Patent #5,165,349)

"SB" Series Worktables (NSF)

• 16 gauge type 430 stainless steel top with an adjustable undershelf, and stainless steel legs.

24"-WIDE TABLES

w x l	model #	list
24" x 24"	T2424SB	1711
24" x 30"	T2430SB	1749
24" x 36"	T2436SB	1782
24" x 48"	T2448SB	1907
24" x 60"	T2460SB	2071
24" x 72"	T2472SB	2245
24" x 84"	T2484SB	2420
24" x 96" *	T2496SB	2859

30"-WIDE TABLES

w x l	model #	list
30" x 30"	T3030SB	1753
30" x 36"	T3036SB	1791
30" x 48"	T3048SB	1939
30" x 60"	T3060SB	2130
30" x 72"	T3072SB	2320
30" x 84"	T3084SB	2503
30" x 96" *	T3096SB	2899

*** NOTE: 96" tables feature 6 legs.**

Mixer Stands (NSF)

• Available with either galvanized legs and adjustable undershelf
or galvanized tubular base.

...with Galvanized Legs & Undershelf

w x l	model #	list
24" x 24"	MS2424	1596
30" x 24"	MS3024	1633
30" x 30"	MS3030	1685
30" x 36"	MS3036	1760



mixer stand with undershelf

patented uni-lok® system

(Patent #5,165,349)

...with Galvanized Tubular Base

w x l	model #	list
24" x 24"	TMS2424	1596
30" x 24"	TMS3024	1633
30" x 30"	TMS3030	1685



mixer stand with tubular base

Optional Utensil Rack


• Stainless steel.
• 54" height.

model #	add to unit list
UR-501	1417



caster

caster w/brake



Optional Casters for Mixer Stands

description	wt. cap. per caster	model #	list each
4" -dia., set of four (two swivel, two w/brake)	115 lbs.	CA4-SB	828
4" -dia., set of six (three swivel, three w/brake)	115 lbs.	CA6-SB	1242
5" -dia., set of four (two swivel, two w/brake)	200 lbs.	CAH4-SB	989
5" -dia., set of six (three swivel, three w/brake)	200 lbs.	CAH6-SB	1478

Equipment Stands (NSF)

• 16 gauge type 304 stainless steel top.
• Galvanized legs & adjustable undershelf.
• 1¼" upturn on back and both ends.
• All equipment stands have three standard hat channels for extra support.



equipment stand with optional cutting board (shown with griddle—sold separately)

w x l	model #	list
24⅜" x 24⅜"	T2424GS	1438
24⅜" x 36⅜"	T2436GS	1459
24⅜" x 48⅜"	T2448GS	1650
24⅜" x 60⅜"	T2460GS	1791
24⅜" x 72⅜"	T2472GS	1865
30⅜" x 24⅜"	T3024GS	1521
30⅜" x 36⅜"	T3036GS	1546
30⅜" x 48⅜"	T3048GS	1664
30⅜" x 60⅜"	T3060GS	1956
30⅜" x 72⅜"	T3072GS	2154

Optional Cutting Boards for Equipment Stands

• 8" wide, 1¼" thick hardwood top.
• Adjustable stainless steel tubular supports.

length	model #	list
36"	307105	990
48"	307106	1112
60"	307107	1222
72"	307108	1345

Optional Plate Shelf for Equipment Stands

length	model #	list
48"	APS4	1089
60"	APS5	1210
72"	APS6	1317

Note: Available only in conjunction with purchase of an optional cutting board.

Additional Galvanized or Stainless Steel Undershelves

- For 30″-wide tables with uni-lok® hat channel frame.
- Galvanized or stainless.
- Adjustable height.



When Ordering:
Order per the size of your tabletop
("tabletop O.A." column in the charts below).

Galvanized Undershelves

tabletop O.A.	model #	list
30″ x 36″	**3036GADJUS**	471
30″ x 48″	**3048GADJUS**	482
30″ x 60″	**3060GADJUS**	495
30″ x 72″	**3072GADJUS**	528
30″ x 96″	**3096GADJUS**	544

Stainless Steel Undershelves

tabletop	stainless steel 18/4		stainless steel 18/3	
O.A.	model #	list	model #	list
30″ x 36″	**3036SADJUS-18/4**	1028	**3036SADJUS-18/3**	1189
30″ x 48″	**3048SADJUS-18/4**	1126	**3048SADJUS-18/3**	1303
30″ x 60″	**3060SADJUS-18/4**	1287	**3060SADJUS-18/3**	1489
30″ x 72″	**3072SADJUS-18/4**	1432	**3072SADJUS-18/3**	1660
30″ x 96″	**3096SADJUS-18/4**	1779	**3096SADJUS-18/3**	2042

Drawers

Type 430 stainless steel construction.


with pull flange


with pull flange and full front


drawer assembly

NOTE: 15″- wide drawers are designed for use with 30″ long tables.

Drawers with Pull Flange

Features include roller slides and stainless steel pan.

side-to-side *	model #	list
15″	**502941**	440
20″	**500772**	510

Drawers with Pull Flange & Full Front

Features include hemmed safety full-length pull handle, roller slides and stainless steel pan.

side-to-side *	model #	list
15″	**502942**	749
20″	**501571**	819

Assembly with NSF-Approved Slides

Features housing, removable drawer pan, drawer front with full-length pull handle, glides and removable roller slides.

side-to-side *	model #	list
15″	**502947**	1471
20″	**502946**	1544

*** Dimensions of drawer pan.**

Drawer Capacity Per Table

Drawers can be centered, left or right.
Holes are predrilled for 20″ x 20″ drawers only.

table length	15″ x 20″ drawer capacity per table	20″ x 20″ drawer capacity per table
24″	0	0
30″	1 centered	0
36″	1 centered	1 centered
48″	1 centered; or 1 left & 1 right	1 centered
60″	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72″	3 (1 centered, 1 left, 1 right)	1 centered; or 1 left & 1 right
84″	4	1 centered; or 1 left & 1 right
96″	4 (2 left & 2 right)	2 (1 left, 1 right)
108″	4 (2 left & 2 right)	4 (2 left, 2 right)
120″	4 (2 left & 2 right)	4 (2 left, 2 right)
132″	6 (2 between each set of legs)	3 (1 between each set of legs)
144″	6 (2 between each set of legs)	3 (1 between each set of legs)

Corner Guards

- Heavy gauge stainless steel.
- Adhesive tape backing included.



Inside Corners

w x l x h	model #	list
2″ x 2″ x 36″	**CG-I-36**	224
2″ x 2″ x 48″	**CG-I-48**	260
2″ x 2″ x 60″	**CG-I-60**	296
2″ x 2″ x 72″	**CG-I-72**	329

Outside Corners

w x l x h	model #	list
2″ x 2″ x 36″	**CG-O-36**	224
2″ x 2″ x 48″	**CG-O-48**	260
2″ x 2″ x 60″	**CG-O-60**	296
2″ x 2″ x 72″	**CG-O-72**	329

Cutting Tables




- 4½″ backsplash.
- ½″ polymer top.
- Stainless steel legs and adjustable metal feet.

w x l	model #	list
24″ x 36″	**CT2436S-BS**	2660
24″ x 48″	**CT2448S-BS**	2962
24″ x 60″	**CT2460S-BS**	3235
30″ x 36″	**CT3036S-BS**	2848
30″ x 48″	**CT3048S-BS**	3161
30″ x 60″	**CT3060S-BS**	3456

Flex-Master® Overshelf System

The Flex-Master® Overshelf System can easily be changed or expanded as needed. Create an unlimited combination of shelves, pot racks, and utility racks using standard components — imagine the possibilities!

- Shelves are adjustable up or down in 1″ increments for flexible and accurate shelf placement.
- 10″ and 12″ shelf widths can be intermixed on same set of posts.



Overshelves

- 16 gauge stainless steel.

w x l	TYPE 430 S/S model #	list	TYPE 304 S/S model #	list
10″ x 30″	**411030**	630	**421030**	695
10″ x 36″	**411036**	647	**421036**	720
10″ x 48″	**411048**	696	**421048**	789
10″ x 60″	**411060**	760	**421060**	888
10″ x 72″	**411072**	859	**421072**	995
10″ x 84″	**411084**	960	**421084**	1092
10″ x 96″	**411096**	1055	**421096**	1236
10″ x 120″	**411012**	1239	**421012**	1316
12″ x 30″	**411230**	647	**421230**	720
12″ x 36″	**411236**	672	**421236**	800
12″ x 48″	**411248**	727	**421248**	838
12″ x 60″	**411260**	788	**421260**	932
12″ x 72″	**411272**	897	**421272**	1049
12″ x 84″	**411284**	1006	**421284**	1182
12″ x 96″	**411296**	1092	**421296**	1322
12″ x 120″	**411212**	1349	**421212**	1523

Posts

- Sold in pairs.
- 30″–72″ shelves require 2 pairs.
- 84″–120″ shelves require 3 pairs.

height	CHROME model #	list	STAINLESS STEEL model #	list
18″	**418202**	280	**418002**	319
30″	**430202**	299	**430002**	408
48″	**448202**	369	**448002**	548

Pot Hook

description	model #	list
two-prong, stainless steel	**300696**	49

Pot/Ladle Racks

- Chrome plated.

length	model #	list
30″	**PRT30-C**	152
36″	**PRT36-C**	176
48″	**PRT48-C**	194
60″	**PRT60-C**	226
72″	**PRT72-C**	266
84″	**PRT84-C** *	307
96″	**PRT96-C** *	358
120″	**PRT120-C** *	376

*** These racks come in two pieces.**

Worktables with Flex-Master® Overshelf Kits

- Worktables and Flex-Master® Overshelf System packaged in convenient kits.
- Table tops predrilled for rear mounting of posts and shelves.
- **"FM" Style** includes four 30″ stainless steel posts, and two 12″ stainless steel overshelves.
- **"FM-PL" Style** includes two 30″ stainless steel posts, two 48″ stainless steel posts, two 12″ stainless steel overshelves, and two pot racks.


"FM" Style


"FM-PL" Style

"B" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Galvanized legs and undershelf, plastic feet.

w x l	"FM" STYLE model #	list	"FM-PL" STYLE model #	list
30″ x 48″	**T3048B-FM**	3438	**T3048B-FM-PL** Empty Field!	
30″ x 60″	**T3060B-FM**	3679	**T3060B-FM-PL**	4271
30″ x 72″	**T3072B-FM**	3990	**T3072B-FM-PL**	4662

"SB" Series

- 16 gauge type 430 stainless steel top and overshelves.
- Stainless steel legs and undershelf, plastic feet.

w x l	"FM" STYLE model #	list	"FM-PL" STYLE model #	list
30″ x 48″	**T3048SB-FM**	4209	**T3048SB-FM-PL**	4737
30″ x 60″	**T3060SB-FM**	4522	**T3060SB-FM-PL**	5114
30″ x 72″	**T3072SB-FM**	4930	**T3072SB-FM-PL**	5602

Spec-Master® "SE" Series

- 14 gauge type 304 stainless steel top.
- Stainless steel legs, undershelf and feet.
- 16 gauge 300 series stainless steel overshelves.

w x l	"FM" STYLE model #	list	"FM-PL" STYLE model #	list
30″ x 48″	**T3048SE-FM**	5614	**T3048SE-FM-PL**	6142
30″ x 60″	**T3060SE-FM**	6111	**T3060SE-FM-PL**	6703
30″ x 72″	**T3072SE-FM**	6672	**T3072SE-FM-PL**	7344

Spec-Master® Plate Counters NSF

- Used in modular design of chef's counters and cook lines.
- 14 gauge stainless steel top.
- Heavy gauge stainless steel wraparound.
- Standard stainless steel center shelf.
- 15″ or 18″ front-to-back.



w x l	no. of legs	WITH SLIDING DOORS model #	list	WITH HINGED DOORS model #	list
15″ x 48″	4	PCS1548SE-CS	6959	PCH1548SE-CS	7033
15″ x 60″	4	PCS1560SE-CS	7312	PCH1560SE-CS	7389
15″ x 72″	4	PCS1572SE-CS	7935	PCH1572SE-CS	8016
15″ x 84″	6	PCS1584SE-CS	8209	PCH1584SE-CS	8308
15″ x 96″	6	PCS1596SE-CS	8750	PCH1596SE-CS	8827
15″ x 120″	6	PCS15120SE-CS	10269	PCH15120SE-CS	10345
15″ x 144″	6	PCS15144SE-CS	12212	PCH15144SE-CS	12296
18″ x 48″	4	PCS1848SE-CS	7305	PCH1848SE-CS	7380
18″ x 60″	4	PCS1860SE-CS	7762	PCH1860SE-CS	7840
18″ x 72″	4	PCS1872SE-CS	9121	PCH1872SE-CS	9199
18″ x 84″	6	PCS1884SE-CS	9708	PCH1884SE-CS	9781
18″ x 96″	6	PCS1896SE-CS	10269	PCH1896SE-CS	10345
18″ x 120″	6	PCS18120SE-CS	11439	PCH18120SE-CS	11519
18″ x 144″	6	PCS18144SE-CS	13386	PCH18144SE-CS	13458

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

w x l	no. of legs	WITH OPEN BASE model #	list	Qty List 3 or more
15″ x 48″	4	PC1548SE-CS	5243	4560
15″ x 60″	4	PC1560SE-CS	5598	4878
15″ x 72″	4	PC1572SE-CS	6223	5422
15″ x 84″	6	PC1584SE-CS	6490	5651
15″ x 96″	6	PC1596SE-CS	7042	6156
15″ x 120″	6	PC15120SE-CS	8561	N/A
15″ x 144″	6	PC15144SE-CS	10505	N/A
18″ x 48″	4	PC1848SE-CS	5594	4310
18″ x 60″	4	PC1860SE-CS	6049	460
18″ x 72″	4	PC1872SE-CS	7412	5632
18″ x 84″	6	PC1884SE-CS	7996	6086
18″ x 96″	6	PC1896SE-CS	8561	6538
18″ x 120″	6	PC18120SE-CS	9725	N/A
18″ x 144″	6	PC18144SE-CS	11669	N/A

Worktables with Sink NSF

- 16″ x 20″ x 14″ sink bowl with faucet and basket drain.
- Tables prepunched including attachment bolts for installation of drawer assemblies.



T3048SEB-BS-E23L

patented uni-lok® system
(Patent #5,165,349)

w x l	model #	list
30″ x 48″	T3048SEB-BS-E23L	5965
30″ x 48″	T3048SEB-BS-E23R	5965
30″ x 60″	T3060SEB-BS-E23L	6271
30″ x 60″	T3060SEB-BS-E23R	6271
30″ x 72″	T3072SEB-BS-E23L	6561
30″ x 72″	T3072SEB-BS-E23R	6561
30″ x 96″	T3096SEB-BS-E23L	7427
30″ x 96″	T3096SEB-BS-E23R	7427

NOTE: The suffix L or R denotes the placement of the sink bowl - right or left side.



#BF-1-12 single unit

Wall Mounted Bottle Filler Stations

- Compact space-saving design.
- Fully enclosed skirt with access panel.
- All 300 series stainless steel construction.
- T&S electric-eye faucets with battery backup for hands-free operation.
- Anti-splash cover available.

From our Video Library – Watch Now!
BOTTLE FILLER STATION

description	T&S faucet part #	Single-Faucet Units model #	list	Double-Faucet Units model #	list
Includes electric-eye faucet(s) w/8" clearance	EC-1210-08	BF-1-08	3763	BF-2-08	6620
Includes electric-eye faucet(s) w/10" clearance	EC-1210-10	BF-1-10	3787	BF-2-10	6665
Includes electric-eye faucet(s) w/12" clearance	EC-1210-12	BF-1-12	3812	BF-2-12	6716
Includes electric-eye faucet(s) w/8" clearance & water filter	EC-1210-08-WFK	BF-1-08-F	6778	BF-2-08-F	12662
Includes electric-eye faucet(s) w/10" clearance & water filter	EC-1210-10-WFK	BF-1-10-F	6797	BF-2-10-F	12699
Includes electric-eye faucet(s) w/12" clearance and water filter	EC-1210-12-WFK	BF-1-12-F	6769	BF-2-12-F	12710

Mobile Ice Caddies

- Top and body are heavy gauge stainless steel.
- Ice storage bin is type 304 stainless steel, fully insulated, isolated from exterior with thermoplastic plastic breaker strips.
- 19″ front-to-back and 18″ deep, with pan sloped to a 1″ NPS drain connection with ball valve, lift-off sliding cover.
- 5″-diameter casters—two with brakes.

Ideal for any place which serves ice cold beverages, from restaurants and bars to indoor and outdoor venues in which portability is a must, Eagle's NEW Mobile Ice Caddies will meet your needs! Stainless steel construction is durable as well as attractive. The 29″ height allows for these caddies to easily fit underneath a standard-height bar or countertop.



#MIC1425

model #	dimensions w x l	weight	list
MIC1425	25¼″ x 14¼″	180 lbs.	4472
MIC2825	25¼″ x 28¼″	215 lbs.	5368



Portable Bars

- 37″ working height, 47¾″ overall height.
- 25⅛″ x 61″ cabinet, with 14″ x 63″ formica top.
- 15⅜″ x 19¾″ x 8″ ice bin.
- Standard models come with towel ring and two speed rails; Deluxe models feature locking cabinet(s). Models "-5L," "-5R," and "-5LR" feature removable single speed rail mounted on left and/or right cabinet door(s).

description	black exterior * model #	list	white exterior * model #	list	"Vintage" exterior * model #	list
standard portable bar	-	-	**PB-5-W**	9643	**PB-5-V**	10101
Deluxe, with center locking cabinet **	**DPB-5**	11401	**DPB-5-W**	11971	**DPB-5-V**	12539
Deluxe, with locking cabinets at center and left	**DPB-5L**	11446	**DPB-5L-W**	12016	**DPB-5L-V**	12590
Deluxe, with locking cabinets at center and right	**DPB-5R**	11446	**DPB-5R-W**	12016	**DPB-5R-V**	12590
Deluxe, with locking cabinets at center, left & right	**DPB-5LR**	11860	**DPB-5LR-W**	12454	**DPB-5LR-V**	13049

*** Melamine cabinet and matching formica top; ** Comes with double-tier speed rail.**

IMPORTANT: PORTABLE BARS ARE FOR INDOOR USE ONLY.



Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

description	black exterior model #	list	Qty List 3 or more
standard portable bar	**PB-5**	9181	7589



Spec-Bar® portable bar

Spec-Bar® Portable Bars

- Welded 1-½″ type 300 stainless steel square tubular base construction.
- Stainless steel top with marine edge.
- Available in three standard configurations to match your serving needs..

description	L x W x H	model #	list
Spec-Bar® standard portable bar	80″ x 33″ x 48″	**SBPB-CCS-6**	29323
Spec-Bar® portable bar w/ double ice bins	80″ x 32″ x 48″	**SBPB-DBL-6**	30183
Spec-Bar® portable bar w/ workboard	80″ x 32″ x 48″	**SBPB-CWS-6**	22759



Spec-Bar® portable bar with double ice bins



Spec-Bar® portable bar with workboard

The design combines Eagle Group's most popular back bar equipment with a rugged stainless steel tubular frame to create a compact and capable mobile


From our Video Library – Watch Now!
SPEC-BAR® PORTABLE BAR

Spec-Bar® Glass Rinsers (NSF)

- Type 300 series stainless steel construction.
- 4½″ -diameter actuation disk.
- 1⁄2″ FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover



#UBGR underbar glass rinser




#BTGR bar top glass rinser

W x L	model #	list
6″ x 11″	**UBGR**	1110
6″ x 6″	**BTGR**	712

Spec-Bar® Drop-In Glass Rinser Troughs (NSF)


- Type 300 series stainless steel construction.
- 4½″ -diameter actuation disk.
- 1⁄2″ FNPT stainless steel fitting welded to pan for drain.
- Inline preset pressure regulator.
- Removable stainless steel trough cover.
- Lengths available range from 6″ to 24″.




#DIGRT-6



#DIGRT-12



#DIGRT-18



#DIGRT-24

W x L	model #	list
6¼″ x 6¼″	**DIGRT-6**	836
6¼″ x 12¼″	**DIGRT-12**	851
6¼″ x 18¼″	**DIGRT-18**	938
6¼″ x 24¼″	**DIGRT-24**	1010

Spec-Bar® Dump Sinks with Glass Rinsers (NSF)

- Type 300 series stainless steel construction.
- T&S splash-mounted faucet
- 1½″ stainless steel IPS threaded drain with nut and washer
- Glass rinser spray head features multi-outlet nozzle to ensure complete rinsing.
- 4½″-diameter actuation disk
- Inline preset pressure regulator
- Removable perforated drainboard
- Stainless steel adjustable bullet feet

W x L x H	model #	list
24″ x 12″ x 37″	**DSGR-12-24**	4486
24″ x 18″ x 37″	**DSGR-18-24**	5544

From our Video Library - Watch Now!
SPEC-BAR® UNDERBAR SERIES



sink with glass rinser



sink with glass rinser and dipper well

Spec-Bar® Soda Gun Holders

- Type 300 series stainless steel construction (NSF)
- Attaches to side of adjacent equipment (by others in field).
- Designed for Wunder-Bar® or Schroeder America™ 8-14 soda gun manifolds
- Built-in drip pan with 3/8″ drain
- 20′ clear vinyl tubing included
- Removable top and side panels

W x L x H	model #	list
6″ x 19″ x 21″	**SGH-19**	1589
6″ x 24″ x 21″	**SGH-24**	1612



SGH-19



SGH-24

Spec-Bar® Combination Cocktail Stations

- Back, backsplash, sides, bottom, front panel, liquor steps, ice chests and bowls are 20 gauge stainless steel.
- Blender shelf is 18 gauge stainless steel.
- Blender shelf sides, speed rail sides, and liquor display sides are 14 gauge stainless steel.
- Blender station, wet waste sink, double speed rail, condiment dispenser, and combination ice chest are standard.



CCS-60-1



CCS-60-2

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

comes with	model #	W x L	list	Qty List 3 or more
12″-long liquor display	**CCS-60-1**	29″ x 60″	16625	15461
12″-long recessed workboard	**CCS-60-2**	29″ x 60″	15547	14459

3VP

Underbar Sinks (NSF)

All stainless steel top, front and ends. 1800 series measures 20″ front to back. 2200 series measures 24″ front to back. Faucets included. 4½″ backsplash and 1½″ drain. Optional stainless steel leg assembly (two sets per unit) add $350 to list price and suffix "-SL" to model number. Example: B5C-18-SL

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

description	1800 Series model #	1800 Series list	Qty List 3 or more	2200 Series model #	2200 Series list	Qty List 3 or more
5′-long; 3 bowls; 12½″ dbs.	**B5C-18**	4431	3379	**B5C-22**	4768	3618
6′-long; 3 bowls; 18½″ dbs.	**B6C-18**	4678	3563	**B6C-22**	5022	3818
4′-long; 3 bowls; 12½″ R db.	**B4R-18**	4324	**N/A**	**B4R-22**	4569	**N/A**
4′-long; 3 bowls; 12½″ L db.	**B4L-18**	4324	**N/A**	**B4L-22**	4569	**N/A**
6′-long; 4 bowls; 12½″ dbs.	**B6C-4-18**	5545	4209	**B6C-4-22**	5912	4483
7′-long; 4 bowls; 18½″ dbs.	**B7C-4-18**	5899	**N/A**	**B7C-4-22**	6316	N/A



B5C-18

Cocktail Units (NSF)

Type 304 stainless steel ice chest. Optional stainless steel leg assembly (two sets per unit) add $350 to list price and suffix "-SL" to model number. Example: B2CT-18-SL



B2CT-18

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

description	1800 Series model #	1800 Series list	Qty List 3 or more	2200 Series model #	2200 Series list	Qty List 3 or more
2′ cocktail ice chest	**B2CT-18**	2374	2128	**B2CT-22**	2494	2131
3′ cocktail ice chest with s/s sliding cover	**B3CT-18**	3024	**N/A**	**B3CT-22**	3084	**N/A**
2′ cocktail ice chest w/7-circuit cold plate	**B2CT-18-7**	6298	**N/A**	**B2CT-22-7**	6298	**N/A**
3′ cocktail ice chest w/7-circuit cold plate	**B3CT-18-7**	7036	**N/A**	**B3CT-22-7**	7036	**N/A**

Ice Chests (NSF)

Fiberglass insulation & sliding door. Optional stainless steel leg assembly (two sets per unit) add $350 to list price and suffix "-SL" to model number. Example: B2IC-18-SL



B2IC-18

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

w x l	1800 Series model #	1800 Series list	Qty List 3 or more	2200 Series model #	2200 Series list	Qty List 3 or more
18″ x 24″	**B2IC-18**	2866	2098	**B2IC-22**	3175	2140
18″ x 30″	**B30IC-18**	3052	**N/A**	**B30IC-22**	3314	**N/A**
18″ x 36″	**B36IC-18**	3724	**N/A**	**B36IC-22**	3747	**N/A**

Side-To-Side Modular Add-Ons

- Predrilled mounting holes.
- Standard faucets, basket drain and galvanized tubular legs.
- Units come with knock-down gusset/channel and galvanized leg assembly.
- 120V-15A duplex receptacle and waterproof cover plate on MA7 models.



MA2-18



MA7-18

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!


3VP

description	1800 Series model #	1800 Series list	Qty List 3 or more	2200 Series model #	2200 Series list	Qty List 3 or more
12″ hand sink unit	**MA2-18**	1839	1656	**MA2-22**	1974	1723
18″ sink step-down unit	**MA7-18**	2461	1924	**MA7-22**	2529	2011

Optional stainless steel leg assembly available. Two sets per unit. Add $350 to list price and suffix "-SL" to model number. Example: MA2-18-SL

Speed Rails

- Made for liter-size bottles.
- Heavy gauge 300 series stainless steel construction.
- Single-tier are 4 7/16″-wide. double-tier are 7⅞″-wide.
- All speed rails feature keyholes.



single-tier speed rail



double-tier speed rail

Single-Tier Speed Rails

length	number of keyholes	model #	list
22″	2	**500778**	270
34″	3	**500779**	346
46″	3	**500780**	442
58″	3	**502956**	528
70″	3	**501045**	624

Double-Tier Speed Rails

length	number of keyholes	model #	list
22″	2	**501883**	514
34″	3	**501884**	684
46″	3	**501885**	901
58″	3	**502957**	1125
70″	3	**501886**	1355

SEALED WELL AND OPEN BASE HOT FOOD TABLES

Sealed Well Hot Food Tables

- All stainless steel unit with stainless steel legs, gussets, undershelf, dish shelf, bullet feet and a poly cutting board.
- Sealed wells with individual controls, drains, drain manifold and drain valve.

description	model #	list
120V dry hot or full wet – 2 well, sealed wells	**SHT2-120**	6571
240V dry hot or full wet – 2 well, sealed wells	**SHT2-240** or **-208**	6571
120V dry hot or full wet – 3 well, sealed wells	**SHT3-120**	8699
240V dry hot or full wet – 3 well, sealed wells	**SHT3-240** or **-208**	8699
120V dry hot or full wet – 4 well, sealed wells	**SHT4-120**	10673
240V dry hot or full wet – 4 well, sealed wells	**SHT4-240** or **-208**	10673
240V dry hot or full wet – 5 well, sealed wells	**SHT5-240** or **-208**	13093

NOTE: Models listed above are available with optional AutoFill® Water System.



SHT3-120

Hot Food Tables with Open Base

- Stainless steel top and stainless steel wrapper with galvanized legs and undershelf.
- Standard ½" poly cutting board located on control side of table.
- Recessed control panel.
- Designed to accommodate our exclusive Flex-Master® Overshelf System including optional heat lamp feature.
- AWT models come standard with a removable stainless steel dish shelf.
- Hardwood cutting board available as an option.



DHT3-120

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

description	model #	list	Qty List 3 or more
gas, full wet – 2 well	**AWT2-NG** or **LP***	4702	4562
gas, full wet – 3 well	**AWT3-NG** or **LP***	5249	5104
gas, full wet – 4 well	**AWT4-NG** or **LP***	6310	5994
gas, full wet – 5 well	**AWT5-NG** or **LP***	7855	7706
gas, dry hot – 2 well	**HT2-NG** or **LP**	3705!	3630
gas, dry hot – 3 well	**HT3-NG** or **LP**	4442	4308
gas, dry hot – 4 well	**HT4-NG** or **LP**	5434	5272
gas, dry hot – 5 well	**HT5-NG** or **LP**	6537	N/A
120v. dry hot – 2 well	**DHT2-120 -208** or **-240**	3656	3547
120v. dry hot – 3 well	**DHT3-120 -208** or **-240**	4116	3974
240v. dry hot – 4 well	**DHT4-120 -208** or **-240**	5450	5270
240v. dry hot – 5 well	**DHT5-240** or **-208**	7037	N/A

Optional bolted undershelf available - Add suffix "B" to model number and add 20% to list price. Example: DHT3-120B.

NOTE: models with * are available with optional AutoFill® Water System.



DHT5-240

Optional AutoFill® Water System with Built-In Back Flow Preventer

Automatically supplies and maintains proper water level in hot food wells with drains. No additional holes or drains in well. Independent system with its own On/Off switch with LED indicator. Reliable level sensing (even in conditions of mineral deposit build-up). Maintains less than a ¼" difference in high and low water levels. Available on wet hot food tables (an * indicates units applicable in the charts).

To order: Add "**A**" in front of first dash in model number. Example: AWT4**A**-LP-1 and add $3115 to list price of Hot Food Table.



HT40B-NG

Spec-Master® Enclosed Base

- All stainless construction.
- Recessed control panels with infinite controls for gas and thermostatic controls for electric units.
- 8″ wide, ½″ poly cutting board.
- Adaptable for wet application using optional spillage pans.

description	model #	list
3-well, gas, open front	**HT30B-NG**	10485
4-well, gas, open front	**HT40B-NG**	12312
3-well, 120V, open front	**HT30B-120**	10409
4-well, 240V, open front	**HT40B-240**	12282



Hot Food Tables with Flex-Master® Overshelves

- Each unit includes one hot food table per model designation.
- Two 10″-wide 16 gauge type 304 stainless steel overshelves adjustable on 1″ increments for flexibility.
- Four 30″ stainless steel posts.

3-Well Units

description	model #	list
gas, water bath	**AWT3-NG-FM**	8057
electric, dry hot	**DHT3-120-FM**	6924
gas, dry hot	**HT3-NG-FM**	7250
electric, sealed wells	**SHT3-120-FM**	11507



4-Well Units

description	model #	list
gas, water bath	**AWT4-NG-FM**	9220
electric, dry hot	**DHT4-240-FM**	8360
gas, dry hot	**HT4-NG-FM**	8344
electric, sealed wells	**SHT4-240-FM**	13583

Deluxe Service Mates

- Clear carbonite sneeze guard.
- 4″ swivel casters, two with brake.
- Stainless steel top with black plated steel wrapper and black plated steel base.

description	model #	list
120V dry buffet hot food unit, portable, 3-well	**BPDHT3-120**	8688
buffet cold pan unit, portable, 48″-long	**BPCP-3**	7849
buffet cold pan unit, portable, 63½″-long	**BPCP-4**	8340



BPDHT3-120

Buy 3 of the Same Model – Get 3VP Special Qty Pricing!

3VP

description	model #	list	Qty List 3 or more
120V dry buffet hot food unit, portable, 4-well	**BPDHT4-120**	9116	8974
240V dry buffet hot food unit, portable, 4-well	**BPDHT4-240**	9116	8974

Service Mate Accessories



FLUORESCENT LIGHTS WITH PLASTIC SHIELDS		INFRARED BULLET LAMPS	
model #	list	model #	list
FL-2	2464	**IL-2**	3276
FL-3	3536	**IL-3**	3771
FL-4	3626	**IL-4**	4112



Accessories - Hot Food Tables

Deluxe Serving Shelves

- 14½″-wide stainless steel top panel.
- ¼″-thick clear Acrylite® front and end panels.

length	model #	list
33″	**DSSP-HT2**	2476
48″	**DSSP-HT3**	2574
63½″	**DSSP-HT4**	2839
79″	**DSSP-HT5**	3630



DSSP-HT3

Rolltop Cover

- 18 gauge stainless steel.
- Front section telescopes into back section.

description	model #	list
fits over heat well	**501585**	845



rolltop cover

Spillage Pans — 6-pack

- Deep-drawn, fully coved, 6½″ deep.

description	model #	list
aluminum, 6 pack	**502809**	1354
stainless steel, 6 pack	**502808**	2215



spillage pan


Cold Storage Bottle Holders

Patent #7,003,969

- For cold pan units.
- Type 300 series stainless steel.
- 2⁷⁄₁₆″ diameter holes for condiment bottle dispensers.

description	model #	list
holds 4 bottles 7″ x 6½″ x 5½″ opening	**SBH-1/6**	185 *
holds 8 bottles 7½″ x 12¾″ x 5½″ opening	**SBH-1/3** *	206

*Fits traditional 1/3- or 1/6-size food pan applications.



SBH-1/3

Accessories - Hot Food Tables and Food Warmers (see page 35 for Food Warmers)

Round Insets

- Food pans and insets are heavy gauge stainless steel.
- Adapter bars are heavy gauge stainless steel and allow for different size food pans to be organized in one well.





description	model #	list
4-quart inset for 6½″ opening	**304020**	153
7-quart inset for 8½″ opening	**304021**	226
11-quart inset for 10½″ opening	**304060**	240
Lid for 4-quart inset	**304018**	40
Lid for 7-quart inset	**304019**	87
Lid for 11-quart inset	**304049**	87

Adapter Tops for Round Insets

- Heavy gauge stainless steel.
- Two or three openings available.

description	model #	list
two 8½″ diameter inserts, each for 7 qts.	**501600**	239
one 8½″ diameter insert for 7 qts, and one 10½″ diameter insert for 11 qts.	**501912**	239
one 6½″ diameter insert for 4 qts , and one 10½″ diameter insert for 11 qts.	**501913**	239
one 6½″ diameter insert for 4 qts, and one 8½″ diameter insert for 7 qts	**501915**	239
three 6½″ diameter inserts, each for 4 qts	**501914**	239



Food Pans/Adapter Bars

description	model #	list
full size pan, 20¾″ x 12¾″ x 2½″	**301669**	148
full size pan, 20¾″ x 12¾″ x 4″	**303775**	196
half size pan, 10³⁄₈″ x 12¾″ x 2½″	**304050**	95
half size pan, 10³⁄₈″ x 12¾″ x 4″	**304051**	118
one-third size pan, 6⅞″ x 12¾″ x 2½″	**304052**	69
one-third size pan, 6⅞″ x 12¾″ x 4″	**304053**	103
one-fourth size pan, 6⅜″ x 10³⁄₈″ x 2½″	**304054**	74
one-fourth size pan, 6⅜″ x 10³⁄₈″ x 4″	**304055**	92
10″ adapter bar	**301792**	62
12″ adapter bar	**301791**	65

Lids for Food Pans

description	model #	list
full size lid, with handle	**304056**	156
half size lid, with handle	**304057**	86
one-third size lid, with handle	**304058**	60
one-fourth size lid, with handle	**304059**	75

RedHots® Heated Drawers

- Heavy duty stainless steel construction with 1½″ fiberglass insulation.
- All drawer liners are 12″ front-to-back x 20″ side-to-side x 6½″ deep.
- Individual recessed thermostat control and indicator lamp for each drawer.



1-drawer built-in model



2-drawer built-in model



3-drawer freestanding model



1-Drawer Units – All models: **$7648 list price.**

	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
electrical data	model #	model #	model #	model #
120V, 3.75A, 450W	DWN-1-120	DWN-1BI-120	DWW-1-120	DWW-1BI-120
240V, 1.88A, 450W	DWN-1-240	DWN-1BI-240	DWW-1-240	DWW-1BI-240

* 21″W x 27⅞″D x 16½″H overall dimensions
** 21¾″W x 26⅝″D x 10⅞″H cutout dimensions
*** 29″W x 23¼″D x 16½″H overall dimensions
**** 29⅜″W x 23⅜″D x 10⅞″H cutout dimensions

2-Drawer Units – All models: **$12478 list price.**

	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
electrical data	model #	model #	model #	model #
120V, 7.5A, 900W	DWN-2-120	DWN-2BI-120	DWW-2-120	DWW-2BI-120
240V, 3.75A, 900W	DWN-2-240	DWN-2BI-240	DWW-2-240	DWW-2BI-240

* 21″W x 27⅞″D x 26⅝″H overall dimensions
** 21¾″W x 26⅝″D x 21¾″H cutout dimensions
*** 29″W x 23¼″D x 26⅝″H overall dimensions
**** 29⅜″W x 23⅜″D x 21¾″H cutout dimensions

3-Drawer Units – All models: **$16925 list price.**

	NARROW WIDTH UNITS		WIDE WIDTH UNITS	
	FREESTANDING*	BUILT-IN**	FREESTANDING***	BUILT-IN****
electrical data	model #	model #	model #	model #
120V, 11.25A, 1350W	DWN-3-120	DWN-3BI-120	DWW-3-120	DWW-3BI-120
240V, 5.63A, 13500W	DWN-3-240	DWN-3BI-240	DWW-3-240	DWW-3BI-240

* 21″W x 27⅞″D x 37″H overall dimensions
** 21¾″W x 26⅝″D x 32⅝″H cutout dimensions
*** 29″W x 23¼″D x 37″H overall dimensions
**** 29⅜″W x 23⅜″D x 32⅝″H cutout dimensions

RedHots® Heat Lamps

- Standard and high-watt units offered.
- Each element controlled individually.
- Interior with aluminized reflector plate to focus heat.
- Each heating element controlled individually via toggle switch with indicator light.
- Heat lamps can be attached with stainless steel brackets or hung from the ceiling using hanging tabs.
- Also available with incandescent lights with dedicated switch.



Without Incandescent Light (120V)

	STANDARD WATT UNITS		HIGH WATT UNITS	
length	model #	list	model #	list
30″	RHHL-30-120	862	RHHL-30-120-H	892
36″	RHHL-36-120	921	RHHL-36-120-H	944
42″	RHHL-42-120	960	RHHL-42-120-H	996
48″	RHHL-48-120	1020	RHHL-48-120-H	1040
54″	RHHL-54-120	1069	RHHL-54-120-H	1090
60″	RHHL-60-120	1177	RHHL-60-120-H	1196

RedHots® Display Lights

- Feature shatterproof Teflon coating.
- Designed for field wiring, features lighted rocker switch.
- Can be chain-mounted from ceiling or mounted under a shelf.

	Built-In switch		Remote Switch	
length	model #	list	model #	list
36″	RHDL-36-I	1235	RHDL-36-I-R	1268
42″	RHDL-42-I	1277	RHDL-42-I-R	1329
48″	RHDL-48-I	1438	RHDL-48-I-R	1486

RedHots® Gas Fryers

These compact, easy-to-operate countertop fryers answer the needs of modern, busy catering establishments for reliable, well-built equipment that offer flexibility, performance, style and value for money. 40 to 50 lbs. of frozen french fries cooked per hour. Designed with safety, ease of operation and performance as paramount, these fryers have a stylish and robust modular design, constructed of high-quality brushed stainless steel, large "cool to touch" dial, large heavy duty adjustable feet and easy to clean and remove accessories.



- Stainless steel construction with stainless steel fry pot.
- Four stainless steel open burners at 13,250 BTU per burner (53,000 total BTU per hour).
- Furnished with thermostatic control, push-button ignition and pilot light.
- Stainless steel hinged front door for access to thermostatic control and ignitor.
- Stainless steel tube style tank.
- Two 5-lb. capacity iron mesh nickel-plated fry baskets.
- Hi-limit safety shutoff.
- Burner safety valves.
- Attachable drain connection to facilitate draining down.
- Heavy duty adjustable feet.
- Unit supplied with gas regulator.

NEW LOW PRICE

			NATURAL GAS ***		PROPANE GAS ***	
end-to-end	front-to-back*	height**	model #	list	model #	list
17¼″	29″	25″	**CLGF30-NG**	4529	**CLGF30-LP**	4529

*** Add 4″ front-to-back to allow for regulator.**
**** Add 5″ height to allow for removable baffle.**
***** Must specify NG or LP at time of order. Unit is NOT convertible.**

Optional Night Cover



model #	list
383949	382

RedHots® Bulb Warmers

- Adjustable frame of heavy-gauge steel with chrome finish.
- Polished aluminum light shields.
- Two 250-watt infrared white bulbs.
- Chrome-plated bottom plate and 6'-long three-conductor cord.

description	model #	list
500W, 120V	**BW-2-120**	763
500W, 120V, w/drain insert and pan	**BW-2-120I**	1174



BW-2-120I

RedHots® Chef's Line® Charbroilers

- 40,000 BTU burner every 12″ on radiant units; 32,000 BTU burner every 12″ on lava rock units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½″-wide front trough with chute, located at the left end, accommodates standard sized spatula.
- 4″ heavy duty adjustable appliance legs with flanged feet.
- Heavy duty cast iron cooking grates can be individually positioned flat or angled.
- 13″ working height adjustable to 14″.
- 4″ sides and rear splash sloped front-to-back.
- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- ¾″ N.P.T. gas connection.



full size, polished stainless steel grease drawer complete with baffles

Lava Rock Charbroilers

- Each "U" shaped burner is combined with heavy duty stainless steel radiant to allow even heat distribution.
- Lava rocks supplied—one 4-lb. bag per burner.

width	BTU rating	model #	list
24″	64,000	**CLCHRBL-24-NG**	5633
36″	96,000	**CLCHRBL-36-NG**	7793
48″	128,000	**CLCHRBL-48-NG**	11005

Radiant Charbroilers

- Cast-iron burners with stainless steel removable shields.

width	BTU rating	model #	list
24″	80,000	**CLCHRB-24-NG**	7778
36″	120,000	**CLCHRB-36-NG**	10731
48″	160,000		

RedHots® Chef's Line® Griddles - Now Extra-Deep!

- 30,000 BTU burner per every 12″ on gas units.
- Bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 3½″ -wide front trough with chute, located at the left edge, accommodates standard sized spatula.
- 4″ heavy duty adjustable appliance legs with flanged feet.
- ¾″ -thick smooth polished steel griddle plate fully welded to top assembly.
- 13″ working height adjustable to 14″.
- 4″ sides and rear splash sloped front-to-back.
- 7½-quart polished stainless steel grease drawer.



3½″-wide front trough with chute

Gas Griddles

- Natural gas (NG) complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP).
- 31,250 BTU burner every 12″ for even heat distribution.
- Front-to-back dimension, including flue riser, is 28⁵⁄₁₆″.
- ½″ N.P.T. gas connection.

		with THERMOSTATIC CONTROLS		with MANUAL CONTROLS	
width	BTU rating	model #	list	model #	list
15″	31,250	**CLAGGDT-15-NG**	6253	**CLAGGD-15-NG**	4680
24″	62,500	**CLAGGDT-24-NG**	8330	**CLAGGD-24-NG**	5226
36″	94,000	**CLAGGDT-36-NG**	10514	**CLAGGD-36-NG**	6686
48″	125,000	**CLAGGDT-48-NG**	13619	**CLAGGD-48-NG**	9013

Electric Griddles

- Thermostatic controls, adjustable from 100° to 450°F.
- 4000-watt tubular heating elements are secured to underside of griddle plate to provide uniform distribution of heat over entire griddle surface.
- Internal wiring terminated in a junction box at rear for field wiring.
- Front-to-back dimension, including junction box, is 29⅜″.

width	electrical data	model #	list
24″	208V/240V, 28.9A/33.3A, 6000W/8000W	**CLEGD-24-240**	6972
36″	208V/240V, 43.3A/50.0A, 9000W/12000W	**CLEGD-36-240**	8807
48″	208V/240V, 57.8A/66.7A, 12000W/16000W	**CLEGD-48-240**	12262

RedHots® Chef's Line® Electric Fryers





- Thermostat – snap action complete with indicator light provides for accurate temperature control.
- Fry tank – 10″ x 14″ all-stainless steel deep-drawn one-piece construction, removable for easy cleaning or filtering of fat.
- Hi limit safety control – provides total system shutdown in case of malfunction — complete with reset button and indicator light.
- Heating elements – self-cleaning Incoloy® sheath for long life and high performance.
- Fry baskets – each 4″ x 11″ heavy plated mesh construction. Single tank - two provided. Double tank - four provided; optional double fry baskets available.
- Heavy duty cast metal legs with flanged feet adjustable from 4″ to 5″.
- Line cord and plug furnished on single-tank fryers.

Single Tank—15-lb. capacity

description	model #	list
120V, 1800W, 15A	**CLEF10-120**	4731
208/240V, 4125/5500W, 19.8/22.9A	**CLEF10-240**	5633

Double Tank—30-lb. capacity

description	model #	list
208/240V, 8250/11000W, 39.6/45.8A	**CLEF102-240**	9663



EF10-120

RedHots® Electric Fryers

description	model #	list
120V/1800W, 15 lb. capacity	**EF10-120**	3351
208/240V, 15 lb. capacity	**EF10-240**	3991
208/240V, 30 lb. capacity	**EF102-240**	9467

RedHots® Chef's Line® Hot Plates



gas hot plate (flat top)



electric hot plate

- New bullnosed edge provides solid protection for controls.
- Controls are at a 45° angle for ergonomic operation.
- 13″ working height adjustable to 14″.
- 4″ heavy adjustable appliance legs, flanged feet.
- Top and front are constructed of highly polished stainless steel.

Gas Hot Plates

Features include standing pilot for safe and easy operation and heavy duty cast iron grates. Available in two styles: flat top and step-up. All units are for natural gas (NG), complete with convertible pressure regulator and orifices for field conversion to liquid propane (LP). Full size polished stainless steel crumb tray included.

w x d	BTU rating	FLAT TOP UNITS model #	list	STEP-UP UNITS model #	list
12⅜″ x 24⅝″	50,000	**CLHP-2-NG**	3314	**CLUHP-2-NG**	4496
24⅜″ x 24⅝″	100,000	**CLHP-4-NG**	5329	**CLUHP-4-NG**	6420
36⅜″ x 24⅝″	150,000	**CLHP-6-NG**	7678	**CLUHP-6-NG**	9318

Electric Hot Plates

Featured are swing-up elements with individual drip pans, removable for easy cleaning. Infinite controls provide accurate heat setting and are equipped with an Off-On light. All units are 60 cycle single phase. Models #CLC-240-2 and CLC-208-2 are field-wired. #CLCW-120-2 comes complete with cord and 120-volt 15-amp NEMA 5-15 plug.

description	model #	list
120V, 1625W, 13.5A	**CLCW-120-2**	3782
208V, 3150W, 15.1A	**CLC-208-2**	3782
240V, 4200W, 17.5A	**CLC-240-2**	3782

RedHots® Food Warmers & Cooker/Warmers

Food Warmers

- Infinite controls.
- Highly polished stainless steel exterior.

description	model #	list
economy, 750W	**1220FWE-120**	1221
deluxe, 1200W	**1220FWD-120**	1278
double, 1800W	**1220FW2-120**	3347
7-quart, 550W	**7QFW-120**	929
11-quart, 550W	**11QFW-120**	1312



1220FWD-120

Cooker/Warmers

- Thermostatically controlled, offering range setting from 100° to 450°, in 50° increments.
- Wet or dry operation.



11QCW-120

description	model #	list
12″ x 20″, 1200W	**1220CWD-120**	1854
11 quart round, 750W	**11QCW-120**	1815

Aluminum Bun Pans

- Rust-resistant wire bead for extended use.
- Available in solid, glazed and perforated.
- All pans packed 12 per box.
- Made from industry's best H-24 3003 aluminum alloy, proven harder and more durable.



description	size	model #	list each pan
solid, half size	17¾″ x 12⅛″	**SP1813-18**	39
solid, full size	17¾″ x 25¾″	**SP1826-18**	52
perforated, half size	17¾″ x 12⅛″	**PP1813-18**	67
perforated, full size	17¾″ x 25¾″	**PP1826-18**	75
glazed, full size	17¾″ x 25¾″	**SP1826-G**	87

NSF Bun Pans

The Last Baking Pan You'll Ever Need!

- Solid 12 gauge aluminum construction.
- Available in full size only - 17¾″ x 25¾″.

description	model #	list each pan
NSF solid	**SP1826-N**	153
anodized NSF, solid	**SP1826-NCA**	182

16 Gauge Bun Pans

- Solid 16 gauge aluminum construction.
- Rust-resistant bead wire bead for extended use.
- Available in full size only - 17¾″ x 25¾″.

description	model #	list each pan
16 gauge, solid	**SP1826-16**	65



pans shown with drip racks

Drip & Cooling Racks

- Designed to fit inside half- and full-size Panco® pans.
- Chrome finish.

description	w x l x d	model #	list
half size rack	11⅛″ x 16⅛″ x ¾″	**DPRK1216C**	67
full size rack	16⅜″ x 24¾″ x 1″	**DPRK1725C**	118

NOTE: Packed 12 to a box.

18 Series Deluxe Bun Pan Racks

- Constructed of high strength extruded aluminum sections.
- Rack slides are designed to fit most popular tray sizes and are configured to accommodate a variety of products.
- Features 5″ casters.

dimensions w x d x h	sliding space	18″ x 26″ tray capacity	model #	list
21″ x 26½″ x 64¼″	5″	11	**OUR-1811-5**	1026
21″ x 26½″ x 64¼″	3″	18	**OUR-1818-3**	1054
21″ x 26½″ x 64¼″	3″	20	**OUR-1820-3**	1074
21″ x 26½″ x 64¼″	2¼″	24	**OUR-1824-2**	1546



Pan Rack and Cover Combo

Includes:

- (1) #OUR1818-3 pan rack
- (1) #P2RC-3 clear cover
- (12) #SP1826-18 full size bun pans

MODEL #: **OUR-1818-3RC**

LIST: $2204

All-Welded Pan Racks

- Heavy duty all-welded aluminum construction.
- Rack slides designed to fit popular tray sizes.
- Square tubing and side-to-side crossbracing.
- Features 5″ swivel stem casters.
- Units available in front and side load models.



18 Series Front Load All-Welded Racks

dimensions w x d x h	sliding space	18″ x 26″ tray capacity	model #	list
20½″ x 26″ x 69″	3″	20	**OUR-1820-3/W**	1587
20½″ x 26″ x 69″	2″	30	**OUR-1830-2/W**	2082

26 Series Side Load All-Welded Racks

dimensions w x d x h	sliding space	18″ x 26″ tray capacity	model #	list
28½″ x 19″ x 69″	3″	20	**OUR-2620-3/W**	1705
28½″ x 19″ x 69″	2″	30	**OUR-2630-2/W**	2197

Panco® "Z" Type Nesting Rack

- Racks accommodate 18″ x 26″ sheet pans.
- Heavy duty all-welded aluminum construction.
- Units available with pan capacity of 20 or 30.
- 5″ -diameter heavy duty plate casters.

"Z"-shaped horizontal supports and base allow these racks to take up less square footage than standard racks - racks "nest" inside each other when not in use.

w x d x h	slide spacing	pan capacity	model #	list
20½″ x 26″ x 69½″	3″	20	**OUR-1820-3-N**	2596
20½″ x 26″ x 69½″	2″	30	**OUR-1830-2-N**	2630



#OUR-1820-3-N (pans sold separately)

Pizza Pan Racks

- Adjustable pan opening.
- Features 5″ casters.
- Can hold round and square pans.

sliding space	pizza pan capacity	All-Welded Rack dimensions w x d x h	model #	list each	Adjustable Rack dimensions w x d x h	model #	list each
2″	12	22″ x 20″ x 33¾″	**OUR-PZ-12A**	1989	adj. x 13⅜″ x 34¾″	**OUR-PZA-12A**	1891



adjustable pizza pan rack

LIFETIME Series Enclosed Pan Racks

- Constructed of heavy duty extruded aluminum alloy.
- Fully welded construction includes top bracing, interior bracing, and bottom frame.
- Side panels welded to uprights, top bracing, and bottom frame.
- Heavy duty base includes 6″ x 2″ non-marking swivel plate casters.
- 3¼″ wide aluminum angle slides are welded to frame.
- Designed for 18″ x 26″ pans or 13″ x 18″ pans.

LIFETIME GUARANTEE against rust and corrosion, and against material defects and workmanship.

dimensions w x d x h	sliding space	18″ x 26″ pan capacity	type of 6″ caster	model #	list
20⅞″ x 27⅝″ x 69″	1½″	38	polyolefin	**1290PP ***	6400
20⅞″ x 27⅝″ x 69″	1½″	38	K-urethane	**1290WDW**	8348
20⅞″ x 27⅝″ x 69″	1½″	38	polyolefin	**1292**	6447

*** #1290PP "Prison Package" includes (4) aluminum welded hinges, (4) 6″ casters, (2) padlock holes in door, extra interior bracing, and tamper proof screws and bolts.**



enclosed pan rack (pans sold separately)

LIFETIME Series Universal Roll-In Racks

- Designed for 12″ x 20″ steam table pans, 18″ x 26″, 13″ x 18″ or 14″ x 18″ pans.
- Constructed of heavy duty aluminum alloy.
- Fully welded frame features 1½″ x 1¾″ "D"-shaped tubing.
- Crossbracing consists of 1″ square tubing.
- Heavy duty base includes 5″ x 1⅜″ non-marking recessed swivel plate casters.
- 3¼″ wide aluminum angle slides are welded to frame.

dimensions w x d x h	sliding space	pan/tray capacity 12″ x 20″	18″ x 26″	13″ x 18″	14″ x 18″	model #	list
21½″ x 26″ x 64″	5″	10	11	22	22	**4337**	4559
21½″ x 26″ x 64″	3″	17	18	36	36	**4338**	5440



universal roll-in rack (pans sold separately)

Working Height Racks (NSF)

- Top pan guides and out-rigger pan mount.
- Features 5″ swivel casters.
- Optional tops available in maple, poly or stainless steel.



working height rack with optional maple top and pans

description	dimensions w x d x h	slide spacing	pan capacity	weight lbs.	model #	list each
aluminum *	22″ x 28⅜″ x 35″	3″	9**	29	**OUR-1807-3**	2125
stainless steel	22″ x 28⅜″ x 35″	3″	9**	78	**OUR-1807-3-SR**	4010

*** Factory assembly available for aluminum models - contact factory.**
**** Total pan capacity is 9 when outrigger pan mounts are in use.**

Pan Truck (NSF)

- For use with 18″ x 26″ bun pans.
- Aluminum construction.
- Features 5″ casters and rear pan strap.



dimensions w x d x h	pan capacity	model #	list each
21″ x 27″ x 33½″	75	**PT-1826-A**	1000

Can Racks (NSF)

- All welded aluminum construction.
- Mobile unit features 4″ heavy duty plate casters.
- Aluminum top.
- Full and half can rack models available.



OCR-10-4A



FCR-10-9A

description	dimensions l x w x h	capacity #10	capacity #5	model #	list each
stationary full size	25″ x 35″ x 71″	162	216	**FCR-10-9A**	2814
mobile full size	25″ x 35″ x 78¼″	162	216	**OCR-10-9A**	3289
mobile half size, aluminum top	25″ x 35″ x 41″	72	96	**OCR-10-4A**	3054
mobile half size, poly top	25″ x 35″ x 41″	72	96	**OCR-10-4AP**	3357

Bus Box Cart (NSF)

- Holds 3 bus boxes.
- All welded aluminum construction.
- Features 5″ heavy duty casters.
- 10″ slide spacing.



dimensions w x d x h	box capacity	model #	list each
18½″ x 26″ x 36″	3	**OBC-3A**	940

Keg Racks (NSF)

- Racks feature three shelves - two heavy duty for kegs and the third (usually on top) for general storage.
- Aluminum cooler shelving for 1/4 or 1/2 kegs.
- Compatible with any wet or dry storage environment.
- 18″ shelves are adjustable in 2″ increments.



w x l x h	keg capacity	model #	list
18″ x 42″ x 76″	4	**KR1842A**	1564
18″ x 60″ x 76″	6	**KR1860A**	2104
18″ x 80″ x 76″	8	**KR1880A**	2420
18″ x 93″ x 76″	10	**KR1893A**	2882

Resists corrosion and rust.

Mobile Platform Trucks (NSF)

- Heavy-duty all-aluminum construction.
- 1½″ x 2¾″ square tubing.
- Features 5″ casters—two swivel with brake and two rigid.



overall dimensions w x d x h*	deck size	weight capacity	model #	list
20″ x 37¾″ x 8¼″	20″ x 36″	1200 lbs.	**1202**	1104
20″ x 49¾″ x 8¼″	20″ x 48″	1200 lbs.	**1203**	1194
20″ x 61¾″ x 8¼″	20″ x 60″	1200 lbs.	**1212**	1248

*** 42″ overall height with handle installed.**

Glass Rack & Bun Pan Dollies (NSF)

- Features 5″ plate casters.
- Heavy duty welded, all-aluminum construction.



glass rack dolly holds 20″ x 20″ racks



bun pan dolly holds 75 pans

description	dimensions w x d x h	weight capacity	model#	list each
Glass Rack Dolly	20⅝″ x 22⅝″ x 9¼″	1200 lbs.	**GRD-2020-A**	852
Bun Pan Dolly	18⅞″ x 27″ x 7″	800 lbs.	**BPD-1826-A**	775

Eagle Panco® Transport Holding Cabinets

Features on all units include aluminum construction on exterior and interior, bottom-mounted heating system removable for cleaning or servicing, adjustable thermostatic temperature control with digital temperature indicator, full 270° open swing door, heavy duty 5″ swivel casters - two with brake (extended undercounter cabinets feature 3″ casters), magnetic door latch, full perimeter bumper, 8′cord and 20A plug. All units standard in 39⅛″ half size, 76½″ full size and 30½″ extended undercounter heights. Extended cabinets hold two 12″ x 20″ food pans per shelf.



full size transport cabinet

Heated Holding Cabinets… – 120-volt 20-amp.

…Full Size

model #	quick-order #	description: full-size narrow unit with…	list ea
HCFNSSN-RA2.25-120	**FSHC-A**	…solid single door, non-insulated, wire slides spaced 2.25″	12999
HCFNLSN-RA2.25-120	**FSHC-B**	…single door with poly window, non-insulated, wire slides spaced 2.25″	14895

…Half Size

model #	quick-order #	description: half-size narrow unit with…	list ea
HCHNSSN-RA2.25-120	**HSHC-A**	…solid single door, non-insulated, wire slides spaced 2.25″	11680
HCHNLSN-RA2.25-120	**HSHC-B**	…single door with poly window, non-insulated, wire slides spaced 2.25″	13460

…Extended Undercounter – Units hold two 12″ x 20″ food pans per shelf.

model #	quick-order #	description: extended undercounter unit with…	list ea
HCUESSN-RA3.00-120	**EUHC-A**	solid single door, non-insulated, wire slides spaced 3.00″	12975
HCUELSN-RA3.00-120	**EUHC-B**	single door with poly window, non-insulated, wire slides spaced 3.00″	14748

Heated/Proofing Holding Cabinets – 120-volt 20-amp.

…Full Size

model #	quick-order #	description: full-size narrow unit with…	list ea
HPFNSSN-RA2.25-120	**FSHPC-A**	…solid single door, non-insulated, wire slides spaced 2.25″	13140
HPFNLSN-RA2.25-120	**FSHPC-B**	…single door with poly window, non-insulated, wire slides spaced 2.25″	15031

…Half Size

model #	quick-order #	description: half-size narrow unit with…	list ea
HPHNSSN-RA2.25-120	**HSHPC-A**	…solid single door, non-insulated, wire slides spaced 2.25″	11911
HPHNLSN-RA2.25-120	**HSHPC-B**	…single door with poly window, non-insulated, wire slides spaced 2.25″	13688

…Extended Undercounter – Units hold two 12″ x 20″ food pans per shelf.

model #	quick-order #	description: full-size narrow unit with…	list ea
HPUESSN-RA3.00-120	**EUHPC-A**	…solid single door, non-insulated, wire slides spaced 3.00″	12278
HPUELSN-RA3.00-120	**EUHPC-B**	…single door with poly window, non-insulated, wire slides spaced 3.00″	13933

NOTE: Full size cabinets standard with 12 pairs of wire slides. Half size and extended undercounter cabinets standard with 8 pairs of slides.

EAGLE GROUP®
Profit from the Eagle Advantage®

100 Industrial Blvd. Clayton DE, 19938
Toll Free: 1-800-441-8440 • Fax: 302-653-2065
www.eaglegrp.com

© 2026 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.
Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.
Due to an ongoing product improvement program, specifications, dimensions and pricing are subject to change without notice.